$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$



► Start

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b}$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$
$$= \left\{$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

► Start

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$

$$= \begin{cases} a\sqrt{b} & , a \ge 0 \end{cases}$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$

$$= \begin{cases} a\sqrt{b} & , a \ge 0 \\ -a\sqrt{b} & , a < 0 \end{cases}$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$

$$= \begin{cases} a\sqrt{b} & , a \ge 0 \\ -a\sqrt{b} & , a < 0 \end{cases}$$

$$= |a|\sqrt{b}$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$

$$= \begin{cases} a\sqrt{b} &, a \ge 0 \\ -a\sqrt{b} &, a < 0 \end{cases}$$

$$= |a|\sqrt{b}$$

•

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$

$$= \begin{cases} a\sqrt{b} &, a \ge 0 \\ -a\sqrt{b} &, a < 0 \end{cases}$$

$$= |a|\sqrt{b}$$

$$\therefore \sqrt{a^2b} = |a|\sqrt{b} \quad (b > 0)$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$

$$\sqrt{a^2b} = \sqrt{a^2}\sqrt{b}$$

$$= \begin{cases} a\sqrt{b} &, a \ge 0 \\ -a\sqrt{b} &, a < 0 \end{cases}$$

$$= |a|\sqrt{b}$$

$$\therefore \sqrt{a^2b} = |a|\sqrt{b} \quad (b > 0)$$

$$\sqrt{a^2b} = |a|\sqrt{b} \ (b > 0)$$



END