이차식의 근과 계수의 관계
(Vieta's Formula in Quadratic Equations)

Start End

Start End

Let

Start End

Let α

Start End

Let α, β

Start End

Let α, β be the roots

Start End

Let α, β be the roots of the equation.

▸ Start ▸ End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \ (a \neq 0)$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \; (a \neq 0)$$

α

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \ (a \neq 0)$$

$$\alpha +$$

▸ Start ▸ End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \ (a \neq 0)$$

$$\alpha + \beta$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \ (a \neq 0)$$

$$\alpha + \beta =$$

▸ Start ▸ End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \ (a \neq 0)$$

$$\alpha + \beta = -\frac{b}{a}$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \; (a \neq 0)$$

$$\alpha + \beta = -\frac{b}{a} \; ,$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \; (a \neq 0)$$

$$\alpha + \beta = -\frac{b}{a}, \; \alpha$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \; (a \neq 0)$$

$$\alpha + \beta = -\frac{b}{a} \; , \; \alpha\beta$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \ (a \neq 0)$$

$$\alpha + \beta = -\frac{b}{a}, \ \alpha\beta =$$

Start End

Let α, β be the roots of the equation.

$$ax^2 + bx + c = 0 \ (a \neq 0)$$

$$\alpha + \beta = -\frac{b}{a}, \ \alpha\beta = \frac{c}{a}$$

proof

Home Start End

Home Start End

Home Start End

$$\left\{ \right.$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} \\ \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 \\ \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - \\ & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 \quad - \quad (\alpha+\beta) \\ \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 \quad - \quad (\alpha+\beta)\,x \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 \quad - \quad (\alpha+\beta)\,x \quad + \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 \quad - \quad (\alpha+\beta)\,x \quad + \quad \alpha\beta \\ \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 \quad - \quad (\alpha+\beta)\,x \quad + \quad \alpha\beta \quad = \\ \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2 + bx + c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 \quad - \quad (\alpha+\beta)\,x \quad + \quad \alpha\beta \quad = \quad 0 \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & & & & & \end{cases}$$

▸ Home ▸ Start ▸ End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a} \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a} & x & & & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & & & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

$$\begin{cases} \\ \\ \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

$$\begin{cases} \alpha+\beta \\ \\ \\ \end{cases}$$

▸ Home ▸ Start ▸ End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

$$\begin{cases} \alpha+\beta & = \\ & \\ & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

$$\begin{cases} \alpha+\beta & = & -\dfrac{b}{a} \\ & & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

$$\begin{cases} \alpha+\beta & = & -\dfrac{b}{a} \\ \\ \alpha\beta & & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

$$\begin{cases} \alpha+\beta & = & -\dfrac{b}{a} \\ \\ \alpha\beta & = & \end{cases}$$

Home Start End

$$\begin{cases} (x-\alpha)(x-\beta) & = & 0 \\ ax^2+bx+c & = & 0 \quad (a \neq 0) \end{cases}$$

$$\begin{cases} x^2 & - & (\alpha+\beta)\,x & + & \alpha\beta & = & 0 \\ x^2 & + & \dfrac{b}{a}\,x & + & \dfrac{c}{a} & = & 0 \end{cases}$$

$$\begin{cases} \alpha+\beta & = & -\dfrac{b}{a} \\ \\ \alpha\beta & = & \dfrac{c}{a} \end{cases}$$

Github:
https://min7014.github.io/math20210204001.html

Click or paste URL into the URL search bar, and you can see a picture moving.