합의 극한은 극한의 합이다. (The limit of a sum is the sum of the limits.)





▶ Start ▶ End

$$\lim_{x \to a} f(x) = L$$

▶ Start ▶ End

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

▶ Start ▶ End

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \}$$

▶ Start ▶ End

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$\epsilon > 0$$

$$|\{f(x) + g(x)\} - (L + M)|$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L+M)| = |\{f(x) - L\} + \{g(x) - M\}|$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L+M)| = |\{f(x) - L\} + \{g(x) - M\}|$$

$$\leq |f(x) - L| + |g(x) - M|$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$\epsilon > 0$$

$$\begin{array}{lcl} |\{f(x)+g(x)\}-(L+M)| & = & |\{f(x)-L\}+\{g(x)-M\}| \\ & \leq & |f(x)-L|+|g(x)-M| \ (\because \ \text{The Triangle Inequality}) \end{array}$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

$$\exists \delta_1 > 0$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

 $\epsilon > 0$

 $\exists \delta_1 > 0 \text{ s.t.}$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

$$\begin{array}{lcl} |\{f(x)+g(x)\}-(L+M)| & = & |\{f(x)-L\}+\{g(x)-M\}| \\ & \leq & |f(x)-L|+|g(x)-M| \ (\because \ \text{The Triangle Inequality}) \end{array}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

$$\begin{array}{lcl} |\{f(x)+g(x)\}-(L+M)| & = & |\{f(x)-L\}+\{g(x)-M\}| \\ & \leq & |f(x)-L|+|g(x)-M| \ (\because \ \text{The Triangle Inequality}) \end{array}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2}$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$\begin{array}{lcl} |\{f(x)+g(x)\}-(L+M)| & = & |\{f(x)-L\}+\{g(x)-M\}| \\ & \leq & |f(x)-L|+|g(x)-M| \ (\because \ \text{The Triangle Inequality}) \end{array}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$
$$\exists \delta_2 > 0$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$
$$\exists \delta_2 > 0 \text{ s.t.}$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (:. The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x-a| < \delta_2$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow$$

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (}\because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2}$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x-a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} g(x) = M)$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

 $\epsilon > 0$

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (}\because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

δ

▶ Start ▶ End

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (}\because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

$$\epsilon > 0$$

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (} \because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{f(x) + g(x)\} = L + M$$

Proof.

$$\epsilon > 0$$

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (} \because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (} \because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

 $\epsilon > 0$

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (}\because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x-a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} g(x) = M)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

٠.

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (}\because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

$$\forall \epsilon > 0$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (}\because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

$$\forall \epsilon > 0, \exists \delta > 0$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L+M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (} \because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

$$\forall \epsilon > 0, \exists \delta > 0 \text{ s.t.}$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L+M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (} \because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x-a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} g(x) = M)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

$$\forall \epsilon > 0, \exists \delta > 0 \text{ s.t. } 0 < |x - a| < \delta$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

Proof.

 $\epsilon > 0$

$$|\{f(x) + g(x)\} - (L+M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (} \because \text{ The Triangle Inequality)}$$

 $\lim_{x \to a} \{ f(x) + g(x) \} = L + M$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x-a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} g(x) = M)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

$$\forall \epsilon > 0, \exists \delta > 0 \text{ s.t. } 0 < |x - a| < \delta \Rightarrow$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (}\because \text{ The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} f(x) = L \right)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x-a| < \delta_2 \Rightarrow |g(x)-M| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} g(x) = M)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

$$\forall \epsilon > 0, \exists \delta > 0 \text{ s.t. } 0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

Theorem

$$\lim_{x \to a} f(x) = L, \lim_{x \to a} g(x) = M$$

$$\lim_{x \to a} \{ f(x) + g(x) \} = L + M$$

Proof.

$$|\{f(x) + g(x)\} - (L + M)| = |\{f(x) - L\} + \{g(x) - M\}| \le |f(x) - L| + |g(x) - M| \text{ (} \because \text{The Triangle Inequality)}$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x-a| < \delta_1 \Rightarrow |f(x)-L| < \frac{\epsilon}{2} \ (\because \lim_{x \to a} f(x) = L)$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \left(\because \lim_{x \to a} g(x) = M \right)$$

$$\delta = \min(\delta_1, \delta_2)$$

$$0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

$$\forall \epsilon > 0, \exists \delta > 0 \text{ s.t. } 0 < |x - a| < \delta \Rightarrow |\{f(x) + g(x)\} - (L + M)| < \epsilon$$

Github:

https://min7014.github.io/math20231128001.html

Click or paste URL into the URL search bar, and you can see a picture moving.