

Orient — The Click-by-Click Walkthrough

No jargon. Every step is one real thing you do with your hands.

Team minahiru · Companion to the Playbook · 25 September 2026

First, the two things that confused you

1. “GitHub repo” and “local folder” are the SAME files in two places

A **repository** (“repo”) is just a **folder on your laptop** that also keeps a twin copy online at GitHub.com. It works like OneDrive or Google Drive: you edit the copy on your computer, and every so often you **upload** your changes (the word for this is **push**) so the online twin matches.

So which one do you open in Bob? The LOCAL folder. Always.

Bob is an app on your computer — it can only open folders on your computer. GitHub.com is a website; you never open it inside Bob. GitHub only matters at the very end, when you upload the finished folder so the judges can see it.

2. The “onboarding pack” is something Bob MAKES — you don't build it

The `onboarding-pack` folder starts **empty**. When you paste a prompt into Bob that ends with “*save to onboarding-pack/*,” Bob writes new files into it right there on your laptop. You literally watch them appear. That filled folder **is** your demo — “look what Bob generated.”

```
messy sample-app    --->  [ you paste prompt into Bob ]    --->  onboarding-pack fills up
(the INPUT)                (the WORK)                        (the RESULT)
```

The life of your folder, start to finish

1. A folder sits on your laptop `C:\Users\minah\Documents\orient-hackathon\`
2. You OPEN THAT FOLDER in Bob `File > Open Folder > pick it`
3. You paste prompts; Bob fills it in
4. You screenshot each Bob task `save into the bob_sessions folder`
5. At the END, you upload to GitHub `(we do this together, one time)`
6. You paste the GitHub link into lablab `<-- that's your submission`

You do not touch GitHub until step 5. For now it doesn't exist in your world. You have a folder, and you open it in Bob.

Part A — Getting the folder open in Bob

- 1 **Get the folder from Claude.** Ask Claude “build the repo.” You'll get a folder named `orient-hackathon`. Save it at `C:\Users\minah\Documents\orient-hackathon`. This costs zero Bobcoins.
- 2 **Open Bob IDE.** Make sure you're signed into the hackathon account (bottom or Settings should show `ibm-coding-challenge-uat`). If not, sign in first.
- 3 **Open the folder.** In Bob's top menu click **File** then **Open Folder...**. A file picker opens. Click through to `Documents`, click the `orient-hackathon` folder once, then click **Select Folder**.
- 4 **Look at the left side.** Bob now shows a list of the folder's files down the left edge — `sample-app`, `onboarding-pack`, `bob_sessions`, and so on. Seeing this list means it worked. You are now looking at your local folder inside Bob.

If a “Do you trust the authors” box pops up, click yes/trust. That just means “I'm okay opening files in this folder” — it's your own folder, so it's fine.

Part B — Making Bob generate the onboarding pack

- 5 **Find the chat box.** Bob's chat is a panel on the side with a text box at the bottom, where you type to Bob. That's where every prompt goes.
- 6 **Run Task 1.** Copy the Task 1 prompt from your Playbook (the environment scan), paste it into the chat box, press Enter. Bob starts working. It may ask permission to create or save files — say yes / approve.
- 7 **Watch the pack fill up.** When Bob finishes, look at the left side: new files (`SETUP.md`, `.env.example`) have appeared inside `onboarding-pack`. Click one to read it. That's Bob's output — the thing you'll show off.
- 8 **Screenshot the proof (required).** In Bob, open the **Tasks** list, click the task you just ran, click its header so the “session summary” shows, and take a screenshot. Save it as a PNG into the `bob_sessions` folder, named `minahiru_task01_env_scan_summary.png`.
- 9 **Repeat for Task 2.** Same thing with the Task 2 prompt (the README check). New file `DOC-CORRECTIONS.md` appears. Screenshot its task summary too: `minahiru_task02_doc_check_summary.png`.

That's the core done. A messy app went in, Bob produced a real onboarding pack, and you have the screenshots that prove you used Bob. Everything after this is showing it off and uploading.

Part C — The proof-it-works step

- 10 Start a fresh chat.** In Bob, open a new conversation / new context window (so Bob “forgets” the earlier work). This makes the test honest — it’s like a brand-new developer who only has the pack.
- 11 Give it only the pack.** Paste the verification prompt from the Playbook: read `onboarding-pack/SETUP.md`, get the app running, and do one small task (like “make `/health` return the version”). If it succeeds using only the pack — that’s your winning moment. Screenshot it too.

Part D — Uploading to GitHub (we do this together, once)

This is the only genuinely new tool, and it’s the last thing. When you get here, tell Claude “ready for GitHub” and you’ll get click-by-click steps for the friendly app (GitHub Desktop). The short version:

1. Install **GitHub Desktop** and sign in (free).
2. `File` → `Add local repository` → pick your `orient-hackathon` folder.
3. Click `Publish repository`. It’s now on GitHub.com.
4. Copy the web link it gives you. Paste that into the lablab submission form.

Don’t worry about this part now. It’s five clicks and it’s last. Focus on getting the folder open and running the two tasks first.

The whole thing on one line each

#	WHAT YOU DO	RESULT
1	Get the folder from Claude, save in Documents	folder on laptop
2–4	Bob → File → Open Folder → pick it	folder open in Bob
6–7	Paste Task 1 prompt in chat	SETUP + .env appear
8	Screenshot task summary → bob_sessions	proof saved
9	Paste Task 2 prompt; screenshot	DOC-CORRECTIONS + proof
10–11	Fresh chat; verify with the pack	the winning moment
D	GitHub Desktop → Publish; paste link in lablab	submitted

Next step: tell Claude “**build the repo**” so Step 1 becomes real — once you can see the folder, all of this stops feeling abstract.