

Cricket Player Performance Tracking Application : CRICKSTATS

Student Project Documentation

User Story

As a student project team, we want to develop a Salesforce-based cricket player performance tracking application that records match-wise player information in an organized way. The application will contain custom objects such as Player and Match Performance, with suitable fields and relationships. It will help us store statistics, view player performance, prepare reports, and understand how Salesforce can be used to build a practical sports-management application.

1. INTRODUCTION

1.1 Project Overview

CRICKSTATS is a Salesforce application developed as an academic project for recording and reviewing cricket player performance. Instead of maintaining player statistics in separate files, the project brings player details and match performance into one structured system. The application uses Salesforce objects, fields, relationships, flows, reports, and dashboards. It is designed to make entering match statistics easier and to provide a clear view of player performance for coaches, managers, analysts, and students working with the system.

1.2 Purpose

- Create a centralized record of cricket players and their match statistics
- Reduce repeated manual entry of performance information
- Make player statistics easier to search, compare, and review
- Generate useful reports and dashboard-based summaries
- Understand Salesforce objects, relationships, automation, and analytics through a practical

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

Problem Statement	I am (User)	I'm trying to	But	Because	Which makes me feel
PS-1	A cricket coach	Track player performance across matches	It is difficult to view complete statistics quickly	Data may be kept in different files or records	Unsure while comparing players
PS-2	A team manager	Maintain updated player records	Updating and checking records takes time	Many details are entered manually	Busy and less efficient
PS-3	A sports analyst	Compare performance and prepare reports	Player comparison is not always convenient	There is no single structured view of statistics	Difficulty in finding trends
PS-4	A student developer	Build a practical Salesforce project	A complete workflow requires several Salesforce features	Objects, relationships, flows and reports must work together	Challenged but motivated to learn

2.2 Empathy Map Canvas

Target Users: Team Managers • Coaches • Sports Analysts • Application Users • Student Project Developers

Aspect	Description
Think & Feel	Want reliable statistics, simple navigation, and a quick way to understand player performance.
Hear	Receive requirements and feedback from coaches, managers, teammates, and project reviewers.
See	Multiple player records, match statistics, reports, and performance summaries.
Say & Do	Enter player details, record match statistics, check results, and prepare reports.
Pain	Manual data entry, duplicate records, missing values, and difficulty comparing several matches.
Gain	Centralized information, automated calculations, faster reporting, and clearer performance trends.

2.3 Brainstorming

Brainstormed Ideas

- Web-based cricket player management system
- Mobile application for entering match statistics
- Salesforce-based player performance tracker
- Automated performance summary using Salesforce Flows
- Dashboard for comparing player statistics
- Future AI-assisted performance analysis

Idea Evaluation

Idea	Possible Benefit	Project Suitability
Web-based system	Easy browser access and centralized records	Can manage player data effectively
Mobile tracker	Quick entry during matches	Useful but requires additional mobile development
Salesforce tracker	Objects, automation, reports and dashboards in one platform	Fits the project technology and learning objectives
AI prediction	Could identify trends in future	Suitable as future enhancement

Selected Idea: Salesforce-based cricket player performance tracking platform (CRICKSTATS)

3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

The user journey describes how a user interacts with CRICKSTATS from opening the application to reviewing player performance.

Stage	User Activity	Expected Outcome
1. Login	Open the Salesforce application and access CRICKSTATS.	User reaches the application.
2. Player Data	Create or review player information.	Player records are available.
3. Match Entry	Enter match-wise performance such as runs, balls, fours, sixes, overs, and wickets.	Match performance is recorded.
4. Automation	Allow Salesforce Flow and summary fields to process relevant information.	Records and summaries remain organized.
5. Reports	Open reports and dashboards to view statistics.	Performance information is easier to interpret.
6. Decision Making	Use the available statistics for comparison and planning.	Better understanding of player performance.

3.2 Solution Requirements

Functional Requirements

FR No	Requirement	Description
FR-1	Player Registration	Create and maintain player details in the Player object.
FR-2	Match Performance Entry	Record player statistics for each match.
FR-3	Record Relationships	Connect match performance records with the related player.
FR-4	Performance Summaries	Calculate useful player totals through roll-up summary fields.
FR-5	Flow Automation	Use Flow to filter and display player information.
FR-6	Reports & Dashboards	Provide visual and tabular performance information.
FR-7	Data Validation	Reduce incorrect or incomplete entries through suitable field settings and checks.

Non-Functional Requirements (NFRs) - CRICKSTATS

NFR-1: Usability

The application should be simple to understand so that a user can enter player and match information without unnecessary steps.

Requirements: Simple and consistent interface • Clear navigation • Readable forms and tables • Easy access to important records

Example: A user should be able to open CRICKSTATS, select the required object, enter match details, and view the resulting record with minimal guidance.

NFR-2: Security

The application should ensure that only authorized Salesforce users can access or modify the relevant records.

Requirements: User authentication • Profiles and permission sets • Controlled record access • Protection of application data

Example: A user with appropriate access can view player statistics, while authorized users can create or update records.

NFR-3: Reliability

The system should store player and match information consistently and should avoid incorrect totals caused by incomplete or inconsistent records.

Requirements: Consistent record storage • Validation of important fields • Error handling • Reliable calculations

Example: When match statistics are entered, the related player record should remain connected to the performance record.

Non-Functional Requirements (continued)

NFR-4: Performance

The application should provide reasonable response time while users enter records and open reports or dashboards.

Requirements: Quick record access • Efficient report generation • Smooth dashboard loading • Avoid unnecessary processing

Example: When a user opens a player performance report, the information should load within an acceptable time for normal project usage.

NFR-5: Availability

The application should be accessible whenever authorized users need to enter or review cricket statistics.

Requirements: Cloud-based access • Minimal interruption • Access through supported devices • Data recovery support

Example: A user should be able to open CRICKSTATS during a practice session or after a match and review the available records.

NFR-6: Scalability

The design should allow the application to grow from a small academic dataset to more players, matches, and teams.

Requirements: Support more player records • Support additional matches • Allow more teams or competitions • Maintain organized performance data

Example: If more teams and matches are added later, the same object and relationship structure can continue to store the additional records.

3.3 Data Flow Diagram

USER	→	SALESFORCE UI	→	PLAYER OBJECT
		↓		
		MATCH PERFORMANCE	→	REPORTS / DASHBOARDS

Data Flow Explanation

- The user interacts with the Salesforce Lightning interface.
- Player information is stored in the Player object.
- Match-wise statistics are stored in Match Performance.
- Relationships connect match records to the appropriate player.
- Reports and dashboards present the stored information for analysis.

3.4 Technology Stack

Layer	Technology	Purpose
Frontend	Salesforce Lightning	Provides the user interface for accessing and entering records.
Data Model	Salesforce Custom Objects	Stores Player and Match Performance information.
Relationships	Master-Detail / Lookup	Connects related records and supports data organization.
Automation	Salesforce Flows	Automates record retrieval and user interaction.
Analytics	Reports & Dashboards	Displays statistics and performance information.
Database	Salesforce Cloud	Provides cloud-based storage and access.

4. PROJECT DESIGN PHASE

4.1 Problem-Solution Fit

The project is designed around the difficulty of maintaining cricket statistics manually. Player details and match performance can become scattered when they are kept in separate documents. CRICKSTATS provides a common Salesforce environment where these records can be created and connected. Match statistics can be summarized at the player level, while reports and dashboards make the information easier to review. The project therefore combines structured data storage, relationships, automation, and analytics to create a practical performance tracking workflow.

4.2 Proposed Solution

Description: CRICKSTATS is proposed as a centralized Salesforce application for managing cricket player information and match performance.

- Player custom object for player profile information
- Match Performance custom object for match-wise statistics
- Relationships between player and match performance
- Roll-up summaries for total matches, runs, wickets, fours, sixes, and other statistics
- Lightning application for navigation
- Flow for selecting a team and displaying matching player records
- Reports and dashboards for performance review


4.2 Proposed Solution - Key Features

Feature	How it supports CRICKSTATS
Centralized data	Keeps player and match information in one Salesforce environment.
Match-level performance tracking	Records statistics for individual matches.
Automated summaries	Uses suitable Salesforce features to summarize performance.
Team-based player filtering	Allows player information to be displayed based on team selection.
Easy reporting	Uses reports and dashboards to present performance information.
Expandable design	Provides a structure that can accommodate additional records and future enhancements.

4.3 Solution Architecture

Architecture Layer	Components	Role in CRICKSTATS
Presentation Layer	Salesforce Lightning UI	Allows users to navigate the app, enter data, and view records.
Application Layer	Flows and Salesforce configuration	Controls user interaction and automates selected tasks.
Data Layer	Player and Match Performance objects	Stores player details and match statistics.
Relationship Layer	Master-Detail and Lookup	Connects related records and supports summary calculations.
Analytics Layer	Reports and Dashboards	Turns stored records into readable performance information.

Overall Architecture Flow: User → Lightning App → Objects & Relationships → Automation → Reports / Dashboards



5. PROJECT PLANNING & SCHEDULING


5.1 Project Planning

- Agile-oriented development
- Divide the work into manageable sprints
- Complete data modeling before automation and reporting
- Test each feature after implementation
- Review the final application as a team

Product Backlog, Sprint Schedule, and Estimation

The following backlog organizes the major tasks of the student project

Sprint	Epic	User Story	Task / Purpose	Pts	Priority	Member
Sprint-1	Project Setup	USN-1	Create the Salesforce development environment so the project can be configured.	1	High	Member1
Sprint-1	Data Modeling	USN-2	Create Player and Match Performance objects so project data can be stored.	3	High	Member2
Sprint-2	Navigation	USN-3	Create navigation items so users can move between application records easily.	3	High	Member3
Sprint-2	UI Design	USN-4	Create a dedicated CRICKSTATS Lightning App so related features are available together.	3	High	Member4
Sprint-2	Fields	USN-5	Create player and match fields so required performance details can be captured.	5	Medium	Member1
Sprint-2	Page Layout	USN-6	Arrange useful fields clearly so data entry is easier.	5	High	Member2
Sprint-2	Validation	USN-7	Add suitable validation so incorrect values can be reduced.	3	High	Member4
Sprint-3	Automation	USN-8	Create a flow to filter player information based on team selection.	5	High	Member1



Project Tracker, Velocity & Burndown Chart

Sprint	Total Story Points	Duration	Start Date	Planned End	Completed	Release Date
Sprint-1	20	6 Days	24 Sep 2026	29 Sep 2026	20	29 Sep 2026
Sprint-2	20	6 Days	30 Sep 2026	05 Oct 2026	—	—
Sprint-3	20	6 Days	06 Oct 2026	11 Oct 2026	—	—
Sprint-4	20	6 Days	12 Oct 2026	17 Oct 2026	—	—

6. Project Development Phase

Project Flow

MILESTONE 1

Salesforce developer account setup

MILESTONE 2

Player and Match Performance objects

MILESTONE 3

Custom tabs

MILESTONE 4

CRICKSTATS Lightning App

MILESTONE 5

Fields and relationships

MILESTONE 6

Roll-up summary fields

MILESTONE 7

Salesforce Flow



Activity 1: Creating Developer Account:

Creating a developer org in salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign up form, enter the following details:

Build enterprise-quality apps fast to bring your ideas to life

- Build apps fast with drag and drop tools
- Customize your data model with clicks
- Go further with Apex code
- Integrate with anything using powerful APIs
- Stay protected with enterprise-grade security
- Customize UI with clicks or any leading-edge web framework

Sign up for your Salesforce Developer Edition
A full-featured copy of the Platform, for free

Complete the form to start your free trial. Our team will be in touch to help you make the most of your trial.

First Name*
Your first name

Last Name*
Your last name

Email*
Your email address

Role*
Your job role

Company*
Company Name

- 1) First name & Last name
- 2) Email
- 3) Role : Developer
- 4) Company : College or Company Name
- 5) Country : India
- 6) Postal Code : pin code
- 7) Username : should be a combination of your name and company


This need not be an actual email id, you can give anything in that format :

username@organization.com

Click on sign me up after filling these.

Activity 2: Account Activation :


1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 5-10mins.
2. Click on Verify Account.



3. Give a password and answer a security question and click on change password.

A screenshot of the "Change Your Password" form on the Salesforce platform. The form is titled "Change Your Password" and asks the user to "Enter a new password for lead@sb.oom." with the instruction "Make sure to include at least:". Below this, there are three requirements listed with green checkmarks: "8 characters", "1 letter", and "1 number". The form contains several input fields: "New Password" (with a "Good" strength indicator), "Confirm New Password" (with a "Match" indicator), "Security Question" (a dropdown menu currently showing "In what city were you born?"), and "Answer" (containing the text "asdfghjkl"). A blue "Change Password" button is at the bottom of the form. A red rectangular box highlights the "New Password", "Confirm New Password", "Security Question", "Answer", and "Change Password" button fields.


4. Then you will redirect to your salesforce setup page.




Milestone 2 - Object Creation

Activity 1 : Player Object


1. In your Salesforce org, click gear icon on the top left and select Setup to open Setup.



2. Click the Object Manager tab. If you don't see it, enter Object Manager in the Quick Find box.



3. On the Object Manager page, click Create | CustomObject.



1. From the setup page → Click on Object Manager → Click on Create → Click on Custom Object.

- **Label** : Player
- **Plural Label** : Players
- Enter Record Name Label and Format
Record Name : Player Name
Data Type : Text
- **In Optional features** : check the boxes for Allow Reports | Allow Activities | Track Field History.
- **Search Status** : check the box for Allow Search.
- Save

Activity 2 : Match Performance Object


1. From the setup page → Click on Object Manager → Click on Create → Click on Custom Object.

- **Label** : Match Performance
- **Plural Label** : Match Performances
- Enter Record Name Label and Format
Record Name : Customer Account Name
Data Type : Text
- **In Optional features** : check the boxes for Allow Reports | Allow Activities | Track Field History.
- **Search Status** : check the box for Allow Search.
- Save.

Milestone 3 - Tabs

Activity 1 : Custom tabs creation


1. Go to setup page → type Tabs in Quick Find bar → click on tabs → New (under custom object tab)
2. Select Object(Player) → Select the tab style → Next (Add to profiles page) keep it as default → Next (Add to Custom App) uncheck the include tab .
3. Make sure that the Append tab to users' existing personal customizations is checked.
4. Click save.
5. Repeat the same steps for Match Performances.



Milestone 4 - The Lightning App

Activity 1 : Create a lightning app

1. Go to setup page → search “app manager” in quick find → select “app manager” → click on New lightning App.



2. Fill the app name in app details and branding as follow

App Name : CRICKSTATS

Developer Name : Auto Populates

Add image optional (if you want to give any image you can otherwise not mandatory) - Add Primary color Hex or leave it to default.

Then click Next.

3. In App options

Navigation style : Standard navigation

Setup experience : setup

Supporters form factors : Desktop and phone

Then click Next

4. In Utility items

Utility Bar alignment : Default

Then click Next.

5. Navigation items

Select the created Custom Objects and required standard objects

- Players


Match Performances

Reports


Dashboards

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or re-order navigation items available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.



6. To Add User Profiles : System Administrator




7. Click Save & Finish.

Milestone 5 : Fields & Relationships

Activity 1 : Create Custom fields for Player object

1. In your Salesforce org, click gear icon on the top left and select Setup to open Setup.
2. Click the Object Manager tab. If you don't see it, enter Object Manager in the Quick Find box.
3. From the object manager page, In the Quick Find box, Search for the custom object you just created : **Player**
4. From the sidebar, click Fields & Relationships. Notice that there are already some fields there. Those are the standard fields.
5. Click New to create a custom field. Tip: Before creating a new field, do a quick search to make sure a similar one doesn't already exist.
6. Next, choose a data type as Text. Choosing a data type helps you format the field input.



7. Click on next.

8. Data Type : **Text**

Field Label: Player Name

Field Name : Auto Populates

Length : 50

Click on Next → Next → Save and new.

9. Repeat the Same steps for remaining fields

- Data Type: **Text**

Field Label: PlayerNumber

Field Name: AutoPopulates

Length : 3

Click on Next → Next → Save and new.

- Data Type: **Rich Text Area**

Field Label: ProfilePicture

Field Name: AutoPopulates

Click on Next → Next → Save and new.

- Data Type: **Date**

Field Label: DateofBirth

Field Name: AutoPopulates

Click on Next → Next → Save and new.

- Data Type: **Picklist**

Field Label: Role

Field Name: AutoPopulates

Value : Enter value, with each value separated by a new line.

Batsman

Bowler

Batsman & Wicket Keeper

All Rounder

- Data Type: **Picklist**

Field Label: BattingStyle

Field Name: AutoPopulates

Value : Enter value, with each value separated by a new line.

Right-Handed

Left-Handed

Click on Next → Next → Save and new.

- Data Type : **Picklist**

Field Label : Bowling Style

Field Name : Auto Populates

Value : Enter value, with each value separated by a new line.

Right-Arm Fast

Left-Arm Fast

Right-Arm Medium
Left-Arm Medium
Right-Arm Spin
Left-Arm Spin

Click on Next →Next→Save and new.

- Data Type : **Picklist**

Field Label : Nationality

Field Name : Auto Populates

Value : Enter value, with each value separated by a new line.

Australia
Bangladesh
England
India
New Zealand
Pakistan
South Africa
Sri Lanka
West Indies
Afghanistan
Zimbabwe
Ireland
Scotland
Netherlands
United Arab Emirates
Nepal
United States of America

Click on Next → Next → Save and new.

- Data Type : **Picklist**

Field Label : Team

Field Name : Auto Populates

Value : Enter value, with each value separated by a new line

Chennai Super Kings (CSK)
Delhi Capitals (DC)
Kolkata Knight Riders (KKR)
Mumbai Indians (MI)
Punjab Kings (PBKS)
Rajasthan Royals (RR)
Royal Challengers Bangalore (RCB)
Sunrisers Hyderabad (SRH)
Gujarat Titans (GT)
Lucknow SuperGiants (LSG)

- Data Type : **Formula**

Field Label : AVG Score

Field Name : Auto Populates

Formula Return : **Number**

Formula : IF(
Matches_Played__c > 0,
Total_Runs__c / Matches_Played__c ,
0
)

The screenshot shows the Salesforce formula editor interface. At the top, there are two tabs: 'Simple Formula' and 'Advanced Formula'. Below the tabs, there are two buttons: 'Insert Field' and 'Insert Operator'. The main text area contains the formula: 'AVG Score (Number) = IF(Matches_Played__c > 0, Total_Runs__c / Matches_Played__c , 0)'. At the bottom, there is a 'Check Syntax' button and a status message: 'No syntax errors in merge fields or functions. (Compiled size: 130 characters)'.

Click on Next → Next → Save & New.

- Data Type : **Lookup Relationship**

Related To : Match Performance

Field Label : Match Performance

Field Name : Auto Populates

Click on Next → Next → Save.

Activity 2 : Create Custom fields for Match Performance object.

1. Data Type : **Text**

Field Label: Match Performance Name

Field Name : Auto Populates

Length : 80

Click on Next → Next → Save and new.

2. Data Type : **Checkbox**

Field Label: Player of the Match

Field Name : Auto Populates
Click on Next → Next → Save and new.

3. Data Type : **Picklist**

Field Label: Match Result

Field Name : Auto Populates

Value : Enter value, with each value separated by a new line

WON

LOST

DRAW

Click on Next → Next → Save and new.

4. Data Type : **Number**

Field Label: Runs Scored

Field Name : Auto Populates

Click on Next → Next → Save and new.

5. Data Type : **Number**

Field Label: Balls Faced

Field Name : Auto Populates

Click on Next → Next → Save and new.

6. Data Type : **Number**

Field Label: Fours

Field Name : Auto Populates

Click on Next → Next → Save and new.

7. Data Type : **Number**

Field Label: Sixes

Field Name : Auto Populates

Click on Next → Next → Save and new.

8. Data Type : **Number**

Field Label: Overs Bowled

Field Name : Auto Populates

Click on Next → Next → Save and new.

9. Data Type : **Number**

Field Label: Wickets Taken

Field Name : Auto Populates

Click on Next → Next → Save and new.

10.Data Type : **Number**

Field Label: Runs Conceded

Field Name : Auto Populates

Click on Next → Next → Save and new.

11.Data Type : **Number**

Field Label: Maiden Overs

Field Name : Auto Populates

Click on Next → Next → Save and new.

12.Data Type : **Number**

Field Label: Stumpings

Field Name : Auto Populates

Click on Next → Next → Save and new

13.Data Type : **Number**

Field Label: Catches

Field Name : Auto Populates

Click on Next → Next → Save and new.

14. Data Type : **Master-DetailRelationship**

Related To : Player

Field Label : Player

Field Name : Auto Populates

Click on Next → Next → Save.

Milestone 6 : Roll-up Summary

Activity 1 : Create Roll-up Summary for Player object.

Note :- Roll-up Summary can only be created on parent object in Master- Detail Relationship.

1. In your Salesforce org, click gear icon on the top left and select Setup to open Setup.
2. Click the Object Manager tab. If you don't see it, enter Object Manager in the Quick Find box.
3. From the object manager page, In the Quick Find box, Search for the custom object you just created : **Player**

4. From the sidebar, click Fields & Relationships. Notice that there are already some fields there. Those are the standard fields.
5. Click New to create a custom field. Tip: Before creating a new field, do a quick search to make sure a similar one doesn't already exist. Click Next,
6. Choose a data type as **Roll-up Summary**. Click Next.

Field Label: Matches Played

Field Name : Auto Populates

Summarized Object : Match Performances

Select Roll-up Type : COUNT

Select Object to Summarize

Master Object: Player

Summarized Object: Match Performances

Select Roll-Up Type

☒ COUNT

☐ SUM

☐ MIN

☐ MAX

Field to Aggregate: --None--

Filter Criteria

☒ All records should be included in the calculation

☐ Only records meeting certain criteria should be included in the calculation

Previous Next Cancel

Filter Criteria : All records should be included in the calculation.

Click on Next → Next → Save and new.

- Data Type : Roll-up Summary
 - Field Label: Number of 50's
 - Field Name : Auto Populates
 - Summarized Object : Match Performances
 - Select Roll-up Type : COUNT
 - Filter Criteria : Only records meeting certain criteria should be included in the calculation.
 - Click on Next → Next → Save and new.

Select Roll-Up Type

☒ COUNT

☐ SUM

☐ MIN

☐ MAX

Field to Aggregate: --None--

Filter Criteria

☐ All records should be included in the calculation

☒ Only records meeting certain criteria should be included in the calculation

Field	Operator	Value	
Runs Scored	greater or equal	50	AND
Runs Scored	less than	100	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

For checkbox fields, enter a value of True for checked or False for not checked. For picklist fields, enter the master picklist field value in your corporate language.

Save Cancel

- Data Type : Roll-up Summary
Field Label: Number of 100's
Field Name : Auto Populates
Summarized Object : Match Performances
Select Roll-up Type : COUNT
Filter Criteria : Only records meeting certain criteria should be included in the calculation.
Click on Next → Next → Save and new.

Master Object: Player
Summarized Object: Match Performances

Select Roll-Up Type

☒ COUNT
☐ SUM
☐ MIN
☐ MAX

Field to Aggregate: --None--

Filter Criteria

☐ All records should be included in the calculation
☒ Only records meeting certain criteria should be included in the calculation

Field	Operator	Value	
Runs Scored	greater or equal	100	AND
Runs Scored	less than	200	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		AND

For checkbox fields, enter a value of True for checked or False for not checked. For picklist fields, enter the master picklist field value in your corporate language.

Previous Next Cancel

- Data Type : Roll-up Summary
Field Label: Total 4's
Field Name : Auto Populates
Summarized Object : Match Performances
Select Roll-up Type : SUM
Field To Aggregate : Fours
Filter Criteria : All records should be included in the calculation.
Click on Next → Next → Save and new.
- Data Type : Roll-up Summary
Field Label: Total 6's
Field Name : Auto Populates
Summarized Object : Match Performances
Select Roll-up Type : SUM
Field To Aggregate : Sixes
Filter Criteria : All records should be included in the calculation.
Click on Next → Next → Save and new.
- Data Type : Roll-up Summary
Field Label: Total Runs
Field Name : Auto Populates

Summarized Object : Match Performances
Select Roll-up Type : SUM
Field To Aggregate : Runs Scored
Filter Criteria : All records should be included in the calculation.
Click on Next → Next → Save and new.

- Data Type : Roll-up Summary
Field Label: Total Overs
Field Name : Auto Populates
Summarized Object : Match Performances
Select Roll-up Type : SUM
Field To Aggregate : Overs Bowled
Filter Criteria : All records should be included in the calculation.
Click on Next → Next → Save and new.

- Data Type : Roll-up Summary
Field Label: Total Wickets
Field Name : Auto Populates
Summarized Object : Match Performances
Select Roll-up Type : SUM
Field To Aggregate : Wickets Taken
Filter Criteria : All records should be included in the calculation.
Click on Next → Next → Save and new.


- Data Type : Roll-up Summary
Field Label: Total Stumpings
Field Name : Auto Populates
Summarized Object : Match Performances
Select Roll-up Type : SUM
Field To Aggregate : Stumpings
Filter Criteria : All records should be included in the calculation.
Click on Next → Next → Save and new.

- Data Type : Roll-up Summary
Field Label: Total Catches
Field Name : Auto Populates
Summarized Object : Match Performances
Select Roll-up Type : SUM
Field To Aggregate : Catches
Filter Criteria : All records should be included in the calculation.
Click on Next → Next → Save and new.


Milestone 7 : Flows

Activity 1 : Screen Flow

1. Go to setup, Type Flow in quick find box → Click on the Flow and Select the New Flow.



2. Select Screen Flow and click Create.



3. Click (+) Icon on the flow builder and Select **ScreenComponent**.

Label : Players screen

API : Players_screen

Select the **Picklist** component and place it on the screen.

Label : Team

API : Team

From Component Pane on the left side select **Component Type** : Picklist

Data Type : Text

Choice : Click New Choice Resources

Resource Type : Picklist Choice Set

*Resource Type

Select...

- Choice
Create a choice option to be used in a screen component.
- Collection Choice Set
Generate a set of choices from a collection of records.
- Record Choice Set
Generate a set of choices using a filtered list of records.
- Picklist Choice Set**
Generate a set of choices by using the values of a picklist or multi-select picklist field.

Cancel Done

API Name : Team

Object : Player

Data Type : Picklist

Field : Team

Click Done.

New Choice Resource

*Resource Type
Picklist Choice Set

*API Name
Team

Description

*Object
Player

*Data Type
Picklist

*Field
Team__c

Sort Order
Default Order of Field

Cancel Done

4. Click(+)Icon on the flow builder and Select **Get Records Component.**

Label : Players

API Name : Players

Object : Player

Filter player records :

Field : Team

Operator : Equals

Value : Click New Resource

Resource Type : Variable

API Name : Dynamic

Data Type : Text

Default Value : **Screen component** : Team (Picklist)

Filter Player Records

Condition Requirements

All Conditions Are Met (AND)

Field: Team__c Operator: Equals Value: A dynamic X

+ Add Condition

5. Click (+) Icon on the flow builder and Select **Screen Component**.

Label : Player_info

API Name : Player_info

From Component Pane on the left side select **Component Type** : Data table

API Name : Player_info_table

Label : Data Table

Configure Data Source : **Source Collection** : Players from players (Player__c)

Edit Screen

components

Data Table

players flow

Data Table

0 items

Pro... Pla... Tot... AV... Na... Bat... Bo... Ma... Nu... Nu...

No items to display.

Pause Previous Finish

Get more on the AppExchange

Data Table

Label: Data Table

Use Label as the table title

Configure Data Source

Source Collection

Enter value or search resources...

New Resource

RECORD COLLECTION VARIABLES

Players from Players

Player__c

SCREEN COMPONENTS

Player_info_table Data Table

In Configure Columns : Add all the required Columns


Profile Picture | Player Name | Total Runs | AV G Score | Batting Style | Bowling

Style | Matches Played | Number of 50's | Number of 100's


Click Done.

Activity 2 : Flow on Home Page


1. On your CRICKSTATS Application on the top right of the Navigation Bar click on **Personalize your nav bar icon (Pencil Icon)** and Add Home Page and click Save.



2. Remove all other components and Add **FLOW** component from the standard components on the left side.
3. **Flow** : Players Flow



4. Click **Save** and **Activation**.
5. Click on **App Default** and select **Assign to Apps**.



6. Select **CRICKSTAS** App and Click **Next** and then click **Save**.

Select Apps

Selected Lightning apps display "Home Page Default" as the home page.

Lightning Apps (12) 1 Selected

App Name	Description
☐ Commerce	Manage your store's products, catalogs, and pricebooks.
☒ CRICKSTATS	An application to collect, manage, and analyze cricket players' perfor...
☐ Data Manager	Use Data Manager to view limits, monitor usage, and manage recipes.
☐ LightningBolt	Discover and manage business solutions designed for your industry.
☐ LightningInstrumentation	View Adoption and Usage Metrics for Lightning Experience
☐ Queue Management	Create and manage queues for your business.

Cancel Back Next




7. FUNCTIONAL & PERFORMANCE TESTING

During the testing phase, screenshots were captured from the Salesforce Lightning user interface to verify the correct functioning of all implemented features in the CRICKSTATS system. These include record creation for Player and Match Performance objects; validation rule checks for mandatory fields, score limits, and input constraints; verification of record type behavior for Domestic and International match categories; and flow execution for automatic updating of player statistics and data consistency. The functionality of roll-up summary fields was also tested to ensure accurate calculation of total runs, wickets, averages, and performance metrics.

In addition, system performance was evaluated by monitoring response time during data entry, report generation, and dashboard loading. The application was tested under multiple user interactions to ensure stable performance without delays. Screenshots of generated reports and interactive dashboards were documented to confirm accurate data visualization, real-time updates, and reliable performance tracking. These testing activities ensured that the CRICKSTATS platform met both functional and performance requirements and was ready for deployment.

NOTE : Enter some records in the Player Object and Match Performance Object to get the results.

1. Select one Team from the Picklist and Click **Next**.



8. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized system
- Real-time analytics
- Secure platform
- Scalable design
- Reduced manual work

Disadvantages

- Requires Salesforce license
- Internet dependency
- Limited offline access

9. Conclusion:

CRICKSTATS successfully implements a cloud-based cricket performance tracking system using Salesforce. The system automates data management, improves reporting accuracy, and supports informed decision-making.

The project demonstrates practical application of SDLC, Agile methodology, and CRM-based development.

10. FUTURE SCOPE

- Mobile application integration
- AI-based performance prediction

- Video analysis integration
- Player ranking system
- Public statistics portal
- Multi-league support



11. APPENDIX

- Salesforce Objects & Fields
- Manual match statistics Flow
- Configurations

Thank You