

CRICKSTATS: Cricket Player Performance Tracking Application

Project Description:

CRICKSTATS is a Salesforce-based Cricket Player Performance Tracking Application designed to store, manage, and track cricket player information and match performance in one centralized application.

The application uses Salesforce custom objects, custom fields, relationships, roll-up summaries, custom tabs, a Lightning App, and Screen Flow to provide an organized and interactive way to maintain player performance records.

The Player Object stores player information, while the Match Performance Object stores performance details for individual matches. The application can maintain multiple match performance records for a player and summarize selected information at the Player level.


Team Members and Responsibilities

- Aysha Malhan – Team Lead: coordinates the project and works on the Roll-up Summary and overall integration.
- Alina Harmin Z – works on the Player Object and Match Performance Object.
- Humyra Saimah K – works on Custom Tabs and the Lightning App.
- Afeefa Thasneem F – works on custom fields for the Player and Match Performance objects.
- IfraSameen – works on the Screen Flow and placing the Flow on the Home Page.

Project Scenarios

- Scenario 1: A user creates or views a player record and maintains the player's basic information in the Player Object.
- Scenario 2: A user records a player's match performance, including runs scored, balls faced, fours, sixes, match result, and Player of the Match status.
- Scenario 3: A user opens the CRICKSTATS Lightning App, uses the Screen Flow for guided interaction, and views summarized player information from related performance records.

Technical Architecture



Description:

CRICKSTATS follows a Salesforce application architecture in which the Lightning App provides the user interface, the Player and Match Performance custom objects store application data, roll-up summaries provide player-level calculations, and Screen Flow supports guided user interaction.

Pre-requisites

- Salesforce platform basics and navigation.
- Knowledge of creating custom objects and custom fields.
- Understanding of object relationships and related records.
- Knowledge of Roll-up Summary fields.
- Knowledge of Lightning App and custom tabs.
- Basic Salesforce Flow concepts, including Screen Flow and Home Page placement.

Project Workflow

Milestone 1: Project Planning and Object Creation

- Activity 1.1: Define the CRICKSTATS requirements and identify the main data objects.
- Activity 1.2: Create the Player custom object.
- Activity 1.3: Create the Match Performance custom object and define the connection between the objects.

Milestone 2: Custom Fields and Data Structure

- Activity 2.1: Create fields required for player information.
- Activity 2.2: Create match-performance fields such as Runs Scored, Balls Faced, Fours, Sixes, Match Result, and Player of the Match.
- Activity 2.3: Verify field types and record-level data entry.

Milestone 3: Tabs and Lightning App

- Activity 3.1: Create Players and Match Performances custom tabs.
- Activity 3.2: Configure the CRICKSTATS Lightning App and navigation items.

Milestone 4: Roll-up Summary and Calculations

- Activity 4.1: Create Matches Played using a Roll-up Summary COUNT.
- Activity 4.2: Create Total Runs using a Roll-up Summary SUM of Runs Scored.
- Activity 4.3: Verify that related performance records update the Player summary.

Milestone 5: Screen Flow and Home Page

- Activity 5.1: Create the Player Flow with a screen for guided user interaction.
- Activity 5.2: Retrieve Player records dynamically using the selected Team.
- Activity 5.3: Configure the flow for access from the Home Page.

Milestone 6: Testing and Conclusion

- Activity 6.1: Test objects, fields, roll-ups, tabs, app navigation, and flow behavior.
- Activity 6.2: Review the complete CRICKSTATS workflow and document the outcome.

Milestone 1: Project Planning and Architecture

This milestone focuses on understanding the problem and defining how Salesforce features will be combined to build CRICKSTATS. The application is designed around player records and related match-performance records.

Activity 1.1: Identify Project Requirements

- Maintain cricket player information in a centralized Salesforce application.
- Store performance for individual matches in a separate Match Performance record.
- Allow multiple performance records to be associated with a player.
- Provide player-level summaries such as Matches Played and Total Runs.
- Provide simple navigation through a Lightning App and custom tabs.
- Provide a ScreenFlow for easier user interaction.

Activity 1.2: Define the Data Model

The Player Object represents the main player record. Match Performance represents the performance of that player in a particular match. The related records allow the application to keep a history of performance and calculate selected summaries at the Player level.

Activity 1.3: Plan the User Experience

Users can open the CRICKSTATS app, navigate to Players or Match Performances, maintain records, and use the Player Flow from the Home Page. Reports and Dashboards can be used as additional navigation items for viewing organized information.

Milestone 1: Player Object

Activity 1.4: Create the Player Object

The Player Object is the main object used to store information about each cricket player. The record name is configured as Player Name, and the object is enabled for reporting and other standard Salesforce record capabilities.

Player Object Configuration

- Object Label: Player
- Record Name: Player Name (Text)
- Reports: Enabled
- Activities: Enabled
- Field History: Enabled
- Search: Enabled
- Custom Tab: Players
- Application: CRICKSTATS

Purpose

The Player Object provides a central record for each player. Related Match Performance records can be maintained against the player so that performance can be viewed and summarized without keeping separate manual calculations.

Expected Result

After the object is created, users can create and view player records from the Players tab inside the CRICKSTATS Lightning App.

Milestone 1: Match Performance Object

Activity 1.5: Create the Match Performance Object

The MatchPerformanceObject stores the performance details associated with a player's match. It is used to keep individual performance records separate from the main player information.

Match Performance Configuration

Object Label: Match Performance

Record Name: Match Performance Name (Text)

Reports: Enabled

Activities: Enabled

Field History: Enabled

Search: Enabled

Custom Tab: Match Performances

Application: CRICKSTATS

Relationship with Player

The MatchPerformance records are connected to Player records so that one player can have multiple performance records. This structure makes it possible to maintain match-by-match information and summarize it at the player level.

Expected Result

Users can add match-performance information and access those records through the Match Performances tab.

Milestone 2: Custom Fields

Activity 2.1: Player Fields

The Player Object contains the information required to identify and describe a player. The application also uses player-level calculated or summarized information to make performance tracking easier.

- Player Name – identifies the player record.
- Team – stores the player's team information and is used by the Screen Flow for filtering.
- Profile Picture – provides a visual representation of the player.
- Batting Style – stores the player's batting style.
- Bowling Style – stores the player's bowling style.
- Number of 50's – stores the player's fifty-count information.
- Number of 100's – stores the player's century-count information.

Activity 2.2: Player Performance Summary Fields

- Matches Played – Roll-up Summary using COUNT of related Match Performance records.
- Total Runs – Roll-up Summary using SUM of Runs Scored from related Match Performance records.
- AVG Score – used in the Player information view to present average performance information.

Milestone 2: Match Performance Fields

Activity 2.3: Create Match Performance Fields

The MatchPerformanceObject contains fields that capture the key performance information required by CRICKSTATS.

<i>Player of the Match</i>	Checkbox Identifies whether the player received the Player of the Match recognition.
<i>Match Result</i>	Picklist WON, LOST, or DRAW.
<i>Runs Scored</i>	Number Stores the runs scored in the performance record.
<i>Balls Faced</i>	Number Stores the number of balls faced.
<i>Fours</i>	Number Stores the number of fours.
<i>Sixes</i>	Number Stores the number of sixes.

Data Entry Flow

A user selects or works with a player and then maintains the player's individual match performance. The saved record becomes part of the player's related performance history and can contribute to roll-up summaries.

Milestone 3: Custom Tabs and Lightning App

Activity 3.1: Create Custom Tabs

Custom tabs provided direct access to the two main objects in CRICKSTATS. They make the application easier to navigate and allow users to work with player and match-performance records from the application menu.

- Players – tab for Player records.
- Match Performances – tab for Match Performance records.

Activity 3.2: Configure the CRICKSTATS Lightning App

The Lightning App brings the project components together in one Salesforce application. The navigation is configured to provide access to the main objects and supporting Salesforce features.

- App Name: CRICKSTATS
- App Type: Lightning App
- Navigation Style: Standard
- Form Factor: Desktop and Phone
- Navigation Items: Players, Match Performances, Reports, Dashboards

Purpose

The app provides a single workspace for managing player information, entering performance records, and viewing organized Salesforce information.

Milestone 4: Relationships and Roll-up Summary

Activity 4.1: Connect Performance Records to Players

CRICKSTATS uses the Player record as the main level of information and Match Performance records as the detailed performance level. This relationship allows a player's performance history to be maintained as multiple related records.

Activity 4.2: Matches Played Roll-up Summary

Matches Played is configured as a Roll-up Summary field on the Player level. It uses COUNT to count the related Match Performance records. When additional performance records are added, the summary can update automatically.

Activity 4.3: Total Runs Roll-up Summary

Total Runs is configured as a Roll-up Summary field on the Player level. It uses SUM on the Runs Scored field from related Match Performance records.

Expected Result

The Player record provides a quick summary of information that would otherwise require manually counting matches or adding runs from individual records.

Milestone 4: Roll-up Summary Details

Activity 4.4: Matches Played – COUNT

The `MatchesPlayed` field summarizes the number of related Match Performance records. For example, if a player has five related performance records, the roll-up summary returns five.

Activity 4.5: Total Runs – SUM

The `TotalRuns` field adds the `RunsScored` values from the related Match Performance records. This gives a player-level total without requiring the user to calculate the value manually.

Example

<i>Match Performance</i>	<i>Runs Scored</i>
Match 1	45
Match 2	72
Match 3	31
<i>Player Summary</i>	<i>Total Runs = 148</i>

In the same example, `Matches Played` would be 3 because there are three related Match Performance records.

Benefit

Roll-up summaries reduce manual calculation and make player-level information easier to review inside CRICKSTATS.

Activity 5.1: Create Player Flow


The Player Flow is designed as a Screen Flow to make the CRICKSTATS experience more interactive. The flow provides a guided screen and can retrieve Player records according to user-selected information.

- Flow Label: Player Flow
- API Name: Player_Flow
- Screen: Players_screen
- Team selection: uses the Player Team field.
- Get Records: retrieves Player records where Team matches the selected value.

Table: displays the retrieved player information.

Purpose of the Screen

The screen gives the user a simple way to select a team and view the relevant player records instead of searching through



Milestone 5: Player Flow Screen and Table

Activity 5.2: Player Information Table

The Player Flow includes a table intended to present useful player information after records are retrieved. The selected columns are based on the project flow design.


- Profile Picture
- Player Name
- Total Runs
- AVG Score
- Batting Style
- Bowling Style
- Matches Played
- Number of 50's
- Number of 100's

Flow Logic

- Step 1: Display the Players_screen.
- Step 2: Capture the selected Team value.
- Step 3: Use Get Records to retrieve Player records matching the selected Team.
- Step 4: Display the matching records in the Player information table.

Expected Result

The user can select a team and view the relevant player information in a structured table.



Milestone 5: Flow on the Home Page

Activity 5.3: Add the Player Flow to the Home Page


The CRICKSTATS Home Page can provide direct access to the Player Flow so that users do not need to navigate through several screens before starting the guided player view.

Configuration Steps

- Open the CRICKSTATS Lightning App and its Home Page.
- Use the Lightning App Builder to select the Flow component.
- Select the Player Flow as the flow to run.
- Save the page and activate the required Home Page assignment.
- Open the Home Page and verify that the flow loads correctly.

User Experience

Placing the flow on the Home Page makes a frequently used function available from the first screen of the application and supports faster access to player information.



Milestone 6: Testing and Verification

Activity 6.1: Object Testing

- Create sample Player records and verify that the player information is saved correctly.
- Create Match Performance records and verify the performance fields.
- Confirm that related performance information appears at the Player level.
- Verify that Matches Played and Total Runs update from related records.

Activity 6.2: Application Testing

- Open the CRICKSTATS app and verify the Players tab.
- Open Match Performances and verify record access.
- Check Reports and Dashboards navigation items.
- Open the Player Flow and verify the screen interaction.
- Verify the Home Page flow component.

Testing Goal

Testing ensures that the separate Salesforce components work together as one application and that the main player-performance workflow can be completed without unnecessary manual calculation.

Milestone 6: Data and Functional Validation

Activity 6.3: Validate Player Data

- Check that PlayerName and playerdetails are entered correctly.
- Verify Team values used by the flow.
- Check that profile and playing-style information is displayed correctly.
- Confirm that playersummaryfields show the expected values.

Activity 6.4: Validate Match Performance Data

- Verify Player of the Match checkbox behavior.
- Verify Match Result values: WON, LOST, DRAW.
- Check Runs Scored, Balls Faced, Fours, and Sixes values.
- Confirm that saved records are associated with the correct player.

Validation Outcome

The validation process checks the complete path from record creation to player-level summary and flow-based display.

Reports and Dashboards

Activity 6.5: Use Salesforce Reporting Features

Reports and Dashboards are included in the CRICKSTATS navigation so that the project can be extended from record management to organized performance analysis.

- Reports can be used to organize Player and Match Performance records.
- Dashboards can present selected performance information in a visual form.
- Player-level summaries such as Matches Played and Total Runs can support reporting.
- Reports and Dashboards provide an additional way to review information without opening every individual record.

Purpose in CRICKSTATS

The reporting features complement the main objects and flow by helping users review stored information after data has been entered.

Navigation

The CRICKSTATS Lightning App navigation includes Players, Match Performances, Reports, and Dashboards.

Project Integration and Final Review

How the Components Work Together

1. Player

Player records provide the main information about each cricket player.

2. Match Performance

Individual match performance is stored as related Match Performance records.

3. Roll-up Summary

Matches Played and Total Runs summarize selected related performance information.

4. Lightning App

The CRICKSTATS app brings the objects and supporting features into one navigation experience.

5. Screen Flow

The Player Flow guides the user and retrieves Player records using the selected Team.

6. Home Page

The flow can be placed on the Home Page for quick access.

Final Review

The project combines Salesforce configuration features into a single cricket-focused application. The design separates detailed match records from player information while still providing summarized player-level values.

Exploring the CRICKSTATS Application Pages

Players Page

The Players page provides access to Player records. Users can create, view, and maintain player information and review player-level summary fields.

Match Performances Page

The Match Performances page provides access to individual performance records. Users can maintain the match result and the selected batting-performance statistics for a player.

Reports Page

The Reports page provides access to Salesforce reports that can organize player and performance information for review.

Dashboards Page

The Dashboards page provides a place to present selected information visually and support an overview of the application's stored data.

Home Page

The Home Page can contain the Player Flow so users can begin the guided player-information process directly from the application landing page.

Player Flow: User Interaction

Flow Overview

The Player Flow is designed to make player information easier to access. The user interacts with a screen, selects a Team value, and the flow retrieves matching Player records.

User Steps

- Open the CRICKSTATS Home Page.
- Start the Player Flow.
- Select the required Team.
- Allow the flow to retrieve Player records whose Team matches the selection.
- Review the player information in the table.
- Use the displayed summaries and player details for quick reference.

Displayed Player Information

The table is designed around Profile Picture, Player Name, Total Runs, AVG Score, Batting Style, Bowling Style, Matches Played, Number of 50's, and Number of 100's.

Result

The flow provides a guided and user-friendly method for accessing player information inside CRICKSTATS.

Conclusion

CRICKSTATS, the Cricket Player Performance Tracking Application, is a Salesforce-based project created to organize cricket player information and match performance in one centralized application.

The project uses a Player Object for player information and a Match Performance Object for individual match records. Custom fields capture the required performance details, while the relationship between the objects allows multiple performance records to be maintained for a player.

Roll-up Summary fields provide player-level values such as Matches Played and Total Runs. Custom Tabs and the CRICKSTATS Lightning App bring the main components together and provide simple navigation through Players, Match Performances, Reports, and Dashboards.

The Screen Flow adds guided interaction by allowing users to select a Team and view matching Player records. Placing the flow on the Home Page can make the application easier and faster to use.

Overall, the project demonstrates how Salesforce configuration features can be combined to create a structured application for cricket player performance tracking. The team divided the work across objects, fields, tabs and app configuration, flow development, and overall coordination so that the separate components could work together as one complete project.

Project Details

- Project Name: CRICKSTATS – Cricket Player Performance Tracking Application
- Team ID: SWTID-2026-9157
- Date: 30 September 2026
- Team Lead: Aysha Malhan
- Team Size: Five Members