Cucumber Report

| Start : Sep 19, 2:29:15.227 PM	End : Sep 19, 2:30:27.489 PM	Duration : 1 m 12.262 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 0 FAILED - 8 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 27

4

8

30

Pass %

Pass %

Pass %

0 %

0 %

0 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Contact Form field validation	35.192 s	4	0	4	0	12	0	2	10
Copying the text from web page to notepad	24.495 s	2	0	2	0	10	0	1	9
Downloading the Syllabus from Courses	6.440 s	1	0	1	0	4	0	0	4
Comparing the images	6.080 s	1	0	1	0	4	0	0	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Validdetails	1	0	1	0	1	0	1	0
@DataDriven	3	0	3	0	1	0	1	0
@CopytextPassscenario	1	0	1	0	1	0	1	0
@CopytextFailscenario	1	0	1	0	1	0	1	0
@downloadcourse	1	0	1	0	1	0	1	0
@imagecomparison	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Contact Form field validation	4	0	4	0	35.192 s
2	Copying the text from web page to notepad	2	0	2	0	24.495 s
3	Downloading the Syllabus from Courses	1	0	1	0	6.440 s
4	Comparing the images	1	0	1	0	6.080 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Contact Form field validation	Check whether user is able to fill contact form fields or not	3	0	1	2	15.472 s
2	Contact Form field validation	Check whether user is able to fill contact form fields with different data	3	0	0	3	7.344 s
3	Contact Form field validation	Check whether user is able to fill contact form fields with different data	3	0	1	2	6.241 s
4	Contact Form field validation	Check whether user is able to fill contact form fields with different data	3	0	0	3	6.091 s
5	Copying the text from web page to notepad	Check whether text is copied and pasted in notepad	5	0	0	5	6.109 s
6	Copying the text from web page to notepad	Failing deliberately	5	0	1	4	18.375 s
7	Downloading the Syllabus from Courses	Check whether course is downloaded or not	4	0	0	4	6.440 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Comparing the images	Compare the captured screenshot manually with captured screenshot via automation	4	0	0	4	6.080 s

Contact Form field validation

FAILED	DURATION - 35.192 s	Scenarios		Steps	
/ 2:29:15.227 PM // 2:29:50.419 PM /		Total - 4		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 4	4	Fail - 2	12
		Skip - 0		Skip - 10	

Check whether user is able to fill contact form fields or not

FAILED	DURATION - 15.472 s		Steps	
/ 2:29:15.230 PM // 2:29:30.702 PM /			Total - 3	
Contact Form field validation			Pass - 0	
			Fail - 1	3
@Validdetails			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User is in homepage and clicking the contact link to reach its contact form page	FAILED	0.041 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d77c03d5808fb7ae3e78103d21eb3b6f, findElement {using=id, value=nav-menu-item-15178}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50409}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50409/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d77c03d5808fb7ae3e78103d21eb3b6f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy33.click(Unknown Source) at pages.ContactFormPage.clickcontactMenu(ContactFormPage.java:37) at steps.ContactFormSteps.user_is_in_homepage_and_clicking_the_contact_link_to_reach_its_contact_form_page(ContactFormSteps.java:19) at ?.User is in homepage and clicking the contact link to reach its contact form page(file:///C:/Users/minaxi.goyal/eclipse-workspace/photon/HCC/./src/test/resources/com/features/ContactForm.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.attachscreenshot(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d77c03d5808fb7ae3e78103d21eb3b6f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50409}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50409/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d77c03d5808fb7ae3e78103d21eb3b6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:349) at hooks.Hook.attachscreenshot(Hook.java:27)		
2	When user enters the data into the respective fields	SKIPPED	0.000 s
3	Then user should be able to submit the details on clicking submit button	SKIPPED	0.001 s

Check whether user is able to fill contact form fields with different data

FAILED	DURATION - 7.344 s
/ 2:29:30.723 PM // 2:29:38.067 PM /	
Contact Form field validation	
@DataDriven	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hook.launchBrowser()	FAILED	7.054 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [5ed92abebb2fcb5ecb6a59f14bec19cc, get {url=https://hindustancollege.in/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50448/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ed92abebb2fcb5ecb6a59f14bec19cc
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:328) at utils.BaseClass.setdriver(BaseClass.java:15) at hooks.Hook.launchBrowser(Hook.java:21)		
1	Given User clicks on contact menu link available on home page	SKIPPED	0.000 s
2	When user enters the "Ambika","8978897AA0","ambika@gmail.com" and "For bcom" into the respective fields	SKIPPED	0.000 s
3	Then user should be able to submit the Contact Form	SKIPPED	0.000 s

### Check whether user is able to fill contact form fields with different data

FAILED	DURATION - 6.241 s
/ 2:29:38.078 PM // 2:29:44.319 PM /	
Contact Form field validation	
@DataDriven	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given User clicks on contact menu link available on home page	FAILED	0.011 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d37244e834da5c53713b63a687262462, findElement {using=id, value=nav-menu-item-15178}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50474}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50474/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d37244e834da5c53713b63a687262462 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy33.click(Unknown Source) at pages.DataDrivenContactFormPage.clickcontactMenu(DataDrivenContactFormPage.java:55) at steps.DataDrivenContactFormSteps.user_clicks_on_contact_menu_link_available_on_home_page(DataDrivenContactFormSteps.java:20) at ?.User clicks on contact menu link available on home page(file:///C:/Users/minaxi.goyal/eclipse-workspace/photon/HCC/./src/test/resources/com/features/ContactForm.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.attachscreenshot(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d37244e834da5c53713b63a687262462, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50474}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50474/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d37244e834da5c53713b63a687262462 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:349) at hooks.Hook.attachscreenshot(Hook.java:27)		
2	When user enters the "Vaishnavi","","vaishu@gmail.com" and "For mba" into the respective fields	SKIPPED	0.000 s
3	Then user should be able to submit the Contact Form	SKIPPED	0.000 s

Check whether user is able to fill contact form fields with different data

FAILED	DURATION - 6.091 s
/ 2:29:44.328 PM // 2:29:50.419 PM /	
Contact Form field validation	
@DataDriven	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hook.launchBrowser()	FAILED	5.733 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b689515aab08a158d6809d618cb98e42, get {url=https://hindustancollege.in/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50504}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50504/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b689515aab08a158d6809d618cb98e42
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:328) at utils.BaseClass.setdriver(BaseClass.java:15) at hooks.Hook.launchBrowser(Hook.java:21)		
1	Given User clicks on contact menu link available on home page	SKIPPED	0.001 s
2	When user enters the "Minaxi","8978897883","minaxigmail.com" and "For bba" into the respective fields	SKIPPED	0.001 s
3	Then user should be able to submit the Contact Form	SKIPPED	0.000 s

Copying the text from web page to notepad

| FAILED	DURATION - 24.495 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	10
/ 2:29:50.435 PM // 2:30:14.930 PM /					

Check whether text is copied and pasted in notepad

FAILED	DURATION - 6.109 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	5
/ 2:29:50.435 PM // 2:29:56.544 PM /				
Copying the text from web page to notepad				
@CopytextPassscenario				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hook.launchBrowser()	FAILED	5.743 s
	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [aff726b80281dd22907272dfacd3e45a, get {url=https://hindustancollege.in/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50529}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		

#	Step / Hook Details	Status	Duration

	ws://localhost:50529/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aff726b80281dd22907272dfacd3e45a
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)
	   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:328)
	   at utils.BaseClass.setdriver(BaseClass.java:15)
	   at hooks.Hook.launchBrowser(Hook.java:21)		

1	Given User is in HomePage and Navigating to About Hindustancollege page	SKIPPED	0.000 s
2	When Copy the text from webpage	SKIPPED	0.000 s
3	And Paste it in Notepad	SKIPPED	0.001 s
4	Then save the Notepad	SKIPPED	0.000 s
5	And close it	SKIPPED	0.000 s

Failing deliberately

FAILED	DURATION - 18.375 s
/ 2:29:56.555 PM // 2:30:14.930 PM /	
Copying the text from web page to notepad	
@CopytextFailscenario	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

| #	Step / Hook Details	Status	Duration
1	Given User is in HomePage and Navigating to Invalid page	FAILED	2.069 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="about-		

#	Step / Hook Details	Status	Duration

	row"]/div[1]/div/div/div/div/p[2]/a/t"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [452500db81bf066767cd7b745356cb78, findElement {using=xpath, value=//*[@id="about-row"]/div[1]/div/div/div/p[2]/a/t}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50554/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 452500db81bf066767cd7b745356cb78
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy33.click(Unknown Source)
	   at pages.CopyTextPage.Invalidnavigation(CopyTextPage.java:60)
	   at steps.CopyTextFailSteps.user_is_in_home_page_and_navigating_to_invalid_page(CopyTextFailSteps.java:22)
	   at ?.User is in HomePage and Navigating to Invalid page(file:///C:/Users/minaxi.goyal/eclipse-workspace/photon/HCC/./src/test/resources/ com/features/CopyText.feature:12)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - hooks.Hook.attachscreenshot(io.cucumber.java.Scenario)	PASSED	1.199 s
	image		

#	Step / Hook Details	Status	Duration
2	When Copy the text from AboutHindustanCollege Page	SKIPPED	0.000 s
3	And Paste it in textfile	SKIPPED	0.000 s
4	Then save the textfile	SKIPPED	0.000 s
5	And close the textfile	SKIPPED	0.001 s

Downloading the Syllabus from Courses

FAILED	DURATION - 6.440 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 4 Pass - 0 Fail - 0 Skip - 4
/ 2:30:14.940 PM // 2:30:21.380 PM /			

Check whether course is downloaded or not

FAILED	DURATION - 6.440 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4
/ 2:30:14.940 PM // 2:30:21.380 PM /			
Downloading the Syllabus from Courses			
@downloadcourse			

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hook.launchBrowser()	FAILED	6.055 s
	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6a4cee13849fb8e81bd6b80761d2f5a4, get {url=https://hindustancollege.in/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50599}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50599/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6a4cee13849fb8e81bd6b80761d2f5a4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:328) at utils.BaseClass.setdriver(BaseClass.java:15) at hooks.Hook.launchBrowser(Hook.java:21)		
1	Given User is in homepage and clicking the Courses link to reach Download page	SKIPPED	0.000 s
2	And click the download button	SKIPPED	0.000 s
3	When Save the Courses File	SKIPPED	0.000 s
4	Then Check whether downloaded file is available	SKIPPED	0.000 s

Comparing the images

FAILED	DURATION - 6.080 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	4
/ 2:30:21.409 PM // 2:30:27.489 PM /					

Compare the captured screenshot manually with captured screenshot via automation

FAILED	DURATION - 6.080 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	4
/ 2:30:21.409 PM // 2:30:27.489 PM /				
Comparing the images				
@imagecomparison				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hook.launchBrowser()	FAILED	5.741 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'LP-5CD2125Y3J', ip: '192.168.6.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [283c6a6a21326f590b1e94d5b7178c8d, get {url=https://hindustancollege.in/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\MINAXI~1.GOY\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:50626}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50626/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 283c6a6a21326f590b1e94d5b7178c8d
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:328)
	    at utils.BaseClass.setdriver(BaseClass.java:15)
	    at hooks.Hook.launchBrowser(Hook.java:21)		

1	Given User is on home page and captured the screenshot manually	SKIPPED	0.000 s
2	And Capture the screenshot via automation	SKIPPED	0.000 s
3	When Reading both the images from their location and Compare the both images	SKIPPED	0.000 s
4	Then We can see that two images are different or same	SKIPPED	0.000 s