# 개발 환경

ECE20010

한동 대학교 김영섭 교수 idebtor@gmail.com

GCC - Gnu Compiler Collection

MSYS2 - Install 1st

MinGW-w64 - install 2<sup>nd</sup>

# g++ for macOS

- Open a terminal. (command + space, type terminal in the search field.)
- Enter the following command and run it.
  - \$ xcode-select -install
- Check the installation with the following command.
   (If you see some version numbers, it was successfully installed.)
  - \$ g++ -v
- Check the option such that all filename extensions are to be displayed.
   [Finder] → [Preferences ...] → [Advanced] → Show all filename extensions

# g++ for macOS

Use this code to test that g++ can compile and run the program.

```
#include <iostream>
using namespace std;
int main() {
   cout << "Hello, World!\n";
   return 0;
}</pre>
```

- 1. Copy the above program and save the file as **hello.cpp** on your desktop.
- 2. Open a terminal and type cd Desktop
- 3. To compile, enter the following in the terminal and run it. We see the file **hello** appear on the desktop under an exec icon.

```
$ g++ -std=c++11 hello.cpp -o hello
```

 Run the compiled program by typing the following in the terminal. You will see "Hello World!" printed in the terminal.

```
$ ./hello
```

두 종류의 패키지, 즉 MSYS2 와 MinGW-w64 를 설치해야 합니다.
 MSYS2를 먼저 설치하지 않으면 어려움을 겪는 경우가 종종 발생합니다.

#### MSYS2 우선 설치하기

http://www.MSYS2.org/로 접속합니다.

MSYS2를 통해 MinGW-w64를 설치를 위해 아래 website를 참조해도 좋습니다.

- https://vl0011\_tistory.com/14
- https://stackoverflow.com/questions/30069830 /how-to-install-mingw-w64-and-MSYS2/30071634#30071634

#### MSYS2

**Software Distribution and Building Platform for Windows** 

**MSYS2** is a collection of tools and libraries providing you with an easy-to-use environment for building running native Windows software.

It consists of a command line terminal called mintty, bash, version control systems like git and subversand awk and even build systems like autotools, all based on a modified version of Cygwin. Despite sor central parts being based on Cygwin, the main focus of MSYS2 is to provide a build environment for no software and the Cygwin-using parts are kept at a minimum. MSYS2 provides up-to-date native builds w64, CPython, CMake, Meson, OpenSSL, FFmpeg, Rust, Ruby, just to name a few.

To provide easy installation of packages and a way to keep them updated it features a package manage called Pacman, which should be familiar to Arch Linux users. It brings many powerful features such as resolution and simple complete system upgrades, as well as straight-forward and reproducible package package repository contains more than 2900 pre-built packages ready to install.


For more details see 'What is MSYS2?' which also compares MSYS2 to other software distributions an environments like Cygwin, WSL, Chocolatey, Scoop, ... and 'Who Is Using MSYS2?' to see which project MSYS2 and what for.



- 2. Run the installer. MSYS2 requires 64 bit Windows 8.1 or newer.
- Enter your desired Installation Folder (short ASCII-only path on a NTFS volume, no accents, no spa symlinks, no subst or network drives, no FAT).


#### MSYS2 설치하기

- MSYS2-x86\_64-20230718.exe를 실행합니다. 혹은 최신 버전으로.
- Finish를 클릭하여 MSYS2를 실행합니다.



#### MSYS2 설치하기

■ MSYS2를 실행한 화면 입니다.



- Command Shell (층) 혹은 PowerShell에서 "pacman -Syu"를 입력하고 Enter 키를 눌러 패키지 목록과 MSYS2를 업데이트 합니다.
- "::설치를 진행하시겠습니까? [Y/n]"라는 질문이 나오면, Y 혹은 [Enter]를 입력합니다.
- 실행 결과를 보면 "경고:terminate MSYS2 without returning…", "경고: for example close your terminal window…"이라는 메시지가 나오면 경고를 무시하고 다음을 진행합니다.


■ 아래와 같은 "pacman -Syu" 실행 문제점 해결 방법

```
PS C:#Users#진형> pacman -Syu
pacman : 'pacman' 용어가 cmdlet, 함수, 스크립트 파일 또는 실행할 수 있는 프로그램 이름으로 인식되지 않습니다. 이름이 정확한지 확인하고 경로가 포함된 경우 경로가 올바른지 검증한 다음 다시 시도하십시오.
위치 줄:1 문자:1
+ pacman -Syu
+ CategoryInfo : ObjectNotFound: (pacman:String) [], CommandNotFoundException
+ FullyQualifiedErrorld : CommandNotFoundException
```

- C:\msys64\usr\bin (MSYS2 설치 폴더)에 packman 파일 존재 확인 하십시오
  - 존재한다면, 해당 폴더에서 powershell을 열고, .\pacman -Syu 를 실행하십시오.
  - 존재하지 않는다면, MSYS2를 다시 설치하십시오.


#### 혹은

■ C:\msys64\mingw64.exe를 실행하여 나타난 터미널에서 실행해보십시오.



#### GCC(GNU Compiler Collection) 설치하기

- MSYS2를 실행한 화면(콘솔)에서 다음을 입력하여 GCC를 설치하십시오.
  - pacman -S mingw-w64-x86\_64-gcc
  - 만약, MSYS2 실행 화면(콘솔)이 없어졌으면, MSYS2 설치된 곳에서, 예를 들면, C:\msys64\mingw64.exe를 실행하여 터미널(콘솔)을 다시 생성하고 명령어를 입력 하십시오.
- 설치할 때 질문이 나오면, Y 혹은 [Enter]로 응답하면 됩니다.
- Toolchain 설치 make, gdb 등 gcc와 함께 쓰이는 툴들을 설치합니다.
   pacman -\$ mingw-w64-x86\_64-toolchain
   설치할 때 질문이 나오면, <Enter>로 응답하면 됩니다.
- 하나씩 개별적으로 설치할 경우, 예를 들면, 다음과 같이 설치합니다.
   pacman -\$ make



#### 환경변수 설정

■ 다음은 시스템 환경 변수를 설정해야 합니다.


■ 환경변수를 설정하기 위해 윈도우 검색에서 "환경 변수"를 입력하고 계정의 환경 변수

편집으로 들어갑니다.



#### 환경변수 설정

■ **사용자 변수 창** 혹은 **시스템 변수 창**에서 Path를 선택한 후 편집을 클릭합니다.




#### 환경변수 설정

- [새로 만들기]를 클릭 후 g++.exe 가 존재하는 path를 입력하거나 [붙여넣기] 합니다.
  - msys2와 mingw64를 설치한 곳에서, g++.exe 가 존재하는 폴더를 찾아서, 그 Path를 복사하여 붙여 넣기를 하는 것이 안전합니다.
  - 만약, msys2 설치 시에 디폴트를 사용했다면, 다음과 같지만, 한번 확인해 보는 것이 좋습니다

C:\msys64\mingw64\bin

C:\msys64\usr\bin


위의 두번째 폴더는 Is, cp, rm 같은 Bash 명령어를 사용하기 위해 필요한 폴더입니다.



클릭 후 path 입력

#### 환경변수 설정


- 윈도우 검색창에 "cmd" or "powershell"을 실행하여, 터미널(콘솔)을 생성하십시오.
  - 혹은 C:\msys64\mingw64.exe를 실행하여 터미널(콘솔)을 생성하십시오.
- 프롬프트 창에 "g++ --version"을 입력하여 다음과 같이 화면이 나온다면 path추가 가 정상적으로 된 것 입니다.



#### MSYS2/MinGW-w64 설치하기 오류에 관하여...

- MSYS2가 아니라 MinGW-w64를 먼저 설치할 경우, 설치 오류가 발행하는 경우가 종종 있습니다.
- 또한 한글로 사용자 이름이 설정되어 있는 경우, 어려움을 많이 겪습니다. 이런 경우, 특히 블로그의 설명에 따르면 재설치하는 경우 문제가 발생한다고 합니다.
  - 이런 경우, 기존의 있는 폴더를 완전히 삭제한 후, MSYS2로 다시 설치해보십시오.
  - MYS2를 먼저 설치하고, 그 안에서 MinGW-w64를 추가 설치하는 방법을 택하길 적극 권장합니다.
  - 그래도, 설치에 어려움이 있다면, (특히 한글 사용자 이름으로 인하여), 새로운 사용자를 만들어 시도해보십시오.
- https://taeguu.tistory.com/3

Check C:/ folder and make sure that you Installed msys64 first, not mingw-w64.



# MSYS2/MinGW-w64 설치 테스트

 Use this code to test that g++ can compile and run the program.

```
#include <iostream>
using namespace std;
int main() {
    cout << "Hello, World!\n";
    return 0;
}</pre>
```

- Copy the above program and save the file as hello.cpp on your folder.
- 2. Open a terminal at the folder where **hello.cpp** exists.


  Use the [File] → [Windows PowerShell 열기] menu at the top left corner of the **File Explorer**.
- To compile, enter the following in the terminal and run it. We see the file hello appear on the desktop under an exec icon.


```
$ g++ hello.cpp -o hello
```


 Run the compiled program by typing the following in the terminal. You will see "Hello World!" printed in the terminal.

```
$ ./hello
```

# MSYS2/MinGW-w64 설치 테스트







(2) Start an editor or VS Code

# 데이터 구조 개발환경

### ECE20010

한동 대학교 김영섭 교수 idebtor@gmail.com

GCC - Gnu Compiler Collection

MSYS2 - Install 1st

MinGW-w64 - install 2<sup>nd</sup>