#### **EXPERIMENT - 1**

Student Name: Yash Gupta UID: 23BCS11317

Branch: BE-CSE Section/Group: KRG\_1-B

Semester: 5th Date of Performance: 22/07/2025

Subject Name: ADBMS Subject Code: 23CSP-333

1. AIM: Ques 1: Author-Book Relationship Using Joins and Basic SQL

Operations. (EASY LEVEL)

- Design two tables one for storing author details and the other for book details.
- Ensure a foreign key relationship from the book to its respective author.
- Insert at least three records in each table.
- Perform an INNER JOIN to link each book with its author using the common author ID.
- Select the book title, author name, and author's country.
- 2. TOOLS USED:- MS SSMS & Microsoft SQL Server

### 3. SQL CODE:

```
CREATE TABLE TBL_AUTHOR(

AUTHOR_ID INT PRIMARY KEY,

AUTHOR_NAME VARCHAR(30));

CREATE TABLE TBL_BOOK(

BOOK_ID INT PRIMARY KEY,

BOOK_TITLE VARCHAR(30),

AUTHOR_ID INT,

FOREIGN KEY (AUTHOR_ID) REFERENCES TBL_AUTHOR(AUTHOR_ID));
```

```
INSERT INTO TBL_AUTHOR VALUES
(1, 'Author 1'),
(2, 'Author 2'),
(3, 'Author 3');
INSERT INTO TBL_BOOK VALUES
(101, 'Book 1', 1),
(102, 'Book 2', 2),
(103, 'Book 3', 3),
(104, 'Book 4', 1),
(105, 'Book 5', 2);
SELECT * FROM TBL_BOOK;
SELECT * FROM TBL_AUTHOR;
SELECT B.BOOK_TITLE , A.AUTHOR_NAME
FROM TBL_BOOK AS B
INNER JOIN
TBL_AUTHOR AS A
ON
B.AUTHOR_ID = A.AUTHOR_ID;
```

### 4. OUTPUT:

	BOOK_TITLE	AUTHOR_NAME
1	Book 1	Author 1
2	Book 2	Author 2
3	Book 3	Author 3
4	Book 4	Author 1
5	Book 5	Author 2

### 5. Ques 2: -Department-Course Subquery and Access Control. (MEDIUM LEVEL)

- Design normalized tables for departments and the courses they offer, maintaining a foreign key relationship.
- Insert five departments and at least ten courses across those departments.
- Use a subquery to count the number of courses under each department.
- Filter and retrieve only those departments that offer more than two courses.
- Grant SELECT-only access on the courses table to a specific user.

## 6. SQL CODE:

```
-- Step 1: Create
Tables CREATE TABLE
Departments (
department_id INT
PRIMARY KEY,
department_name VARCHAR(100) NOT NULL
);

CREATE TABLE Courses (
course_id INT PRIMARY
KEY,
course_name VARCHAR(100) NOT
NULL, department_id INT,
FOREIGN KEY (department_id) REFERENCES Departments(department_id)
);
```

# DEPARTMENT OF

# COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
-- Step 2: Insert Data into Departments
INSERT INTO Departments (department_id,
department_name) VALUES (1, 'Computer Science'),
(2, 'Mechanical Engineering'),
(3, 'Electrical Engineering'),
(4, 'Civil Engineering'),
(5, 'Mathematics');
-- Step 3: Insert Data into Courses
INSERT INTO Courses (course_id, course_name,
department_id) VALUES (101, 'Data Structures', 1),
(102, 'Operating Systems', 1),
(103, 'Machine Learning', 1),
(104, 'Thermodynamics', 2),
(105, 'Fluid Mechanics', 2),
(106, 'Circuits and Systems', 3),
(107, 'Control Systems', 3),
(108, 'Structural Analysis', 4),
(109, 'Linear Algebra', 5),
(110, 'Calculus', 5),
(111, 'Probability Theory', 5);
-- Step 4: Count Number of Courses per
Department SELECT
 department_name,
 (SELECT COUNT(*)
 FROM Courses c
  WHERE c.department_id = d.department_id) AS
course_count FROM Departments d;
-- Step 5: Filter Departments Offering More
Than 2 Courses SELECT
 department_name,
 (SELECT COUNT(*)
```

# DEPARTMENT OF

# **COMPUTER SCIENCE & ENGINEERING**

Discover. Learn. Empower.

FROM Courses c

WHERE c.department\_id = d.department\_id) AS
course\_count FROM Departments d
WHERE (SELECT COUNT(\*)

FROM Courses c

WHERE c.department\_id = d.department\_id) > 2;

### 7. OUTPUT

	department_name	course_count
1	Computer Science	3
2	Mathematics	3