
Ontypology

- From difference to division, from division to type, from type to understanding – the brain has walked this path for aeons.
- A century ago, logic was philosophy; once seen clearly, it became an established science.
- Today we explore "Type" (a brain concept) as philosophy; Ontypology makes "Type" clear, turns it into an established science, and puts it into practice as Mind AI.



[INIT_SEQUENCE] v2.0_Verified

AI Wargame Brain: the complete accurate-output method

Mind AI × Ontypology (the complete solution for accurate output)

a complete architecture guide for strategists, wargamers and AI system builders

Status: ACTIVE

Framework: MULTI-LAYER_VERIFICATION

Objective: ESTABLISH_COMPUTABLE_WARMATRIX

MIND AI

Core displacement: from "can AI play" to "what does it produce?"

GE26 挑戰

Background: exercise GE26 used "WarMatrix" for the first time

WarMatrix": AI takes the player's seat

1. Output acceptance: who accepts AI output

define "..."?

2. Traceability: if the ruling cannot trace back to rules and evidence

, cannot be (the black box problem)。

3. Knowledge evolution: after the play, what the AI learned

where does it live?

Convention one of the book: Type, not Form




Form: only outward shape

is not a surface document format

and layout, lacking anything computable

the bounds of judgement.



Type: carrying "rules

", "composition" and "identity"

mathematical container - the output must be

only then can Type be accepted.

Conclusion: wargaming does not lack data; it lacks a measuring stick

。

with the criteria written inside the Type, acceptance stands.

MIND AI

AI Wargame Brain: a reasonable battlefield replica

the three layers of the reasonable replica

[Top tier] Reasoning layer - the Time Type move tray drives it

fourteen moves (causal, reverse, simulation, ...), so the play has moves to follow and traces to find.

[Middle tier] Type layer

six output Types (scenario, force, action, ...) + evolution: ensuring the battlefield becomes output of "Type + Number", not just a number store.

[Bottom tier] Perception layer

ROE, weather and electromagnetic parameters join the track data.

the Mind AI division of labour

LLM (language ability): handles say it clearly. Understand the mission sheet, write the scenario document, summon historical cases.

Mind Model (intelligence ability): makes the reasoning right. unified knowledge, deep reasoning (Type reasoning), long-term memory and self-evolution.

Key takeaway: when a replica does not hold data but Types. Only a Type carrying rules and causality can move.

MIND AI

the six output Types: the shipping list and the entry criteria

1. ScenarioType

Answers: where is the fight? under what conditions?

Output: scenario document

criterion: T = (F(T), ∩(T))

all features pass for entry.

2. ForceType

Answers: who fights? what are they made of?

Output: order of battle table

criterion: BOM composition criterion +

three levels of remove for force grading.

3. ActionType

Answers: how is it fought? what are the rules?

Output: course of action

criterion: ∩(T) entry features +

ROE compliance

4. PlayType

Answers: what does it become?

Output: play log (trace)

criterion: state advance re-runnable

S(t+1) = g(S(t), move, event).

5. VerdictType

Answers: who wins? on what grounds?

Output: verdict

criterion: all four gates of the adjudication funnel +

victory criteria ∩(T).

6. EvolutionType

Answers: what does it become?

Output: evolution ledger

criterion: id(C) identity anchoring +

lessons booked.

MIND AI

what the Space Type answers: writing the battlefield as rules (ScenarioType and ActionType)

where the three brackets land - the Space Type

[ ] category rules (abstract): must pass ∩(T) item by item

Taiwan example: F(T) = { PLA aircraft approach, joint air-defence response

T+0 as origin}.

( ) battlefield container: holds time and space; contents change, identity does not

Taiwan example: id(C) = "Taiwan Strait air-defence area, west of the ADIZ"

tracks replaceable, the responsibility area unchanged.

{ } event script (composition): the BOM list.

Taiwan example: harassment (essential), probe (essential), feint (non-essential)

ActionType and the ROE ladder

Concept: course of action (COA) is the serialisation of moves, rules of engagement " (ROE) is the compliance layer of ∩(T)




Rule: the order cannot be reversed - ask "may we" first (compliance), then ask "is it worth it".

MIND AI

ForceType (ForceType) : BOM and the remove grading of the order of battle

The OOB is the BOM of the force. The core question: "after it is taken away, does it still know itself?"



Key takeaway: one cut, and "importance" turns from a matter of feeling into three verifiable statements.

MIND AI

four gates of accuracy: from criteria to evidence

L1. Gate one, ∩(T) criteria (is the Type right): check the six entry rules item by item, always with a boundary case test with a case (e.g. a single aircraft approaching does not count, no entry). Fail and it is returned for revision, not admitted to the play.

L2. Gate two, deductive skeleton (does causality run through): causal play along the event chain.

the state advance S(t) must be re-runnable (same inputs, same states)

Not re-runnable is improvisation, not reasoning.

L3. Gate three, adversarial validation (does it hold if you switch sides): red-team reverse thinking replays it + remove counterfactual play (e.g. what if there were no AEW&C) + ROE item-by-item check

L4. Gate four, Type evidence chain (is it searchable): every ruling traces back to Types and moves

without an evidence chain a conclusion can only ask others to believe; with it, the conclusion can be "reproduce".


space × time cross acceptance

test: every cell of the space snapshot property [ ] updated, composition [attrition container ( ) unchanged) every cell must match the time axis

every beat advances.

MIND AI

the six steps of accurate use: the complete loop of an acceptable play



Bottom summary: one round of six steps = one acceptable play; one loop = the scenario library grows once.

MIND AI

Time Type & move tray (Motion Board): what drives the play - 14 moves

1. search and extraction (Search/Extract)

(find precedents), design search and extraction search by Type and time function

extraction, design pattern , (apply an identification pattern)

2. Generative application (Generate/Apply)

logic generation (ROE), function generation (parameterised action)

R&D and exploration (out-of-scope probe)

3. Analytical reasoning (Analyze/Reason)

problem-solving (break the deadlock), analysis (compare), design (new tactics), reasoning (causal / reverse / simulation), thinking methods (red team / first principles)

4. Learn / evolve

continuous learning (lessons settle), refactoring and recombination (scenario revision), self-evolution (scenario library grows).

Tactical Execution (choose, combine, switch)

[choose] at the start: intent unclear

→ pick "reverse reasoning"

→

[combine] at a deadlock: causes entangled

→ chain "causal + reverse"

→

[switch] on failure: three rounds with nothing new

→ switch to the backup move, and record why

in the play log evidence chain

MIND AI

S1-S3 prompt pipeline: mission sheet to course of action (Setup to Action)

Station S1: play mission sheet (Task Order)

Input: mission requirement,
Output: mission sheet.

[CHECK] intent in one sentence clearly.

⚠ Taiwan case: proving "PLA formation approaches" whether air-defence identification and interception can, within the ROE, maintain airspace control.

Station S2: scenario generation (ScenarioType)

Input: mission sheet.
Output: scenario document

[CHECK] ∩(T) all pass + boundary cases decidable.

⚠ Taiwan case: write the battlefield container id(C) = "Taiwan Strait air-defence area, west of the ADIZ side"; set the origin T+0.

Station S3: forces and actions (Force & ActionType)

Input: scenario document.
Output: order of battle table + course of action document.

[CHECK] all three levels of remove complete + every action has ∩(T).

⚠ Taiwan case: expand the OOB and set the fire-control set the "radar" as essential, the "AEW&C aircraft" set as a degraded part. Build the ROE ladder.

MIND AI

S4–S5 prompt pipeline: play execution and the adjudication funnel

(PlayType) Station S4: play execution



$$S(t+1) = g(S(t), \text{move}, \text{event})$$

- Input: previous output. Output: play log (trace).
- rule: every event must name its source Type and the move used.
- [CHECK] states re-runnable (same input, same state).

Taiwan case: T+0 track approaches → T+10 identification complete (reverse reasoning) → T+25 broadcast warning → T+55 disengage → T+70 hand to adjudication.

Station S5: adjudication funnel (VerdictType)



Input: play log.
Output: verdict.

four gates (any failure means return for revision):

1. Rule compliance: check the ROE item by item (e.g. the ROE was never violated).
2. Causal validity: event chain complete, traceable moves.
3. Adversarial validity: red-team counterfactual play (e.g. add electronic warfare, change heading, the conclusion remains robust).
4. All criteria: victory criteria ∩(T) all pass (e.g. airspace held, zero mis-engagements).

[CHECK] all four gates pass + victory criteria set before the play.

MIND AI

S6–S7 prompt pipeline: evolution archiving and acceptance report

Station S6: evolution archiving (EvolutionType)



Input: verdict + play log.
Output: evolution ledger.

mechanism: id(C) anchors identity - however brutal the play, a revision does not lose identity

part. Lessons settle into executable update orders.

[CHECK] every lesson traces back to a specific event in the play log.

Taiwan case: identification delay of 4 minutes found
order: add a second identification source (refactoring and recombination) 。

Station S7: acceptance report (Type evidence chain)

Input: the full six-Type file.
Output: acceptance report.

Final acceptance: every cross-acceptance cell checked, all four gates ticked 勾。

Evidence Chain Matrix		
[Column] Type ID: which Type the conclusion comes from (e.g. 12 tracks batches).	[Column 2] move: which move the reasoning used (e.g. statistical reasoning compare with the norm) 。	[Column 3] criterion result: ∩(T) / remove evidence record and confidence marker.

MIND AI

misuse diagnosis: five common ones, symptoms and remedies

1. Numbers without a Type

Symptom:

reports pile into mountains of numbers, with no Type criterion to verify them.

Remedy:

return to Step 2: establish the six Types, then collect numbers - numbers enter a Type before they can be judged.

2. Flattened brackets

Symptom: abstract [ ], composition { } and container ( ) are confused as one relation.

Remedy:

write rules, composition and container separately, each carrying its own criterion.

3. identity drift

Symptom: the scenario is rewritten by the AI midway and id(C) is lost.

remedy: id(C) forces the revision record - change the contents, not the identity

4. Play without verdict

Symptom: the play log is long and vivid, but the verdict lacks objective criteria.

remedy: return to Step 5 - victory criteria must be set before the play begins

5. Evolutionary amnesia

Symptom: lessons vanish as the play ends and the system makes no progress.

remedy: force the S6 evolution step, so the scenario library grows every loop

MIND AI

quick acceptance checklist: the ten-question audit in three minutes


Subtitle: take any AI wargame output through it; one question jams and it goes straight back for revision.

- [ ] 1. Is F(T) written? Are the ∩(T) criteria set? (see the head of the scenario document)
- [ ] 2. Has the criterion been tested with a boundary case? (see the tail of the scenario document)
- [ ] 3. Is the battlefield container id(C) consistent throughout? Is the revision recorded? (see the head of each Type)
- [ ] 4. Has every component been graded by the three levels of remove? (see the order of battle table)
- [ ] 5. Does every action category have its own ∩(T)? (see the course of action document)
- [ ] 6. Every event in the play log is tagged with "move" and "source Type" → (see the play log)
- [ ] 7. Is the state advance S(t) re-runnable? (same input, same state) (take a section of the play log and re-run it)
- [ ] 8. Do all four gates of the adjudication funnel have clear pass records? (see the verdict)
- [ ] 9. Can every lesson in the evolution ledger be traced to a specific event? (see the evolution ledger)
- [ ] 10. Are all four gates ticked? Is the evidence chain searchable? (see the acceptance report)

MIND AI

system maturity and the closing panorama





The Ultimate Takeaway (one diagram to close)

- "the Types hold"

  each of the six Types does its job; the three brackets fall into place, and the battlefield becomes a reasonable replica.

- "it can be tested":

  the four gates can be ticked; only then is it an acceptance result, not propaganda or a slogan.

- "it grows":


  the evolution ledger, page after page; the AI wargame brain understands this fight better than yesterday.

The "accuracy" of the AI Wargame Brain lies not in model size but in how firmly the Types stand, how diligently criteria are tested, how honestly the ledger is kept

[SYSTEM_READY]

MIND AI

LonGreat Vision: to create intelligent life that understands the essence of the world



MIND AI

"We aim to make artificial intelligence not merely a tool, but a system of intelligent life that truly possesses the abilities to understand, reason, learn, and create."

From the unification of knowledge, to the unification of thought, and finally toward the unification of intelligence – this is the eternal path to AGI that LonGreat pursues.

www.longreat.net

Chang Chang-Feng

gamma@livemail.tw

Chang Ting-Ying

mindaiworks@gmail.com