
Ontypology

- From same and different to split and join, from split and join to Type, from Type to understanding - the brain walked this road for eons.
- Logic was philosophy a century ago; once seen clearly it becomes an explicit science
- Today we study the "Type" (a brain concept). It is philosophy; Ontypology sees the Type clearly, turns it into an explicit science and puts it into practice as Mind AI.



Where Liquid Neural Networks Meet Ontypology

Structure is Space Type, dynamics is Time Type. Used well, every judgement can be written step by step and checked item by item.




Liquid neural networks flow - and they conserve.

Ontypology writes this "stability within flow" as a Type you can check.

MIND AI

Half a century of neural-network history: a long march to "get time right"

The core shift: from "can we predict?" to "can we state it clearly?"



Time is chopped into steps - one step per Δt.

Time flows continuously, but a numerical solver iterates - slow and opaque.

Time constants move with the shape; the closed form makes every step writable.

MIND AI

Three Traits That Break the Classical Framework

Flow, conservation, auditability - these three words describe not only a network, but a Type.


Liquid

Time breathes: time constant τ(t)

Rhythm shifts with input and state.

Urgent signal: fast response;

slow signal: long memory.



Closed-form

Every step writable. CfC

Dynamics written as a closed form;

time appears explicitly, no iteration.

Auditable

Small enough to see.

Autonomous control with very few neurons,

every connection can be inspected by hand.

MIND AI

Parallel Map: Engineering Language Mapped onto Type Theory

Liquid Neural Network (engineering language)	Ontypology (Type theory)
Neuron, synapse, layer, readout head	**Space Type** { } composition, [ ] property, ( ) container
Liquid τ(t), ODE dynamics	**Time Type** (op: Type → Type, shape in, shape out)
Stable, bounded, noise-resistant, transferable	**Axiom of invariance** (swap the content; id(C) unchanged)
NCP small circuit, closed-form solution	**Three-layer judgement** (container ∧ BOM ∧ abstract, jointly verified)

MIND AI


Space Type: Breaking a Liquid Network into a Recordable Structure

Unit Type = { parts, (contents), [category] }

Y-Axis { }

Bill of Materials (BOM)

What is it made of? (input layer, liquid core, readout head). Test: after you take it apart, does it still recognise itself?



X-Axis [ ]

Properties & Scale (Attributes)

What does it look like? (range of τ, neuron count, gating type).

Z-Axis ( )

Containers & Identity

Where do things live? (weight space, state space). Change the contents; identity id(C) unchanged.

The Type Basis of Model Pruning and Ablation: The Three-Level Remove Test

Pruning is remove; ablation is the three-level test put into practice.


Action: remove part p from network M - remove(p, M). Does identity survive?

remove(p, M) ≠ M

The network is no longer a network.

Essential Part

(e.g. the backbone layer). Cannot be pruned.



remove(p, M) = M′ ⊂ M

Function is damaged, identity survives.

Function-Degraded Part

(e.g. bypass, readout head).



remove(p, M) ≡ M

Identity and core function are untouched.


Non-Essential Part

(e.g. redundant nodes). Safe to prune.




Time Type: The Time Constant That Breathes, τ(t)

$$\frac{dx}{dt} = -\frac{x}{\tau(x, I)} + f(x, I)$$



Classic RNN - staircase

A fixed beat, no matter how urgent the signal.



Liquid network - river

Rhythm follows the shape: urgent signals get fast response, slow ones are remembered.

$$\frac{dx}{dt} = -\frac{x}{\tau(x, I)} + f(x, I)$$

The Double Advantage of a Closed-Form Solution (CfC): Speed and Checkability

Numerical Solver





A black box that iterates step by step.

Like a student who gives the answer but not the working.

Closed-form Solution

$$x(t) = \frac{x}{dt} - \tau(x,t) + f(x,I)$$

$$\Rightarrow = \frac{1}{dt}\int_0^t t(x)dt + f(x,I)$$

$$\Rightarrow = \frac{1}{dt}\int_0^t t.f(xt)dt + f(x,I)$$

$$\Rightarrow = \frac{1}{t(x,I}\frac{t}{} - \sum_{t=0}^{n}\sum_{n=11}^{\infty} t\,f(x,I)$$

$$\Rightarrow \boxed{\frac{dx}{dt} = -\frac{x}{\tau(x,I} + f(x,I)}$$



Time appears explicitly in the formula - written in one step.

Like a student who writes every step on paper.



Engineering gain: 1-5 orders of magnitude faster inference.



Type meaning: accuracy you can re-check.


MIND AI

How to Use It Correctly: The Three Words - Body, Use, Accuracy

Mathematical language is precise but tends to omit. These three fill the gap, putting structure, rules and identity back into the network.

Body

It is a Type. Use { } to supply structure (BOM / dependencies) and stand the network up.



Function


It operates. Use [ ] to supply rules and properties (range of τ, gating rules); describe shape in, shape out.

Accuracy

It holds up to inspection. Use ( ) to supply identity and invariants (change the scene; id(N) unchanged).

MIND AI

A Six-Step Audit Workflow: Climate Deployment Test for a Self-Driving Decision Network



1. State the Whole	2. Describe by Axis	3. Write the Type Set	4. Pick the Proposition	5. Criterion Reasoning	6. Three-Layer Check
Identify N (the 19-neuron self-driving steering circuit).	Define X (latency), Y (circuit BOM), Z (video stream).	Output { sensing front-end, (video stream), [range of τ] }.	Prove: after rainy deployment, does the model identity id(N) survive?	Rain only swaps the content of the video stream (sunny → rainy). By the axiom of invariance, id(N) is unchanged.	container ∧ BOM ∧ abstract, jointly verified → all pass (QED).

MIND AI


Misuse Diagnosis: Four Structural Biases and Their Type-Theoretic Fixes

Structural Bias (Warning)	Type-Theoretic Fix (Solution)
Bias 1: Confusing container with content Swapping the input data stream is taken as a new network.	Fix id(N) first. Data is only what fills ( ); identity does not change.
Bias 2: Flattening levels to count parameters A million-parameter net is used to belittle a 19-neuron NCP.	Ask "which Type" first, then "how many". Small is not saving - small is a Type standing correctly.
Bias 3: Pruning without the three levels Essential and non-essential parts are lumped together and cut at once.	Apply the three-level remove test part by part, so identity survives.
Bias 4: Confusing closed-form with numerical ODE numerical approximation and CfC are treated as equally solvable.	Separate the auditability levels: CfC can be written step by step; numerical solutions only approximate.

MIND AI

Deployment Decision Tree: When Should You Bring in a Liquid Neural Network?

The trend: compress the huge black box into a small Type that fits on an edge device (the Liquid AI route).



Robustness & Auditability

NCP (Neural Circuit Policy)

e.g. car steering control, autonomous drones.

Speed & Checkability


CfC (Closed-form Continuous Model)

e.g. industrial sensor anomaly detection.

MIND AI

Overall Architecture: Two Libraries - One Hub - One Loop

A liquid network has a double identity: an auditable "structural Type" in the Form Library, and a continuously evolving "dynamic move" in the Function Library.



MIND AI

A Complete Content Plan: An 8-Week Rollout and Library Blueprint

Acceptance is not a test score, but whether you can write a Type Set for any network and leave a six-step record anyone can reproduce.

W7-W8: End-to-End Library Build (Database)


Inventory → Record → Verify → Store. Turn scattered parts into a checkable enterprise Type Library.

W3-W4: Dynamic Recording (Dynamics)

Implement the Time Type: write the reasoning process as op: Type → Type, shape in, shape out.

W1-W2: Parallel Reading & Disassembly (Mapping)

Build the parallel map: take an existing network apart into Space Type { }, [ ], ( ).



The Endgame: Three Unifications on the Road to Mind AI

Liquid networks gave us a living specimen - flowing, conserving, auditable. Ontypology gave it an accurate blueprint for use. See the Type clearly, turn it into an explicit science, and make it Mind AI.



Unified Knowledge

Everything can be recorded. Liquid networks proved that dynamic systems can be filed precisely.

Unified Thought


All reasoning can be re-checked. Closed-form solutions and three-layer judgement make every link auditable.

Unified Intelligence

Type and function grow each other. The system evolves itself in an endless loop.

MIND AI

LonGreat Vision: intelligent life that understands the essence of the world



MIND AI

"Let AI be more than a tool - a living intelligence that can truly understand, reason, learn and create."

From unified knowledge to unified thought, then to unified intelligence - this is the eternal path to AGI that LonGreat pursues.

www.longreat.net

Changfeng Chang
gamma@livemail.tw

Tingying Chang
mindaiworks@gmail.com