

Portfolio (Webpage)

Member Management

Presented by [Jeong Shin Young]

July 2026

개요

프로젝트명	Webpage Member Management (회원관리 시스템)
개발기간	2026.06 ~ 2026.07
기술 스택	Java Spring boot, postgresql
프로젝트 목적	IT에서 주로 활용하는 기술 스택인 Java, Spring과 최근에 DB는 postgresql도 활용되어서 해당 기술 스택으로 실제 작동하는 프로젝트를 직접 만들어서 구현
본인 역할	웹페이지 제작 및 회원 관리 (SpringDemoTest 프로젝트 생성, 제작) 웹페이지 DB(postgresql) 연동

웹페이지 첫 화면 (로그인)

로그인

아이디

비밀번호

로그인

[회원가입](#)

아이디, 비밀번호 입력. 없으면 회원 가입 클릭

회원 가입

회원가입

아이디

user

비밀번호

이름

유저

가입하기

[로그인으로 돌아가기](#)

아이디, 비밀번호, 이름 입력. 가입하기 클릭하면 가입 완료 메시지 표시되면서 로그인 화면으로 이동

로그인 화면

로그인

회원가입이 완료되었습니다. 로그인해 주세요.

아이디


비밀번호

로그인

[회원가입](#)

회원 가입한 아이디, 비밀번호 입력 후 로그인

메인 화면



메인페이지 화면. 일반 유저 권한이라 로그아웃, 회원탈퇴 기능만 존재

회원 관리 (관리자 권한)

The screenshot shows a web browser window with the URL `localhost:8080/members`. The page title is '회원관리 시스템' (Member Management System). The user is logged in as 'admin님, 환영합니다.' (Welcome, admin). The left sidebar contains the following menu items: '회원관리 시스템', '메인' (Main), '회원관리' (Member Management), and '회원탈퇴' (Member Deletion). The main content area is titled '회원관리' (Member Management) and contains a table with the following data:

ID	아이디	이름	권한	가입일시	관리
1	admin	운영자	ADMIN	2026-07-01 23:56	수정 본인
3	user	유저	USER	2026-07-02 16:10	수정 삭제

관리자 권한의 회원관리 메뉴 화면. 이 메뉴에서 회원 수정, 강제 회원삭제 가능

회원 관리 (회원 수정)

회원관리 시스템

메인

회원관리

회원탈퇴

admin님, 환영합니다. [로그아웃](#)

회원 수정

아이디

user

아이디는 변경할 수 없습니다.

이름

유저

권한

USER

비밀번호 초기화


변경 시에만 입력

비밀번호를 비워두면 기존 비밀번호가 유지됩니다.

[저장](#) [취소](#)


관리자 권한의 회원관리 메뉴에서 회원 수정 버튼 클릭 후 화면. 권한과 비밀번호 초기화 가능

회원 탈퇴



회원탈퇴 메뉴 화면. 본인이 스스로 탈퇴하기 클릭하면 강제 로그아웃 후 처음 로그인 화면으로 이동

회원 탈퇴



회원탈퇴 메뉴 화면. 본인이 스스로 탈퇴하기 클릭하면 강제 로그아웃 후 처음 로그인 화면으로 이동

회원 탈퇴

로그인

회원탈퇴가 완료되었습니다. 이용해 주셔서 감사합니다.

아이디

비밀번호

로그인

[회원가입](#)

회원탈퇴 메뉴 화면. 본인이 스스로 탈퇴하기 클릭하면 강제 로그아웃 후 처음 로그인 화면으로 이동

기술스택 실제 사용 여부

Java Spring boot 기본 웹페이지 구성 세팅 작업

- JDK 21, 개발 툴 (IntelliJ IDEA) 설치
- start.spring.io 웹페이지에서 spring boot 기본 프로젝트 세팅 후 압축파일 받기
- 압축파일 풀고 IntelliJ IDEA 개발 툴로 프로젝트 파일 열기
- JDK 21 연동, Controller 파일 생성 후 빌드/실행 후 localhost:8080 화면 테스트:
"Spring Boot 실행 성공!" 텍스트만 표시 확인 (가장먼저 실제로 작동하는지부터 우선적으로 확인)

소스코드 캡처 화면

The screenshot displays an IDE interface with a project explorer on the left, a source code editor in the center, and a console window at the bottom.

Project Explorer: Shows the project structure for 'SpringDemoTest'. The 'src/main/java/com.example.SpringDemoTest' package is expanded, listing various classes including 'SpringDemoTestApplication'.

Source Code Editor: Displays the source code for 'SpringDemoTestApplication.java'. The code is as follows:

```
1 package com.example.SpringDemoTest;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5
6 @SpringBootApplication
7 public class SpringDemoTestApplication {
8
9     public static void main(String[] args) {
10         SpringApplication.run(SpringDemoTestApplication.class, args);
11     }
12
13 }
14
```

Console Window: Shows the execution logs for 'SpringDemoTestApplication'. The logs include database connection details, Hibernate configuration, and the application startup sequence.

```
2026-07-02T16:38:11.457+09:00 INFO 19768 --- [SpringDemoTest] [main] org.hibernate.orm.connections.pooling : HHH10001005: Database info:
Database JDBC URL [jdbc:postgresql://localhost:5432/springdemotest]
Database driver: PostgreSQL JDBC Driver
Database dialect: PostgreSQLDialect
Database version: 18.4
Default catalog/schema: springdemotest/public
Autocommit mode: undefined/unknown
Isolation level: READ_COMMITTED [default READ_COMMITTED]
JDBC fetch size: none
Pool: DataSourceConnectionProvider
Minimum pool size: undefined/unknown
Maximum pool size: undefined/unknown
2026-07-02T16:38:11.835+09:00 INFO 19768 --- [SpringDemoTest] [main] org.hibernate.orm.core : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
2026-07-02T16:38:11.863+09:00 INFO 19768 --- [SpringDemoTest] [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2026-07-02T16:38:11.895+09:00 INFO 19768 --- [SpringDemoTest] [main] o.s.d.j.r.query.QueryEnhancerFactories : Hibernate is in classpath; If applicable, HQL parser will be used.
2026-07-02T16:38:11.985+09:00 WARN 19768 --- [SpringDemoTest] [main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2026-07-02T16:38:12.022+09:00 INFO 19768 --- [SpringDemoTest] [main] r$InitializeUserDetailsServiceConfigurer : Global AuthenticationManager configured with UserDetailsService bean with name customUserDetailsService
2026-07-02T16:38:12.206+09:00 INFO 19768 --- [SpringDemoTest] [main] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-07-02T16:38:12.209+09:00 INFO 19768 --- [SpringDemoTest] [main] c.e.s.SpringDemoTestApplication : Started SpringDemoTestApplication in 1.909 seconds (process running for 2.143)
```

Bottom Bar: Shows the current file path: 'SpringDemoTest > src > main > java > com > example > SpringDemoTest > SpringDemoTestApplication > main'.

The screenshot displays the pgAdmin 4 web interface. On the left, the 'Object Explorer' pane shows a tree structure of the database 'springdemotest/postgres@PostgreSQL 18'. The 'public' schema is expanded, showing various database objects. The 'users' table is selected. The main pane shows the SQL query: `SELECT id, username, password, name, role, created_at FROM public.users;`. Below the query, the 'Data Output' pane displays the results of the query in a table format.

	id [PK] bigint	username character varying (50)	password character varying (100)	name character varying (50)	role character varying (20)	created_at timestamp without time zone
1	1	admin	\$2a\$10\$jUQEWtJYtGd1mCk7t.aMkuToMi.Ux/QZj6Se6OHwtfe5T8a1EQ...	운영자	ADMIN	2026-07-01 23:56:33.129523