Hello, Penguins!

Introduction

Data

For this analysis we'll use the **penguins** dataset from the **palmerpenguins** package.(Gorman, Williams, and Fraser 2014)

```
library(tidyverse)
library(ggthemes)
library(palmerpenguins)
library(gt)
```

Slide with columns

Content in Column 1 Content in Column 2

Species

Figure 1 is a scatter plot of species of penguins.

```
ggplot(
penguins,
aes(
    x = bill_length_mm, y = bill_depth_mm,
color = species, shape = species
)
)
) +
```

```
geom_point() +
theme_minimal() +
scale_color_colorblind() +
labs(x = "Bill length (mm)", y = "Bill depth (mm)")
```




Figure 1: Scatterplot of bill depth vs. length of three species of penguins (Adelie, Chinstrap, and Gentoo).

Penguins

Table 1 shows the first 10 penguins from the dataset.

```
penguins |>
  slice_head(n = 10) |>
  select(species, island, bill_length_mm, bill_depth_mm) |>
  gt()
```

Table 1: First 10 rows of the penguins dataset.

species	island	bill_length_mm	$bill_depth_mm$
Adelie	Torgersen	39.1	18.7
Adelie	Torgersen	39.5	17.4
Adelie	Torgersen	40.3	18.0

Adelie	Torgersen	NA	NA
Adelie	Torgersen	36.7	19.3
Adelie	Torgersen	39.3	20.6
Adelie	Torgersen	38.9	17.8
Adelie	Torgersen	39.2	19.6
Adelie	Torgersen	34.1	18.1
Adelie	Torgersen	42.0	20.2

Analysis

Modeling results

...

References

Gorman, Kristen B., Tony D. Williams, and William R. Fraser. 2014. "Ecological Sexual Dimorphism and Environmental Variability Within a Community of Antarctic Penguins (Genus Pygoscelis)." Edited by André Chiaradia. *PLoS ONE* 9 (3): e90081. https://doi.org/10.1371/journal.pone.0090081.