

Apply filters to SQL queries

Project description

[Describe what you accomplish through SQL.]

Retrieve after-hours failed login attempts

The task is to retrieve failed login attempts after work hours from the database.

Data retrieved from `log_in_attempts`. `WHERE` clause and `AND` operator are used to retrieve failed login data after 18:00.

```
MariaDB [organization]> clear
MariaDB [organization]> SELECT *
  -> FROM log_in_attempts
  -> WHERE login_time > '18:00' AND success = 0;
```

event_id	username	login_date	login_time	country	ip_address	success
2	apatel	2022-05-10	20:27:27	CAN	192.168.205.12	0
18	pwashing	2022-05-11	19:28:50	US	192.168.66.142	0
20	tshah	2022-05-12	18:56:36	MEXICO	192.168.109.50	0
28	aestrada	2022-05-09	19:28:12	MEXICO	192.168.27.57	0

Retrieve login attempts on specific dates

The task is to retrieve all login attempts from 2022-05-08 and 2022-05-09.

Data retrieved from `log_in_attempts`. `WHERE` clause and `OR` operator are used to retrieve login data from both dates.

```
MariaDB [organization]> SELECT *
  -> FROM log_in_attempts
  -> WHERE login_date = '2022-05-08' OR login_date = '2022-05-09';
```

event_id	username	login_date	login_time	country	ip_address	success
1	jrafael	2022-05-09	04:56:27	CAN	192.168.243.140	1
3	dkot	2022-05-09	06:47:41	USA	192.168.151.162	1
4	dkot	2022-05-08	02:00:39	USA	192.168.178.71	0
8	bisles	2022-05-08	01:30:17	US	192.168.119.173	0

Retrieve login attempts outside of Mexico

The task is to filter out Mexico from the table.

`NOT` is used to exclude country `LIKE` Mexico.

`MEX%` is used as the country field includes entries with `'MEX'` and `'MEXICO'`.

```
MariaDB [organization]> SELECT *
-> FROM log_in_attempts
-> WHERE NOT country LIKE 'MEX%';
```

event_id	username	login_date	login_time	country	ip_address	success
1	jrafael	2022-05-09	04:56:27	CAN	192.168.243.140	1
2	apatel	2022-05-10	20:27:27	CAN	192.168.205.12	0
3	dkot	2022-05-09	06:47:41	USA	192.168.151.162	1
4	dkot	2022-05-08	02:00:39	USA	192.168.178.71	0

Retrieve employees in Marketing

The task is to retrieve information about employees from the marketing department, who also work in the East Building office.

AND used to include department and office filters.

```
MariaDB [organization]> SELECT *
-> FROM employees
-> WHERE department = 'Marketing' AND office LIKE 'East%';
```

employee_id	device_id	username	department	office
1000	a320b137c219	elarson	Marketing	East-170
1052	a192b174c940	jdarosa	Marketing	East-195
1075	x573y883z772	fbautist	Marketing	East-267

Retrieve employees in Finance or Sales

OR used to include the Finance and Sales departments

```
MariaDB [organization]> SELECT *\
-> FROM employees
-> WHERE department = 'Finance' OR department = 'Sales';
```

employee_id	device_id	username	department	office
1003	d394e816f943	sgilmore	Finance	South-153
1007	h174i497j413	wjaffrey	Finance	North-406
1008	i858i583k571	abernard	Finance	South-170

Retrieve all employees not in IT

NOT used to filter out the Information Technology department.

```

MariaDB [organization]> SELECT *
-> FROM employees
-> WHERE NOT department = 'Information Technology';
+-----+-----+-----+-----+-----+
| employee_id | device_id | username | department | office |
+-----+-----+-----+-----+-----+
| 1000 | a320b137c219 | elarson | Marketing | East-170 |
| 1001 | b239c825d303 | bmoreno | Marketing | Central-276 |
| 1002 | 1161562-558 | jsmith | Marketing | North-121 |

```

Summary

I applied filters to SQL queries to get specific information on login attempts and employee machines. I used two different tables, `log_in_attempts` and `employees`. I used the `AND`, `OR`, and `NOT` operators to filter for the specific information needed for each task. I also used `LIKE` and the percentage sign (%) wildcard to filter for patterns.