

藍新金流平台操作手冊

Apple Pay_Apple開發者帳號驗證說明手冊

2023.8.26



藍新金流
NewwebPay

客服電話：02-2786-3655

客服信箱：cs@newwebpay.com

目錄

幕後支付開通-Apple 開發者帳號驗證

01 導入前置作業p.3	05 Apple Pay 導入開發參考文件.....p.28
02 啟用幕後支付方式與驗證說明p.4	
03 驗證前置作業p.5	
04 Apple Pay 驗證說明p.6	
• 註冊 Apple 帳戶 Merchant IDp.6	
• 新建 Payment Processing Certificatep.10	
• 新建 Merchant Identifier Certificatep.15	
• 新建 Merchant Domainsp.19	
• 上傳 Apple 憑證至藍新平台且驗證p.22	
• 驗證列表與更換憑證p.24	

01 導入前置作業

需具備項目

- 商店需申請：Apple 開發者帳號(費用：99美元/年,依 Apple Pay 官網公告為主, [Apple 開發者帳號申請](#))
- 企業戶需有 D-U-N-S 鄧白氏 編號(申請 Apple 開發者帳號需提供)
- 付款頁具備 TLS 環境(https://)

需開發項目

- 支援 Apple Pay 的 iOSApp(依據商店需求開發)
- 支援 Apple Pay 的 Web 網頁付款頁(依據商店需求開發, Apple Pay 目前只支援 safari 瀏覽器)
- Apple 開發者帳號設定(步驟參考 Apple Pay 導入設置)

需串接NewwebPay藍新金流API

- Apple Pay 交易授權API(請至藍新官網 Apple Pay 頁面下載)

02 啟用幕後支付與驗證方式說明

幕後支付說明

- 1、啟用 Apple Pay 前需先開通信用卡一次付清
- 2、幕後支付用於自建的商店頁面且不跳轉至藍新頁面
- 3、申請啟用後，待審核成功狀態變更為「尚未驗證」，請點擊「進階設定」完成驗證。



進階設定-驗證方式說明

商店自行選擇驗證方式

- ◆ 商店網域驗證：將驗證檔放至指定位置並驗證商店網域
- ◆ Apple 開發者帳號驗證：商店需自行申請 Apple 開發者帳號且完成驗證動作

03 驗證前置作業

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

商店網域驗證 **Apple 開發者帳號驗證**

說明手冊下載： [說明手冊](#) ⬇

驗證步驟：

步驟1. 下載 CSR 檔： [CSR 檔](#) ⬇

步驟2. 於 Apple 開發者網站上傳藍新 CSR 檔

步驟3. 於 Apple 開發者網站取得 Payment Processing CER 檔 及 Merchant Identity CER 檔

步驟4. 上傳檔案

Payment Processing CER 檔	<input type="text" value="請選擇檔案"/>	選擇檔案
Merchant Identity CER 檔	<input type="text" value="請選擇檔案"/>	選擇檔案

步驟5. 驗證檔案：

步驟6. 使用 PEM 憑證檔完成 Apple API 串接： [PEM 憑證檔](#) ⬇ (或使用您的 PEM 檔)

步驟7. 向藍新商務夥伴或是客服申請取得 Apple Pay 授權串接文件

💡 說明

- 使用 Apple 開發者帳號驗證，會員專區與 Apple 開發者後台需互相配合，建議以下前置作業檔案可先準備。

使用於Apple

- 1.商編_Payment_Processing.csr 參考 p.13
- 2.商編_Merchant_Identity.csr 參考 p.17

Apple取得使用於藍新

- 1.Payment Processing CER 參考p.14
- 2.Merchant Identity CER 參考p.18

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID


新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證



04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

Certificates

Identifiers 

Merchant IDs 

Identifiers

spgate

Devices

Profiles

Keys

More

 說明

- 點選左側 identifiers 後點選 + 字號按鈕

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

< All Identifiers

Register a new identifier

- ☐ **App IDs**
Register an App ID to enable your app, app extensions, or App Clip to access available services and identify your app in a provisioning profile. You can enable app services when you create an App ID or modify these settings later.
- ☐ **Services IDs**
For each website that uses Sign in with Apple, register a services identifier (Services ID), configure your domain and return URL, and create an associated private key.
- ☐ **Pass Type IDs**
Register a pass type identifier (Pass Type ID) for each kind of pass you create (i.e. gift cards). Registering your Pass Type IDs lets you generate Apple-issued certificates which are used to digitally sign and send updates to your passes, and allow your passes to be recognized by Wallet.
- ☐ **Website Push IDs**
Register a Website Push Identifier (Website Push ID). Registering your Website Push IDs lets you generate Apple-issued certificates which are used to digitally sign and send push notifications from your website to macOS.
- ☐ **iCloud Containers**
Registering your iCloud Container lets you use the iCloud Storage APIs to enable your apps to store data and documents in iCloud, keeping your apps up to date automatically.
- ☐ **App Groups**
Registering your App Group allows access to group containers that are shared among multiple related apps, and allows certain additional interprocess communication between the apps.
- ☒ **Merchant IDs**
Register your Merchant Identifiers (Merchant IDs) to enable your apps to process transactions for physical goods and services to be used outside of your apps. Generate a Apple Pay Payment Processing certificate for each registered Merchant ID to validate transactions initiated within your app.
- ☐ **Music IDs**

2

Continue

💡 說明

- 選擇 Merchant IDs 點選 Continue 按鈕

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

< All Identifiers

Register a Merchant ID

Back Continue

Description

spgatewayTest

Identifier

merchant.merchant.spgatewayTest

You cannot use special characters such as @, &, * or !.

We recommend using a reverse domain name style string (i.e., com.domainname.appname).

說明

- 輸入自行定義的Merchant ID Description及ID後，點選Continue
- 確認Merchant ID資料正確，點選Register

Certificates, Identifiers & Profiles

< All Identifiers

Register a Merchant ID

Back Register

Description

spgatewayTest

Identifier

merchant.merchant.spgatewayTest

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple
帳戶 Merchant ID

新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

Certificates

Identifiers +

Merchant IDs

Identifiers

NAME

IDENTIFIER

Devices

Profiles

Keys

More

spgatewayTest

merchant.merchant.spgatewayTest

💡 說明

- 點選建立的Merchant ID

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Apple Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

[< All Identifiers](#)

Edit or Configure Merchant ID

Name

spgatewayTest

You cannot use special characters such as @, &, *, ' , " , - , .

Identifier

merchant.merchant.spgatewayTest

Remove

Save

Apple Pay Payment Processing Certificate

To configure Apple Pay Payment Processing for this Merchant ID, create a Payment Processing Certificate. Apple Pay Payment Processing requires this certificate to encrypt transaction data. Use the same certificate for Apple Pay Payment Processing in apps or on the web.

Create an Apple Pay Payment Processing Certificate for this Merchant ID.

Create Certificate

Apple Pay Payment Processing on the Web

To configure Apple Pay Payment Processing on the web for this Merchant ID, you must register and verify to process transactions. You must also create a Apple Pay Merchant Identity, which authenticates your web server to Apple Pay Payment Processing servers.

💡 說明

- 於Payment Processing Certificate 區塊，點選Create Certificate

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple
帳戶 Merchant ID


新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

 Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

[< View Identifier](#)

Edit or Configure Merchant ID

Name	Identifier
spgatewayTest	merchant.merchant.spgatewayTest

Will payments associated with this Merchant ID be processed exclusively in China mainland?

☒ No 1

☐ Yes

2 [Continue](#)

💡 說明

- 選擇No，非中國區域
- 點選Continue

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID


新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證



💡 說明

- 選擇上傳從藍新金流下載的憑證請求檔(.CSR)，點選Continue

註：請上傳壓縮檔內的 商店代號_Payment_Processing.csr

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

< All Identifiers

Edit or Configure Merchant ID

Remove

Save

Name

spgatewayTest

Identifier

merchant.merchant.spgatewayTest

You cannot use special characters such as @, &, *, !, ", ~, or .

Apple Pay Payment Processing Certificate

To configure Apple Pay Payment Processing for this merchant ID, create a Payment Processing Certificate. Apple Pay Payment Processing requires this certificate to encrypt transaction data. Use the same certificate for Apple Pay Payment Processing in apps or on the web.

Name: merchant.merchant.spgatewayTest

Type: Apple Pay Payment Processing

Expires: Feb 24, 2023 (Active Certificate)

Revoke

Download

Create an additional certificate to use for this Merchant ID.

Create Certificate

Apple Pay Payment Processing on the Web

To configure Apple Pay Payment Processing on the web for this merchant ID, you must register your website with Apple Pay to process transactions. You must also create a Apple Pay Merchant Identity, which authenticates your website with Apple Pay Payment Processing servers.

Incorporation of Apple Pay Payment Processing into your website is subject to these [Apple Terms and Conditions](#) and [Acceptable Use Guidelines](#). Failure to comply with any of these Terms and Guidelines may result in deactivation of Apple Pay Payment Processing transactions on your website.

Merchant Domains

Add a domain for use with this Merchant ID.

Add Domain

Apple Pay Merchant Identity Certificate

Create an Apple Pay Merchant Identity Certificate for this Merchant ID.

Create Certificate

💡 說明

- 點選 Download 下載 Apple 提供的 Payment Processing Certificate
- 用於「藍新步驟4」上傳檔案，參考p.22

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

< All Identifiers

Edit or Configure Merchant ID

Remove

Save

Name

spgatewayTest

Identifier

merchant.merchant.spgatewayTest

You cannot use special characters such as @, &, *, !, ", ~, or .

Apple Pay Payment Processing Certificate

To configure Apple Pay Payment Processing for this merchant ID, create a Payment Processing Certificate. Apple Pay Payment Processing requires this certificate to encrypt transaction data. Use the same certificate for Apple Pay Payment Processing in apps or on the web.

Name: merchant.merchant.spgatewayTest

Type: Apple Pay Payment Processing

Expires: Feb 24, 2023 (Active Certificate)

Revoke

Download

Create an additional certificate to use for this Merchant ID.

Create Certificate

Apple Pay Payment Processing on the Web

To configure Apple Pay Payment Processing on the web for this merchant ID, you must register your website to process transactions. You must also create an Apple Pay Merchant Identity, which authenticates your website with Apple Pay Payment Processing servers.

Incorporation of Apple Pay Payment Processing into your website is subject to these [Apple Terms and Conditions](#) and [Acceptable Use Guidelines](#). Failure to comply with any of these Terms and Guidelines will result in deactivation of Apple Pay Payment Processing transactions on your website.

Merchant Domains

Add a domain for use with this Merchant ID.

Add Domain

Apple Pay Merchant Identity Certificate

Create an Apple Pay Merchant Identity Certificate for this Merchant ID.

Create Certificate

💡 說明

- 於Merchant Identity Certificate區塊，點選Create Certificate

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

[< All Certificates](#)

Create a New Certificate

Back

Continue

Certificate Type
Apple Pay Merchant Identity Certificate

Upload a Certificate Signing Request
To manually generate a Certificate, you need a Certificate Signing Request (CSR) file from your Mac.
[Learn more >](#)

Choose File

💡 說明

1. 使用從藍新會員專區上下載之憑證請求檔(.CSR) , 請見下一頁

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple
帳戶 Merchant ID

新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

Apple Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

[< All Certificates](#)

Create a New Certificate

Certificate Type
Apple Pay Merchant Identity Certificate

Upload a Certificate Signing Request
To manually generate a Certificate, you need a Certificate Signing Request (CSR) file from your Mac.
[Learn more >](#)

1

[Choose File](#) MS310111346_Merchant_Identity.csr

2

[Back](#) [Continue](#)

💡 說明

- 選擇上傳從藍新金流下載的憑證請求檔(.CSR)，點選Continue

註：請上傳壓縮檔內的 商店代號_ [Merchant](#) _Identity.csr

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / [Apple Pay 設定](#)

前置設定-註冊 Apple
帳戶 Merchant ID


新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

 Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

[← All Certificates](#)

Download Your Certificate

Revoke **Download**

Certificate Details

Certificate Name merchant.merchant.spgatewayTest	Certificate Type Apple Pay Merchant Identity	Download your certificate to your Mac, then double click the .cer file to install in Keychain Access. Make sure to save a backup copy of your private and public keys somewhere secure.
Expiration Date 2025/04/11	Created By TEST ACCOUNT WANG (testapple@test.com.tw)	

💡 說明

- 點選Download下載 Apple Merchant Identity Certificate
- 用於「藍新步驟4」上傳檔案，參考p.22

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

< All Identifiers

Edit or Configure Merchant ID

Remove Save

Name	Identifier
<input type="text" value="spgatewayTest"/>	merchant.merchant.spgatewayTest

You cannot use special characters such as @, &, *, ' ", ~, .

Apple Pay Payment Processing Certificate

To configure Apple Pay Payment Processing for this merchant ID, create a Payment Processing Certificate. Apple Pay Payment Processing requires this certificate to encrypt transaction data. Use the same certificate for Apple Pay Payment Processing in apps or on the web.

Name: merchant.merchant.spgatewayTest
Type: Apple Pay Payment Processing
Expires: Feb 24, 2023 (Active Certificate)

Revoke Download

Create an additional certificate to use for this Merchant ID.

Create Certificate

Apple Pay Payment Processing on the Web

To configure Apple Pay Payment Processing on the web for this merchant ID, you must register and verify the domains that will process transactions. You must also create a Apple Pay Merchant Identity, which authenticates your web sessions with the Apple Pay Payment Processing servers.

Incorporation of Apple Pay Payment Processing into your website is subject to these [Apple Pay Payment Processing Merchant Terms and Conditions](#) and [Acceptable Use Guidelines](#). Failure to comply with any of the guidelines may result in deactivation of Apple Pay Payment Processing transactions on your website.

Merchant Domains

Add a domain for use with this Merchant ID.

Add Domain

💡 說明

- 若需使用 Apple Pay 於 Web 上時, 才需進行新建 merchant Domains 步驟
- 於 Merchant Domains 區塊, 點選 Add Domain

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple
帳戶 Merchant ID

新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

[← View Identifier](#)

Register

Save

To use Apple Pay Payment Processing on the web you must register and verify your fully qualified domain name. To begin enter your domain below.

Enter the domain you wish to register

https://

💡 說明

- 輸入商店網頁端的Domain後，點選Save
註：商店網域須具TLS環境

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple
帳戶 Merchant ID

新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

Certificates, Identifiers & Profiles

[← View Identifier](#)

Verify

Instructions and Information

To verify ownership of your domain download the file and place it at the location listed below. After uploading your file continue with the verification step.

We'll look for your file at the following location:

<https://spgatewayTest.com/.well-known/apple-developer-merchantid-domain-association.txt>

1

2

Download

Verify

💡 說明

- 點選 Download 按鈕將 apple-developer-merchantid-domain-association.txt 檔案放置於商店網域的 .well-known資料夾下並點選Verify進行驗證

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

步驟1. 下載 CSR 檔：[CSR 檔](#) 

步驟2. 於 Apple 開發者網站上傳藍新 CSR 檔

步驟3. 於 Apple 開發者網站取得 Payment Processing CER 檔 及 Merchant Identity CER 檔

步驟4. 上傳檔案

Payment Processing CER 檔

請選擇檔案

1

選擇檔案

Merchant Identity CER 檔

請選擇檔案

2

選擇檔案

步驟5. 驗證檔案：[進行驗證](#) 

步驟6. 使用 PEM 憑證檔完成 Apple API 串接：[PEM 憑證檔](#) 

步驟7. 向藍新商務夥伴或是客服申請取得 Apple Pay 授權串接文

 說明

將從Apple官網下載

- Payment Processing Certificate 參考p.14
 - Merchant Identifier Certificate 參考p.18
- 上傳至藍新會員專區, 上傳完後點擊「進行驗證」

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

步驟1. 下載 CSR 檔：[CSR 檔](#) ⬇

步驟2. 於 Apple 開發者網站上傳藍新 CSR 檔

步驟3. 於 Apple 開發者網站取得 Payment Processing CER 檔 及 Merchant Identity CER 檔

步驟4. 上傳檔案

Payment Processing CER 檔

請選擇檔案

Merchant Identity CER 檔

請選擇檔案

步驟5. 驗證檔案：[進行驗證](#)

步驟6. 使用 PEM 憑證檔完成 Apple API 串接：[PEM 憑證檔](#) ⬇ (或使用您的 PEM 檔)

步驟7. 向藍新商務夥伴或是客服申請取得 Apple Pay 授權串接文件

💡 說明

- 驗證成功後, 可聯絡藍新夥伴或是客服進行後續相關 IP 設定, 並取得串接文件, 再使用步驟6 所提供之PEM檔(商店可自行生產)進行對 Apple 的串接

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

步驟4. 上傳檔案

Payment Processing CER 檔

請選擇檔案

選擇檔案

Merchant Identity CER 檔

請選擇檔案

選擇檔案

步驟5. 驗證檔案：

進行驗證

步驟6. 使用 PEM 憑證檔完成 Apple API 串接： PEM 憑

步驟7. 向藍新

驗證列表

檔案名稱

Payment Processing CER 檔	1200922293457.cer
Merchant Identity CER 檔	8882734522293457.cer
Payment Processing CER 檔	1200922293457.cer
Merchant Identity CER 檔	8882734522293457.cer

2023-10-02	2025-10-02
2025-10-02	
2021-05-01	2023-05-01
2023-05-01	

已驗證 ✓

1



已失效 !

3



🔗 說明

1. 上傳驗證成功後, 驗證列表會顯示「已驗證」
2. 憑證將到期前30 天, 系統將會發出通知信提醒更換憑證
3. 憑證到期若未更換憑證, 驗證狀態將會顯示「已失效」, 請商店重新上傳憑證並進行驗證

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple
帳戶 Merchant ID


新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

 Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

[← All Certificates](#)

Download Your Certificate

Activate Revoke Download

Certificate Details

Certificate Name merchant.merchant.spgatewayTest2	Certificate Type Apple Pay Payment Processing	Download your certificate to your Mac, then double click the .cer file to install in Keychain Access. Make sure to save a backup copy of your private and public keys somewhere secure.
Expiration Date 2025/04/14	Created By TEST ACCOUNT WANG (testapple@test.com.tw)	

💡 說明

- 為避免憑證更換時, 商店 Apple Pay 中斷交易時間過長, 請於申請新憑證後, 先至會員專區重新上傳憑證, 再至 Apple developer 啟用新憑證

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

驗證列表

歷史紀錄

檔案名稱	驗證時間	到期日	狀態	刪除
Payment Processing CER 檔 Merchant Identity CER 檔	1200922293457.cer 8882734522293457.cer	2023-10-02 2025-10-02	已驗證 ✓	🗑️ 新憑證
Payment Processing CER 檔 Merchant Identity CER 檔	1200922293457.cer 8882734522293457.cer	2022-06-01 2024-06-01	已驗證 ✓	🗑️ 原憑證

💡 說明

- 至藍新會員專區上傳新憑證,此時會顯示兩組有效憑證

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple
帳戶 Merchant ID


新建 Payment
Processing Certificate

新建 Merchant
Identifier Certificate

新建
Merchant Domains

上傳Apple憑證至藍新
平台且驗證

驗證列表與更換憑證

 Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

[< All Certificates](#)

Download Your Certificate

Activate

Revoke

Download

Certificate Details

Certificate Name merchant.merchant.spgatewayTest2	Certificate Type Apple Pay Payment Processing	Download your certificate to your Mac, then double click the .cer file to install in Keychain Access. Make sure to save a backup copy of your private and public keys somewhere secure.
Expiration Date 2025/04/14	Created By TEST ACCOUNT WANG (testapple@test.com.tw)	

💡 說明

- 於 Apple developer 點擊 Activate 按鈕, 啟用新憑證

04 Apple Pay 驗證說明

藍新金流會員專區 / 會員中心 / 商店資料設定 / Apple Pay 設定

前置設定-註冊 Apple 帳戶 Merchant ID

新建 Payment Processing Certificate

新建 Merchant Identifier Certificate

新建 Merchant Domains

上傳Apple憑證至藍新平台且驗證

驗證列表與更換憑證

Apple Developer

testAccount
TEST TECHNOLOGY CO., LTD-TEST

Certificates, Identifiers & Profiles

< All Certificates

Download Your Certificate

Certificate Details

Certificate Name
merchant.merchant.spgatewayTest2

Expiration Date
2025/04/14

Created By

Activate Certificate

Activating this certificate will result in the revocation of all previous certificates generated for this Merchant Identifier. Certificate revocation will cause transaction failure within your app. Ensure this certificate is configured properly on your servers prior to activating to prevent transaction processing failure.

Cancel Activate

Activate Revoke Download

to your Mac, then double click the .cer file to install in e to save a backup copy of your private and public keys somewhere secure.

驗證列表

歷史紀錄

檔案名稱	驗證時間	到期日	狀態	刪除
merchant.merchant.spgatewayTest2	2025-10-02	2025-10-02	已驗證 ✓	🗑️
merchant.merchant.spgatewayTest2	2024-06-01	2024-06-01	已驗證 ✓	2 🗑️

💡 說明

- 點擊 Activate 按鈕, 確認啟用

註：啟用新憑證時, 會自動註銷掉原本舊的憑證, 請至藍新會員專區點擊刪除icon, 移除舊憑證

05 Apple Pay 導入開發參考文件

Apple Pay 官方開發文件

- Apple Pay Programming Guide

https://developer.apple.com/library/content/ApplePay_Guide/

- Apple Pay Human Interface Guidelines

<https://developer-rno.apple.com/design/human-interface-guidelines/technologies/apple-pay/introduction>

關於藍新金流【Apple Pay服務】如仍有其他疑問
請與藍新金流客服中心聯繫，謝謝



藍新金流
NewwebPay

客服電話：02-2786-3655

客服信箱：cs@newebpay.com