

CALL TO ACTION

YOUR 3-DAY HOME CHECK

প্রতি ৩ দিনে ঘর পরীক্ষা করুন

FIND IT - EMPTY IT - COVER IT

Walk through your home every 3 days and tick each box as you go.

PLACE TO CHECK	Day 1	Day 4	Day 7
Flower-pot trays & vases Empty and scrub	☐	☐	☐
AC drip tray or bucket Empty it	☐	☐	☐
Fridge drip tray Pull out and clean	☐	☐	☐
Water drums & buckets Cover tightly	☐	☐	☐
Money-plant jars Change the water	☐	☐	☐
Rooftop tubs, tank & gutters Check and clear	☐	☐	☐
Tyres, cans, shells, packets Throw away	☐	☐	☐
Nets, repellent, full sleeves Use every day, daytime too	☐	☐	☐

Why scrub, not just empty? Aedes eggs stick to container walls and can survive dry for months.



Pin this page on your fridge.

WHERE TO GET HELP

সাহায্য কোথায় পাবেন

Go straight to help if you see any danger sign, especially in the 1–2 days after the fever goes down.



Nearest government hospital

or upazila health complex / community clinic



National health helpline

16263



Emergency services

999

SHARE THIS LEAFLET

Dengue is stopped building by building. Pass this on to your neighbours and your building caretaker.

EMPTY STORED WATER EVERY 3 DAYS

তিন দিন পরপর জমে থাকা পানি ফেলে দিন

Prepared by Group [] · [Course code]

Course teacher: Dr. Bilkis Banu

Department of Public Health, Independent University,
Bangladesh

Based on WHO and US CDC dengue guidance.

PUBLIC HEALTH ALERT · DENGUE

DENGUE STARTS AT HOME.

এডিস মশা জন্মায় ঘরেই — প্রতিরোধ শুরু হোক ঘর থেকেই।



INSIDE THIS LEAFLET

- ✓ A 3-day home check you can tick off
- ✓ How dengue spreads, and who is at risk
- ✓ Symptoms and danger signs
- ✓ What to do with a fever, and where to go




Department of Public Health
Independent University, Bangladesh

1 WHAT IS DENGUE?

ডেঙ্গু কী?

Dengue is a viral illness spread by the bite of an infected **Aedes** mosquito. It does not spread by touch, coughs or sharing food.

KNOW THE AEDES



- Black, with white stripes on the legs
- Bites by day: early morning and late afternoon
- Breeds in clean, still water
- Egg to adult in 8–10 days

HOW IT SPREADS

- 1 A mosquito bites a person who has dengue.
↓
- 2 The virus grows inside the mosquito for about 8–12 days.
↓
- 3 It bites someone else and passes dengue on.

There is no specific medicine that cures dengue, so prevention and early care matter most.

HIGHER RISK OF SEVERE DENGUE

Babies and young children, older people, pregnant women, people with long-term illness, and anyone who has had dengue before.

2 SIGNS TO WATCH FOR

লক্ষণ ও বিপদচিহ্ন

Symptoms usually start **4–10 days** after the bite and last **2–7 days**.



High fever



Severe headache




Pain behind the eyes



Muscle & joint pain



Nausea & vomiting



Skin rash

DANGER SIGNS: GO TO HOSPITAL NOW

They often start 1–2 days after the fever goes down.

- ⚠ Severe belly pain
- ⚠ Vomiting 3 or more times in a day
- ⚠ Bleeding gums or nose
- ⚠ Blood in vomit or stool
- ⚠ Very tired, restless or irritable

ANY FEVER IN DENGUE SEASON?

See a doctor and get tested. Don't wait for it to pass.

Feeling better when the fever drops does not mean it is over: keep watching for 2 more days.

3 HAVE A FEVER? ACT EARLY.

জ্বর হলে করণীয়

EARLY CARE SAVES LIVES

Most people recover with rest and fluids, and severe dengue can be treated when it is caught early.

- Get tested early**
Ask a doctor for an NS1 test in the first days of fever, and a blood count (CBC) to check platelets.
- Drink plenty**
Water, ORS, daab (green coconut water), fruit juice and soup, even when you are not thirsty.
- Paracetamol only**
No aspirin, ibuprofen or other painkillers: they can cause bleeding. Antibiotics do not treat dengue.
- Rest under a net**
Sleep under a mosquito net, day and night, so mosquitoes can't carry it to your family.
- Keep watching**
Check for danger signs every day, especially as the fever goes down.

WATCH FOR DEHYDRATION

Passing less urine, a dry mouth or lips, or few or no tears means too little fluid: see a doctor.

NO STILL WATER · NO AEDES · NO DENGUE