

BALON®

GEAR OPERATOR

While developing and extending Balon's product line, it became essential to design and manufacture, in house, Balon's line of gear operators. Rather than relying on commodity made gear operators manufactured by others, Balon's gear operators are specifically designed for operator safety and dependable functionality. This also eliminates ambiguity in service or inspection issues when accessing the performance of the valve and gear operator performance. It's Balon.

By incorporating rugged features and upgraded materials, the Balon gear operator extends service life and enhances both safety and ease of operation. And, as with every component of our valves, the Balon gear operator is 100% made in America by Balon Corporation.


Please consult the chart below for sizes and pressure classes on which Balon gear operators are standard.

Balon Gear Operator Models and Their Corresponding Valves *

B44 **	B64	B88
4F-F63	6F-F13	8F-F13
4F-T63	6F-F33	8F-T33
6R-F63	6F-F63	8F-T63
4F-T93	6F-T63	10R-F13
	8R-F13	10F-T13
	8R-F33	
	8R-F63	
No. of Turns	No. of Turns	No. of Turns
11	16	22
B100	B132	B264
10F-T33	12F-T33	12F-T63
10F-T63		
12F-T13		
No. of Turns	No. of Turns	No. of Turns
25	33	66

* Gear operator models are also applicable on equivalent low-temp, high-temp, and uni-directional valves.

**Balon Gear Operator Model B44 is available as an option on any Balon 3" bore or 4" bore carbon steel flanged valve. Please consult factory for details.



Gear Operator Features: B44, B64, B88




G-2

Gear Operator Features: B100, B132, B264

G-3

Gear Operator Feature

B44, B64, B88



1. Rugged Locking Device Standard

A rugged locking device is standard with every Balon gearbox.

2. Ductile Iron Gearbox Housing


For all gearbox housings, Balon uses high-strength ductile iron, a more malleable material with a yield strength comparable to carbon steel.

3. Stainless Steel Directional Indicator

The Balon gearbox includes a low-profile stainless steel directional indicator. The indicator seal protects the stem journal from external contaminants.

Gear Operator Features

B100, B132, B264



4. Stainless Steel Shaft

All Balon gear operators are equipped with stainless steel shafts as standard, thus reducing corrosion concerns and assuring smoother gearbox operation.

5. Hardened Steel Worm

Gear worms are often susceptible to galling and wear. Balon takes the additional step of hardening our steel gear worms, making them highly resistant to galling and premature failure.

6-7. Suitable for Above Ground and Buried Service

The Balon gearbox is designed to prevent water and external contaminants from invading the box and causing corrosion and operating problems. **6)** The shaft is completely O-ring sealed. **7)** Balon has eliminated the second shaft exit point, a common *entry* point for external contaminants in more ordinary gearboxes