Bài thực hành 2

Link github: https://github.com/minhhieu171105-star/cnlt-nodejs.git

Nội dung thực hiện

```
PS D:\cnlt-nodejs\TH2\nodejs_express> npm init
{
  "name": "nodejs_express",
  "version": "1.0.0",
  "description": "web app express",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
```






```
PS D:\cnlt-nodejs\TH2\nodejs_express> npm install express

added 65 packages, and audited 66 packages in 3s

22 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS D:\cnlt-nodejs\TH2\nodejs_express>
```

EXPLORER

UNTITLED (WORKSPACE)

- ví dụ + test
- startbootstrap-blog-h...
- cnlt-nodejs
  - làm thêm
  - node_modules
  - TH1
  - TH2\nodejs_ex...
    - node_modules
    - index.js U
    - package-lock.j... U
    - package.json U
  - TH3
  - TH4
  - TH5
  - TH6
  - TH7
  - TH8
  - TH9
  - TH10

package.json U | index.js U

cnlt-nodejs > TH2 > nodejs_express > index.js > ...

```
1  const express = require("express");
2  const app = express();
3  const port = 4000;
4  app.get("/", (req, res) => {
5    res.send("Hello ExpressJS");
6  });
7  app.listen(port, () => {
8    console.log(`Server running at http://localhost:${port}`);
9  });
10
```

TH2\nodejs_ex...

- node_modules
- public
  - assets
  - css
  - js
  - 401.html U
  - 404.html U
  - 500.html U
  - charts.html U
  - index.html U
  - layout-siden... U
  - layout-static.... U
  - login.html U
  - password.html U
  - register.html U
  - tables.html U
  - index.js U
  - package-lock.j... U
  - package.json U

```
[nodemon] 3.1.14
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node index.js`
Server running at http://localhost:4000
```