

Maths

Unit 2 - Numbers and
Sequences

27.08.2026

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.



**I can count on
and back in
numbers of
constant size.**

**I can fill in
the missing
numbers of
sequences.**

**I can write my
own sequences
using fractions
and decimals and
they extend
beyond zero.**

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

Retrieval Practice - Which of these numbers is the odd one out? Why?




16.49

17.34

16.51

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

Starter - What do you notice about this pattern?






WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

How could we continue the sequence?

Use sticks to continue the sequence.

Count how many sticks we add each time and think of a term to term rule.



WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

Today we are going to concentrate on counting on and counting back.

We will look at term to term and position to position rules more next lesson.

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

You need to be able to count on and back in fractions...

$$\frac{1}{6} \quad \frac{1}{3} \quad \frac{1}{2} \quad \frac{2}{3} \quad \dots$$

What are the next terms in this sequence?

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

You need to be able to count on and back in decimals...

0.65, 0.61, 0.57, 0.53 ...

What are the next terms in this sequence?

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

You need to be able to count on and back past zero to give negative numbers...

12, 8.5, 5, 1.5 ...

What are the next terms in this sequence?

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

What happens if we are given the first and last term of the sequence?

How can we find the missing numbers?

4, _____, _____, _____, _____, _____ 34

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.



Write the next 3 terms in each of these sequences

a) $\frac{1}{2}$, 1, $1\frac{1}{2}$

b) 0.45, 0.6, 0.75

c) $2\frac{4}{5}$, $2\frac{3}{5}$, $2\frac{2}{5}$

d) 0.34, 0.23, 0.11



All the sequences below are linear. Write the missing numbers:

e) 2, ..., ..., ..., 14

f) 5, ..., ..., ..., 25

g) 14, ..., ..., ..., 6

h) 18, ..., ..., ..., - 10



Write your own sequences using decimals or fractions.

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.



**I can count on
and back in
numbers of
constant size.**

**I can fill in
the missing
numbers of
sequences.**

**I can write my
own sequences
using fractions
and decimals and
they extend
beyond zero.**

WALT: Count on and count back in numbers of constant size, including fractions and decimals, and extend beyond zero to give negative numbers.

Plenary

Mr. Jon has created a linear sequence.

7, _____, _____, _____, - 8

He says:

“To find the missing numbers, I need to find the difference between 7 and -8, then divide by the number of jumps. The term to term rule is -3. ”

Is he correct?