Maths

Unit 3 – Averages

29.10.2026

WALT:

6Sc.03 – To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.



I can find the mean, mode, median and range of a data set.



I can find and interpret the mean, mode, median and range of a data set.



I can work out what a set of data is when given averages.

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

Retrieval Practice

Fill in the missing numbers or operations in these number sentences.

a) 46.11 X 1,000 = 46,110	b) 93.2 ÷ 100 = 0.932
c) 232.81 X 100 = 23,281	d) 27,045 ÷ 1,000 = 27.045

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

Starter – Look at the following data set.

2, 1, 7, 8, 15, 6, 10

Mode- No mode

Median –7

Mean - 7

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

TTYP - what is the:

Mode

Median

Mean

Range

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

Max collects football cards.

The table shows how many he collected over four years.

Year	Number of cards
2016	56
2017	104
2018	81
2019	103

Work out the mean number of cards collected per year.

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

The mean for eight numbers is 3.
What is the total of the eight numbers?

Mean – Add all the values and divide by how many number there are.


TTYP - How would we work this out?

What could the numbers be?

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

The mean for a set of data with seven numbers is 5.

The mode for a set of data with seven numbers is 10.



The median for a set of data with seven numbers is 5.

What could the data be?

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.

Your task

Find the mode, median and mean for the following sets of data.

a) 3 2 7 4 4

Mode -

Median -

Mean -

b) 12 8 15 11 6 2

Mode -

Median -

Mean -

A basketball team played four games.

The mean number of points was 45

a) How many points did they score in total in the four games?

b) After the fifth game, the mean increased to 50

How many points did they score in the fifth game?

Hollie and Sam recorded how many minutes they spent playing basketball each week. Here are their times in minutes.

Day	1	2	3	4	5	6	7
Hollie	10	12	9	8	10	14	5
Sam	20	5	10	14	16	5	7

Work out the mode average time each person played for.
Hollie:
Sam:

Work out the range for Hollie's score and Sam's score.
Hollie:
Sam:

Write two sentence to describe the amount of time they both practised for.

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.





Make sets of six numbers from these cards that have these mean, mode and median averages:

a mean 16, mode 16, median 16

b mean 17, mode 18, median 17.5

c mean 16, modes 15 & 17 (bimodal), median 16

WB – pg 35

WALT: To find and interpret the mode (including bimodal data), median, mean and range, and consider their appropriateness for the context.



I can find the mean, mode, median and range of a data set.



I can find and interpret the mean, mode, median and range of a data set.



I can work out what a set of data is when given averages.