



Dart quiz

Tổng điểm 20/20 ?

Participate in a dart programming quiz and check your dart knowledge.

Your Name *

Luu Anh Minh

Email ID [Optional]: We will send dart/flutter books in future.

luuminh541@gmail.com

✓ 1.What Is Dart? * 1/1

☐ Dart is a object-oriented programming language

☐ Dart is used to create a frontend user interfaces

☒ Both of the above ✓

☐ None of the above

✓ 2.What will be the output of this program : void main() { int *1/1
num; print(num); }

☒ Error ✓

☐ Null

☐ Num

☐ None of these

✓ 3.Which of these is not a keyword in dart? * 1/1

☐ factory

☐ yield

☐ export

☒ scan ✓

✓ 4.Which framework uses dart? * 1/1

☐ Python

☐ Java

☒ Flutter ✓

☐ React

✓ 5.Dart is an? * 1/1

☐ Open-source

☐ Asynchronous

☐ Programming language

☒ All of the above ✓

✓ 6.Dart is originally developed by? * 1/1

☐ Microsoft

☒ Google ✓

☐ IBM

☐ Facebook

✓ 7.The _____ function is a predefined method in Dart. * 1/1

☐ declare()

☐ list()

- ☒ main() ✓
- ☐ return()

✓ 8.Dart is an Object-Oriented language. * 1/1

- ☒ Yes ✓
- ☐ No

✓ 9. _____ is a real-time representation of any entity. * 1/1

- ☐ Class
- ☐ Method
- ☒ Object ✓
- ☐ None of the above

✓ 10.What is the extension of Dart file? * 1/1

- ☒ .dart ✓
- ☐ .py
- ☐ .java
- ☐ .drt

✓ 11. Which of the following statements does not use string interpolation correctly? *1/1

- ☒ print("Your name in upper case is \$'me'.toUpperCase()); ✓
- ☐ print("Your name in upper case is \${'me'.toUpperCase()}");
- ☐ print("Your name in upper case is \${"me".toUpperCase()}");

✓ 12.Which keyword in Dart is used to create a subclass * 1/1

- ☒ extends ✓
- ☐ subclass
- ☐ super
- ☐ none of these

✓ 13.Instance variables in Dart cannot be * 1/1

- ☐ final
- ☒ const ✓
- ☐ Both of these
- ☐ None of these

✓ 14.The print() method in Dart takes * 1/1

- ☒ a single argument ✓
- ☐ two argument
- ☐ multiple argument
- ☐ user defined multiple arguments

✓ 15.Which command is used to run dart file "technologychannel.dart"? * 1/1

- ☐ run technologychannel.dart
- ☐ d technologychannel.dart
- ☒ dart technologychannel.dart ✓
- ☐ start technologychannel.dart

✓ 16.What is commonly known as a dictionary or hash * 1/1

- ☐ set
- ☐ list
- ☒ map ✓

☒ none of these ✓

☐ none of these

✓ 17. Is Dart Case Sensitive Programming Language? * 1/1

☐ No

☒ Yes ✓

✓ 18. --version command is used to ? * 1/1

☐ Enables assertions

☒ Displays version information ✓

☐ Specifies the path

☐ Specifies where to find imported libraries

✓ 19. The await keyword works in * 1/1

☒ async function only ✓

☐ sync function only

☐ both async and sync function

☐ none

✓ 20. The package import pub commands is * 1/1

☐ pub set

☐ pub delete

☒ pub get ✓

☐ pub post

Biểu mẫu này được tạo ra bên ngoài miền của bạn. · [Điều khoản Dịch vụ](#) · [Chính sách quyền riêng tư](#)

Google Biểu mẫu