


Data Visualization **EDU-BOOST**



The diagram features a central blue circle labeled "Python 3x Programing". To its left is a green cartoon snake. To its right are three light blue circles arranged vertically, connected by a blue line. The top circle is labeled "Lesson Flow Control", the middle one "Tutor MR. Huynh Nam", and the bottom one "Time 90 mins".

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

1

Data Visualization **EDU-BOOST**

Content

- Condition Flow
 - Python if Statement Syntax
 - Syntax of if...else
 - Syntax of if...elif...else
- Loop Flow
 - While Loop
 - For Loop
 - Break and Continue
- Python List Comprehension
- Python Directory and Files Management
- Exceptions
 - Python Errors and Built-in Exceptions
 - Python Exception Handling - Try, Except and Finally

WRITTEN BY MR. HUYNH NAM www.giangdayit.com


2

Data Visualization **EDU-BOOST**

Python if Statement Syntax

```
if test expression:
    statement(s)
```

Using **and**, **or** keyword to combine multiple condition in test expression



The flowchart shows a diamond-shaped decision box labeled "Test Expression". An arrow enters from the top. If the expression is "True", an arrow points down to a rectangular box labeled "Body of if". If the expression is "False", an arrow points to the right and then down, bypassing the "Body of if" box. Both paths converge at the bottom.

Fig: Operation of if statement

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

3

Data Visualization **EDU-BOOST**

Example

```
# If the number is positive, we print an appropriate message

num = 3
if num > 0:
    print(num, "is a positive number.")
print("This is always printed.")

num = -1
if num > 0:
    print(num, "is a positive number.")
print("This is also always printed.")
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com


4

Data Visualization **EDU-BOOST**

Python if...else Statement

```

if test expression:
    Body of if
else:
    Body of else
  
```



```

graph TD
    Start(( )) --> Test{Test Expression}
    Test -- True --> BodyIf[Body of if]
    Test -- False --> BodyElse[Body of else]
    BodyIf --> Join(( ))
    BodyElse --> Join
    Join --> End(( ))
  
```

Fig: Operation of if...else statement

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

5

Data Visualization **EDU-BOOST**

Example

```

# Program checks if the number is positive or negative
# And displays an appropriate message

num = 3

# Try these two variations as well.
# num = -5
# num = 0

if num >= 0:
    print("Positive or Zero")
else:
    print("Negative number")
  
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com


6

Data Visualization **EDU-BOOST**

Python if...elif...else Statement

```

if test expression:
    Body of if
elif test expression:
    Body of elif
else:
    Body of else
  
```



```

graph TD
    Start(( )) --> Test1{Test Expression of if}
    Test1 -- True --> BodyIf[Body of if]
    Test1 -- False --> Test2{Test Expression of elif}
    Test2 -- True --> BodyElif[Body of elif]
    Test2 -- False --> BodyElse[Body of else]
    BodyIf --> Join(( ))
    BodyElif --> Join
    BodyElse --> Join
    Join --> End(( ))
  
```

Fig: Operation of if...elif...else statement

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

7

Data Visualization **EDU-BOOST**

Example

```

# In this program,
# we check if the number is positive or
# negative or zero and
# display an appropriate message

num = 3.4

# Try these two variations as well:
# num = 0
# num = -4.5

if num > 0:
    print("Positive number")
elif num == 0:
    print("Zero")
else:
    print("Negative number")
  
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

8

Data Visualization **EDU-BOOST**

More examples

```
# In this program, we input a number
# check if the number is positive or
# negative or zero and display
# an appropriate message
# This time we use nested if

num = float(input("Enter a number: "))
if num >= 0:
    if num == 0:
        print("Zero")
    else:
        print("Positive number")
else:
    print("Negative number")
```

Output 1

```
Enter a number: 5
Positive number
```

Output 2

```
Enter a number: -1
Negative number
```

Output 3

```
Enter a number: 0
Zero
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

9

Data Visualization **EDU-BOOST**

Exercise if | if...else | if...elif...else

Check out these examples to learn more:

- Python Program to Check if a Number is Positive, Negative or 0
- Python Program to Check if a Number is Odd or Even
- Python Program to Check Leap Year

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

10

Data Visualization **EDU-BOOST**

Syntax of while Loop in Python

```
while test_expression:
    Body of while
```

```
graph TD
    Start([Enter while loop]) --> Test{Test Expression}
    Test -- True --> Body[Body of while]
    Body --> Test
    Test -- False --> Exit([Exit loop])
```

Fig: operation of while loop

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

11

Data Visualization **EDU-BOOST**

Example

```
# Program to add natural
# numbers upto
# sum = 1+2+3+...+n

# To take input from the user,
# n = int(input("Enter n: "))

n = 10

# initialize sum and counter
sum = 0
i = 1

while i <= n:
    sum = sum + i
    i = i+1    # update counter

# print the sum
print("The sum is", sum)
```

Enter n: 10
The sum is 55

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

12

Data Visualization **EDU-BOOST**

while loop with else

```
# Example to illustrate
# the use of else statement
# with the while loop

counter = 0

while counter < 3:
    print("Inside loop")
    counter = counter + 1
else:
    print("Inside else")
```

➔

Inside loop
 Inside loop
 Inside loop
 Inside else

MR. HUYNH NAM - WWW.GIANGDAYIT.COM

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

13

Data Visualization **EDU-BOOST**

Exercise while loop

Check out these examples to learn more:

- [Python Program to Print the Fibonacci sequence](#)
- [Python Program to Check Armstrong Number](#)
- [Python Program to Find Armstrong Number in an Interval](#)

MR. HUYNH NAM - WWW.GIANGDAYIT.COM

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

14

Data Visualization **EDU-BOOST**

Syntax of for Loop

```
for val in sequence:
    Body of for
```

```

graph TD
    Start([for each item in sequence]) --> Decision{Last item reached?}
    Decision -- Yes --> Exit([Exit loop])
    Decision -- No --> Body[Body of for]
    Body --> Start
    
```

MR. HUYNH NAM - WWW.GIANGDAYIT.COM

Fig: operation of for loop

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

15

Data Visualization **EDU-BOOST**

Example

```
# Program to find the sum of all numbers stored in a list

# List of numbers
numbers = [6, 5, 3, 8, 4, 2, 5, 4, 11]

# variable to store the sum
sum = 0

# iterate over the list
for val in numbers:
    sum = sum+val

# Output: The sum is 48
print("The sum is", sum)
```

➔

The sum is 48

MR. HUYNH NAM - WWW.GIANGDAYIT.COM

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

16

Data Visualization EDU-BOOST

The range() function

- Generate a sequence of numbers using range() function.
 - Example: range(10) will generate numbers from 0 to 9 (10 numbers).
- Also define the start, stop and step size as range(start, stop, step size).
 - Step size defaults to 1 if not provided.
- Function does not store all the values in memory, it would be inefficient. So it remembers the start, stop, step size and generates the next number on the go
 - To force this function to output all the items, we can use the function list()

```
# Output: range(0, 10)
print(range(10))

# Output: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
print(list(range(10)))

# Output: [2, 3, 4, 5, 6, 7]
print(list(range(2, 8)))

# Output: [2, 5, 8, 11, 14, 17]
print(list(range(2, 20, 3)))
```

```
# Program to iterate through a list using indexing

genre = ['pop', 'rock', 'jazz']

# iterate over the list using index
for i in range(len(genre)):
    print("I like", genre[i])
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

17

Data Visualization EDU-BOOST

for loop with else

```
digits = [0, 1, 5]

for i in digits:
    print(i)
else:
    print("No items left.")
```

```
0
1
5
No items left.
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

18

Data Visualization EDU-BOOST

Exercise for loop

Check out these examples to learn more:

- Python Program to Check Prime Number
- Python Program to Print all Prime Numbers in an Interval
- Python Program to Find the Factorial of a Number

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

19

Data Visualization EDU-BOOST

Python break and continue

- Break and continue statements can alter the flow of a normal loop
 - Loops iterate over a block of code until test expression is false, but sometimes we wish to terminate the current iteration or even the whole loop without checking test expression

```
for var in sequence:
    # codes inside for loop
    if condition:
        break
    # codes inside for loop
# codes outside for loop

while test expression:
    # codes inside while loop
    if condition:
        break
    # codes inside while loop
# codes outside while loop
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

20

Data Visualization

EDU-BOOST

Example

Use of break statement inside loop

```
for val in "string":
    if val == "i":
        break
    print(val)
print("The end")
```



```
s
t
r
The end
```

WRITTEN BY MR. HUYNH NAM


www.giangdayit.com

21

Data Visualization

EDU-BOOST

Syntax of Continue



```
for var in sequence:
    # codes inside for loop
    if condition:
        continue
    # codes inside for loop
# codes outside for loop
```

```
while test expression:
    # codes inside while loop
    if condition:
        continue
    # codes inside while loop
# codes outside while loop
```

WRITTEN BY MR. HUYNH NAM

www.giangdayit.com

22

Data Visualization

EDU-BOOST

Example

Program to show the use of continue statement inside loops

```
for val in "string":
    if val == "i":
        continue
    print(val)
print("The end")
```



```
s
t
r
n
g
The end
```

WRITTEN BY MR. HUYNH NAM

www.giangdayit.com

23

Data Visualization

EDU-BOOST

Exercise break & continue

Check out these examples to learn more:

- [Python Program to Check Prime Number](#)
- [Python Program to Print all Prime Numbers in an Interval](#)

WRITTEN BY MR. HUYNH NAM

www.giangdayit.com

24

Data Visualization EDU-BOOST

Overview

- Condition If...else


```
if <expression>:
    <statements>
elif <expression>:
    <statements>
else:
    <statements>
```
- Loop while | for


```
while <expression>:
    <statements>
else:
    <statements>

for <name> in
    <container>:
    <statements>
else:
    <statements>
```
- Commands: break, continue, pass

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

25

Data Visualization EDU-BOOST

Programing Fundamentals with Python

- Example


```
x = 149
y = 100
if x > y:
    print(x,"is greater than",y)
else:
    print(x,"is less than", y)
```

REMEMBER Indentation

149 is greater than 100

```
x = 0
while x < 10:
    print(x),
    x+=1
```

0 1 2 3 4 5 6 7 8 9

```
a = ['bo', 'me', 'con']
for x in a:
    print(x),
```

bo me con

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

26

Data Visualization EDU-BOOST

Python List Comprehension

- Iterating through a string Using for Loop


```
h_letters = []
for letter in 'human':
    h_letters.append(letter)
print(h_letters)
```

→ ['h', 'u', 'm', 'a', 'n']

```
h_letters = [ letter for letter in 'human' ]
print( h_letters)
```

Syntax of List Comprehension

```
[expression for item in list]
```

↕

```
[expression for item in list]
```

↙ ↘

```
[letter for letter in 'human']
```

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

27

Data Visualization EDU-BOOST

Python File I/O

- File is a named location on disk to store related information. It is used to permanently store data in a non-volatile memory (e.g. hard disk).
- A file operation takes place in the following order.
 1. Open a file
 2. Read or write (perform operation)
 3. Close the file

WRITTEN BY MR. HUYNH NAM www.giangdayit.com

28

Data Visualization
EDU-BOOST

Open File

```
1. f = open("test.txt")      # equivalent to 'r' or 'rt'
2. f = open("test.txt", 'w') # write in text mode
3. f = open("img.bmp", 'r+b') # read and write in binary mode
```

Mode	Description
'r'	Open a file for reading. (default)
'w'	Open a file for writing. Creates a new file if it does not exist or truncates the file if it exists.
'x'	Open a file for exclusive creation. If the file already exists, the operation fails.
'a'	Open for appending at the end of the file without truncating it. Creates a new file if it does not exist.
't'	Open in text mode. (default)
'b'	Open in binary mode.
'+'	Open a file for updating (reading and writing)

29

Data Visualization
EDU-BOOST

Read or Write File

```
f = open("test.txt", 'r', encoding = 'utf-8')
```

- Read a file line-by-line using a for loop. This is both efficient and fast.
- The lines in file itself has a newline character '\n'.
- The print() with **end** parameter to avoid two newlines when printing.

```
for line in f:
    print(line, end = '')
```

- Alternately, we can use readline() method to read individual lines of a file: f.readline()
- In order to write into a file in Python, we need to open it in write 'w', append 'a' or exclusive creation 'x' mode.

```
with open("test.txt", 'w', encoding = 'utf-8') as f:
    f.write("my first file\n")
    f.write("This file\n\n")
    f.write("contains three lines\n")
```

30

Data Visualization
EDU-BOOST

Close File

- Closing a file will free up the resources that were tied with the file and is done using Python close() method.
- Python has a garbage collector to clean up unreferenced objects but, we must not rely on it to close the file.

```
f = open("test.txt", encoding = 'utf-8')
# perform file operations
f.close()
```

WRITTEN BY MR. HUYNH NAM
www.giangdayit.com

31

Data Visualization
EDU-BOOST

Python Directory and Files Management

- A directory or folder is a collection of files and sub directories. Python has the os module, which provides us with many useful methods to work with directories (and files as well).
- Import library OS: **import os**
- Get current directory: **os.getcwd()**
- To list file and directories: **os.listdir()**

WRITTEN BY MR. HUYNH NAM
www.giangdayit.com

32

Data Visualization

EDU-BOOST

Python Exception Handling - Try, Except and Finally

- Python has many built-in exceptions which forces your program to output an error when something in it goes wrong.
- When these exceptions occur, it causes the current process to stop and passes it to the calling process until it is handled. If not handled, our program will crash.

```
try:
    You do your operations here;
    .....
except ExceptionI:
    If there is ExceptionI, then execute this block.
except ExceptionII:
    If there is ExceptionII, then execute this block.
    .....
```

```
try:
    You do your operations here;
    .....
except ExceptionI:
    If there is ExceptionI, then execute this block.
except ExceptionII:
    If there is ExceptionII, then execute this block.
    .....
else:
    If there is no exception then execute this block.
```

WRITTEN BY MR. HUYNH NAM

www.giangdayit.com

33

Data Visualization

EDU-BOOST

Python Exception Handling - Try, Except and Finally

- You can use a finally: block along with a try: block. The finally block is a place to put any code that must execute, whether the try-block raised an exception or not. The syntax of the try-finally statement is this

```
try:
    You do your operations here;
    .....
    Due to any exception, this may be skipped.
finally:
    This would always be executed.
    .....
```

```
file = open('test.txt', 'r')

try:
    file.write("Testing.")
    print("Writing to file.")
except IOError:
    print("Could not write to file.")
else:
    print("Write successful.")
finally:
    file.close()
    print("File closed.")
```

WRITTEN BY MR. HUYNH NAM

www.giangdayit.com

34

Data Visualization

EDU-BOOST

Python Exception Handling - Try, Except and Finally

```
try:
    result = x / y
except ZeroDivisionError:
    print("division by zero!")
else:
    print("result is", result)
finally:
    print("executing finally clause")
```

X = '2', y = '0'

WRITTEN BY MR. HUYNH NAM

www.giangdayit.com

35

Data Visualization

EDU-BOOST

THANK YOU
Q & A

WRITTEN BY MR. HUYNH NAM

www.giangdayit.com

36