


Chapter 1: Building a Blog Application





The install worked successfully! Congratulations!

You are seeing this page because `DEBUG=True` is in your settings file and you have not configured any URLs.



Django Documentation
Topics, references, & how-to's






Tutorial: A Polling App
Get started with Django



Django Community
Connect, get help, or contribute

DJANGO PROJECT





Django administration

Username:

Password:

[Log in](#)

Django administration

Site administration

AUTHENTICATION AND AUTHORIZATION

[Groups](#)

[Add](#) [Change](#)

[Users](#)

[Add](#) [Change](#)

Django administration

Site administration

AUTHENTICATION AND AUTHORIZATION

Groups

 Add  Change

Users

 Add  Change

BLOG

Posts

 Add  Change

Add post

Title:

Slug:

Author:



Body:


Publish:

Date: 2022-01-01 Today | 

Time: 23:39:19 Now | 

Note: You are 2 hours ahead of server time.

Status:



[Save and add another](#)

[Save and continue editing](#)

[SAVE](#)

The post "Who was Django Reinhardt?" was added successfully.

Select post to change

[ADD POST +](#)

Action: 0 of 1 selected

POST

Who was Django Reinhardt?

1 post

Django administration

WELCOME, ADMIN. VIEW SITE / CHANGE PASSWORD / LOG OUT

Home > Blog > Posts

Select post to change

[ADD POST +](#)

« 2022 January 1

Action: 0 of 1 selected

TITLE

SLUG

AUTHOR

PUBLISH

2 ▲ STATUS 1 ▲

Who was Django Reinhardt?

who-was-django-reinhardt

admin

Jan. 1, 2022, 11:39 p.m.

Draft

1 post

FILTER

↓ By status

All
Draft
Published

↓ By created

Any date
Today
Past 7 days
This month
This year

↓ By publish

Any date
Today
Past 7 days
This month
This year

Add post

Title:

Who was Django Reinhardt?

Slug:

who-was-django-reinhardt

Author:

1



My Blog

[Who was Django Reinhardt?](#)

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and ...

[Another post](#)

Published Jan. 1, 2022, 11:57 p.m. by admin

Post body.

127.0.0.1:8000/blog/

My blog
This is my blog.


Who was Django Reinhardt?

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and remains the most significant.

127.0.0.1:8000/blog/1/

My blog
This is my blog.



Chapter 2: Enhancing Your Blog with Advanced Features

Who was Django Reinhardt?

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and remains the most significant.

My blog
This is my blog.

< Goooooooooooooogle >

Previous 1 2 3 4 5 6 7 8 9 10 Next

My Blog

Notes on Duke Ellington

Published Jan. 3, 2022, 1:19 p.m. by admin

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half ...

My blog

This is my blog.

Who was Miles Davis?

Published Jan. 2, 2022, 1:18 p.m. by admin

Miles Davis was an American trumpeter, bandleader, and composer. He is among the most influential and acclaimed figures in the history of jazz and 20th-century music.

Who was Django Reinhardt?

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and ...

Page 1 of 2. [Next](#)

My Blog

Another post

Published Jan. 1, 2022, 11:57 p.m. by admin

Post body.

[Previous](#) **Page 2 of 2.**

My blog

This is my blog.

EmptyPage at /blog/

That page contains no results

```
Request Method: GET
Request URL: http://127.0.0.1:8000/blog/?page=3
Django Version: 4.1
Exception Type: EmptyPage
Exception Value: That page contains no results
Exception Location: /Users/amele/Documents/env/dbe4/lib/python3.10/site-packages/django/core/paginator.py, line 57, in validate_number
Raised during: blog.views.post_list
Python Executable: /Users/amele/Documents/env/dbe4/bin/python
Python Version: 3.10.6
```

My Blog

Another post

Published Jan. 1, 2022, 11:57 p.m. by admin

Post body.

[Previous](#) **Page 2 of 2.**

My blog

This is my blog.

PageNotAnInteger at /blog/

That page number is not an integer

```
Request Method: GET
Request URL: http://127.0.0.1:8000/blog/?page=asdf
Django Version: 4.1
Exception Type: PageNotAnInteger
Exception Value: That page number is not an integer
Exception Location: /Users/amele/Documents/env/dbe4/lib/python3.10/site-packages/django/core/paginator.py, line 50, in validate_number
Raised during: blog.views.post_list
Python Executable: /Users/amele/Documents/env/dbe4/bin/python
Python Version: 3.10.6
```

My Blog

Notes on Duke Ellington

Published Jan. 3, 2022, 1:19 p.m. by admin

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half ...

Who was Miles Davis?

Published Jan. 2, 2022, 1:18 p.m. by admin

Miles Davis was an American trumpeter, bandleader, and composer. He is among the most influential and acclaimed figures in the history of jazz and 20th-century music.

Who was Django Reinhardt?

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and ...

[Page 1 of 2.](#) [Next](#)

Page not found (404)

Invalid page (3): That page contains no results

Request Method: GET
Request URL: http://127.0.0.1:8000/blog/?page=3
Raised by: blog.views.<class 'blog.views.PostListView'>

Using the URLconf defined in mysite.urls, Django tried these URL patterns, in this order:

1. admin/
2. blog/ [name='post_list']

The current path, blog/, matched the last one.

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard 404 page.

[Home](#)[Personal info](#)[Data & personalisation](#)[Security](#)[People and sharing](#)[Payments and subscriptions](#)[About](#)

Signing in to Google



Password	Last changed today	>
2-Step Verification	<input checked="" type="checkbox"/> On	>
App passwords	None	>

← App passwords

App passwords let you sign in to your Google Account from apps on devices that don't support 2-Step Verification. You'll only need to enter it once so you don't need to remember it. [Learn more](#)

You don't have any app passwords.

Select the app and device for which you want to generate the app password.

Select app

Mail

Calendar

Contacts

YouTube

Other (*Custom name*)

Select device



GENERATE

[←](#) App passwords

App passwords let you sign in to your Google Account from apps on devices that don't support 2-Step Verification. You'll only need to enter it once so you don't need to remember it. [Learn more](#)

You don't have any app passwords.

Select the app and device for which you want to generate the app password.

Blog



GENERATE

Generated app password

Your app password for your device

XXXX XXXX XXXX XXXX

How to use it

Go to the settings for your Google Account in the application or device you are trying to set up. Replace your password with the 16-character password shown above. Just like your normal password, this app password grants complete access to your Google Account. You won't need to remember it, so don't write it down or share it with anyone.

Email	securesally@gmail.com
Password	••••••••••••

[DONE](#)



[antonio.mele@gmail.com](#)
to me ▾

21:22 (0 minutes ago)



This e-mail was sent with Django.

[Reply](#)

[Forward](#)

Notes on Duke Ellington

Published Jan. 3, 2022, 1:19 p.m. by admin

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half a century.

[Share this post](#)

My blog

This is my blog.

Share "Notes on Duke Ellington" by e-mail

Name:

Email:

To:

Comments:

[SEND E-MAIL](#)

My blog

This is my blog.

E-mail successfully sent

"Notes on Duke Ellington" was successfully sent to your_account@gmail.com.

My blog

This is my blog.

Antonio recommends you read Notes on Duke Ellington ➔ [Inbox](#)



antonio.mele@gmail.com

to me ▾

09:40 (26 minutes ago)



Read Notes on Duke Ellington at <http://127.0.0.1:8000/blog/2022/1/3/notes-on-duke-ellington/>

Antonio's comments: I loved this article!

◀ Reply

▶ Forward

Share "Notes on Duke Ellington" by e-mail

Name:

Antonio

My blog

This is my blog.

- Enter a valid email address.

Email:

Invalid

- This field is required.

To:

Comments:

SEND E-MAIL

BLOG

Comments

+ Add

✎ Change

Posts

+ Add

✎ Change

Add comment

Post: ---- ▼ ✎ +

Name:

Email:

Body:

Active

Save and add another Save and continue editing SAVE

Notes on Duke Ellington

Published Jan. 3, 2022, 1:19 p.m. by admin

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half a century.

[Share this post](#)

0 comments

There are no comments yet.

Add a new comment

Name:

Email:

Body:

ADD COMMENT

My blog

This is my blog.

Your comment has been added.

[Back to the post](#)

My blog

This is my blog.

Notes on Duke Ellington

Published Jan. 3, 2022, 1:19 p.m. by admin

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half a century.

[Share this post](#)

My blog

This is my blog.

1 comment

Comment 1 by Antonio Jan. 3, 2022, 7:58 p.m.

I didn't know that!

Add a new comment

Name:

Email:

Body:

[ADD COMMENT](#)

2 comments

Comment 1 by Antonio Jan. 3, 2022, 7:58 p.m.

I didn't know that!

Comment 2 by Bienvenida Jan. 3, 2022, 9:13 p.m.

I really like this article.

Select comment to change

Search

Action: 0 of 2 selected

<input type="checkbox"/>	NAME	EMAIL	POST	CREATED	ACTIVE
<input type="checkbox"/>	Antonio	test_account@gmail.com	Notes on Duke Ellington	Jan. 3, 2022, 7:58 p.m.	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Bienvenida	test_account2@gmail.com	Notes on Duke Ellington	Jan. 3, 2022, 9:13 p.m.	<input checked="" type="checkbox"/>

2 comments

Change comment

Comment by Antonio on Notes on Duke Ellington

HISTORY

Post:

Name:

Email:

Body:

Active

The comment "Comment by Antonio on Notes on Duke Ellington" was changed successfully.

Select comment to change



Action:



0 of 2 selected

<input type="checkbox"/>	NAME	EMAIL	POST	CREATED	ACTIVE
<input type="checkbox"/>	Antonio	test_account@gmail.com	Notes on Duke Ellington	Jan. 3, 2022, 7:58 p.m.	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Bienvenida	test_account2@gmail.com	Notes on Duke Ellington	Jan. 3, 2022, 9:13 p.m.	<input checked="" type="checkbox"/>


2 comments

1 comment

Comment 1 by Bienvenida Jan. 3, 2022, 9:13 p.m.

I really like this article.

Chapter 3: Extending Your Blog Application



Select tag to change

[ADD TAG +](#)

Q Search

Action: Go 0 of 3 selected

<input type="checkbox"/>	NAME	SLUG	<input type="checkbox"/>
<input type="checkbox"/>	django	django	1 ▲
<input type="checkbox"/>	jazz	jazz	2 ▲
<input type="checkbox"/>	music	music	

3 tags

Change tag

[HISTORY](#)

jazz

Name:

jazz

Slug:

jazz

TAGGED ITEMS

Tagged item: Who was Django Reinhardt? tagged with jazz

Delete

Content type:

blog | post

Object ID:

1

Tags:

jazz, music

A comma-separated list of tags.

Who was Django Reinhardt?

Tags: music, jazz

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and ...

My Blog

Posts tagged with "jazz"

My blog

This is my blog.

Who was Django Reinhardt?

Tags: music , jazz

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and ...

Page 1 of 1.

Who was Django Reinhardt?

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and remains the most significant.

[Share this post](#)

Similar posts

There are no similar posts yet.

Who was Miles Davis?

Title: Who was Miles Davis?

Slug: who-was-miles-davis

Author: 1 admin

Body: Miles Davis was an American trumpeter, bandleader, and composer. He is among the most influential and acclaimed figures in the history of jazz and 20th-century music.

Publish: Date: 2022-01-02 Today |
Time: 13:18:11 Now |

Note: You are 2 hours ahead of server time.

Status: Published

Tags: jazz, music

A comma-separated list of tags.

Notes on Duke Ellington

Title: Notes on Duke Ellington

Slug: notes-on-duke-ellington

Author: 1 admin

Body: Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half a century.

Publish: Date: 2022-01-03 Today |
Time: 13:19:33 Now |

Note: You are 2 hours ahead of server time.

Status: Published

Tags: jazz

A comma-separated list of tags.

Who was Django Reinhardt?

Published Jan. 1, 2020, 6:23 p.m. by admin

Who was Django Reinhardt.

[Share this post](#)

Similar posts

[Miles Davis favourite songs](#)

[Notes on Duke Ellington](#)

My blog

This is my blog. I've written 4 posts so far.

TemplateSyntaxError at /blog/2022/1/1/who-was-django-reinhardt/

'blog_tags' is not a registered tag library. Must be one of:

admin_list
admin_modify
admin_urls
cache
i18n
l10n
log
static
tz

My blog

This is my blog. I've written 4 posts so far.

Latest posts

- [Notes on Duke Ellington](#)
- [Who was Miles Davis?](#)
- [Who was Django Reinhardt?](#)

My Blog

Notes on Duke Ellington

Tags: [jazz](#)

Published Jan. 3, 2022, 1:19 p.m. by admin

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half ...

Who was Miles Davis?

Tags: [music](#) , [jazz](#)

Published Jan. 2, 2022, 1:18 p.m. by admin

Miles Davis was an American trumpeter, bandleader, and composer. He is among the most influential and acclaimed figures in the history of jazz and 20th-century music.

Who was Django Reinhardt?

Tags: [music](#) , [jazz](#)

Published Jan. 1, 2022, 11:59 p.m. by admin

Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and ...

Page 1 of 2. [Next](#)

My blog

This is my blog. I've written 4 posts so far.

Latest posts

- [Notes on Duke Ellington](#)
- [Who was Miles Davis?](#)
- [Who was Django Reinhardt?](#)

Most commented posts

- [Notes on Duke Ellington](#)
- [Who was Django Reinhardt?](#)
- [Another post](#)
- [Who was Miles Davis?](#)

Add post

Title:

Slug:

Author: 

Body:

This is a post formatted with markdown

This is emphasized and **this is more emphasized**.

Here is a list:

- * One
- * Two
- * Three

And a [link to the Django website](<https://www.djangoproject.com/>).

Publish: **Date:** Today | 

Time: Now | 

Note: You are 2 hours ahead of server time.

Status:

Tags:
A comma-separated list of tags.

My Blog

Markdown post

Tags: [markdown](#)

Published Jan. 22, 2022, 9:30 a.m. by admin

This is a post formatted with markdown

This is emphasized and this is more emphasized.

Here is a list:

- One
- Two
- Three

And a [link to the Django website](#) ...

Select site to change

[ADD SITE +](#)

<input type="checkbox"/>	DOMAIN NAME	DISPLAY NAME
<input type="checkbox"/>	example.com	example.com

Action: 0 of 1 selected

1 site

Change site

HISTORY

example.com

Domain name:

localhost:8000

Display name:

localhost:8000

Delete

Save and add another

Save and continue editing

SAVE



Sources

Groups

Rules

Service

Preferences

About

OPML File

Import

Export

Add source

http://127.0.0.1:8000/blog/feed/

Add

OPML File

[Import](#)[Export](#)

Add source

http://127.0.0.1:8000/blog/feed/

[Add](#)

	Name	URL
	My blog	http://127.0.0.1:8000/blog/feed/

The screenshot shows a Mac OS X desktop with a window titled "All articles". The window contains five cards, each representing a blog post from "My blog".

- Markdown post:** "This is a post formatted with markdown This is emphasized and this is more emphasized. Here is a list: One Two Three And a link to the Django website ..."
- Notes on Duke Ellington:** "Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half ..."
- Who was Miles Davis?** "Miles Davis was an American trumpeter, bandleader, and composer. He is among the most influential and acclaimed figures in the history of jazz and 20th-century music."
- Who was Django Reinhardt?** "Jean Reinhardt, known to all by his Romani nickname Django, was a Belgian-born Romani-French jazz guitarist and composer. He was the first major jazz talent to emerge from Europe and ..."
- Another post:** "Post body."

Notes on Duke Ellington

1/3/2022, 2:19:33 PM

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half ...

Notes on Duke Ellington

1/3/2022, 2:19:33 PM

Published Jan. 3, 2022, 1:19 p.m. by admin

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of a jazz orchestra, which he led from 1923 until his death over a career spanning more than half a century.

[Share this post](#)

Similar posts

[Who was Miles Davis?](#)

[Who was Django Reinhardt?](#)

1 comment

Add a new comment

My blog

This is my blog. I've written 5 posts so far.

[Subscribe to my RSS feed](#)

Latest posts

- Markdown post
 - Notes on Duke Ellington
 - Who was Miles Davis?

Most commented posts

- Notes on Duke Ellington
 - Who was Django Reinhardt?
 - Another post
 - Who was Miles Davis?
 - Markdown post

Select post to change

Search Search

« 2022 January 1 January 2 January 3 January 22

Action: Go 0 of 5 selected

<input type="checkbox"/>	TITLE	SLUG	AUTHOR	PUBLISH	2 ▲	STATUS	1 ▲
<input type="checkbox"/>	Another post	another-post	admin	Jan. 1, 2022, 11:57 p.m.		Published	
<input type="checkbox"/>	Who was Django Reinhardt?	who-was-django-reinhardt	admin	Jan. 1, 2022, 11:59 p.m.		Published	
<input type="checkbox"/>	Who was Miles Davis?	who-was-miles-davis	admin	Jan. 2, 2022, 1:18 p.m.		Published	
<input type="checkbox"/>	Notes on Duke Ellington	notes-on-duke-ellington	admin	Jan. 3, 2022, 1:19 p.m.		Published	
<input type="checkbox"/>	Markdown post	markdown-post	admin	Jan. 22, 2022, 9:30 a.m.		Published	

Search for posts

Query:

SEARCH

My blog

This is my blog. I've written 5 posts so far.

[Subscribe to my RSS feed](#)

Latest posts

- [Markdown post](#)
- [Notes on Duke Ellington](#)
- [Who was Miles Davis?](#)

Most commented posts

- [Notes on Duke Ellington](#)
- [Who was Django Reinhardt?](#)
- [Another post](#)
- [Who was Miles Davis?](#)
- [Markdown post](#)

Posts containing "jazz"

Found 3 results

[Notes on Duke Ellington](#)

Edward Kennedy "Duke" Ellington was an American composer, pianist, and leader of ...

[Who was Miles Davis?](#)

Miles Davis was an American trumpeter, bandleader, and composer. He is among ...

[Who was Django Reinhardt?](#)

Jean Reinhardt, known to all by his Romani nickname Django, was a ...

[Search again](#)

My blog

This is my blog. I've written 5 posts so far.

[Subscribe to my RSS feed](#)

Latest posts

- [Markdown post](#)
- [Notes on Duke Ellington](#)
- [Who was Miles Davis?](#)

Most commented posts

- [Notes on Duke Ellington](#)
- [Who was Django Reinhardt?](#)
- [Another post](#)
- [Who was Miles Davis?](#)
- [Markdown post](#)

Posts containing "django"

Found 2 results

[Who was Django Reinhardt?](#)

Jean Reinhardt, known to all by his Romani nickname Django, was a ...

[Markdown post](#)

This is a post formatted with markdown

This is emphasized and this ...

[Search again](#)

My blog

This is my blog. I've written 5 posts so far.

[Subscribe to my RSS feed](#)

Latest posts

- [Markdown post](#)
- [Notes on Duke Ellington](#)
- [Who was Miles Davis?](#)

Most commented posts

- [Notes on Duke Ellington](#)
- [Who was Django Reinhardt?](#)
- [Another post](#)
- [Who was Miles Davis?](#)
- [Markdown post](#)

Posts containing "yango"

Found 1 result

[Who was Django Reinhardt?](#)

Jean Reinhardt, known to all by his Romani nickname Django, was a ...

[Search again](#)

My blog

This is my blog. I've written 5 posts so far.

[Subscribe to my RSS feed](#)

Latest posts

- [Markdown post](#)
- [Notes on Duke Ellington](#)
- [Who was Miles Davis?](#)

Most commented posts

- [Notes on Duke Ellington](#)
- [Who was Django Reinhardt?](#)
- [Another post](#)
- [Who was Miles Davis?](#)
- [Markdown post](#)

Chapter 4: Building a Social Website

Django administration

WELCOME, ADMIN. [VIEW SITE](#) / [CHANGE PASSWORD](#) / [LOG OUT](#)

Site administration

AUTHENTICATION AND AUTHORIZATION

Groups [+ Add](#) [Change](#)

Users [+ Add](#) [Change](#)

Recent actions

My actions

None available

Add user

First, enter a username and password. Then, you'll be able to edit more user options.

Username: Required. 150 characters or fewer. Letters, digits and @/./+/-/_ only.

Password: Your password can't be too similar to your other personal information.
Your password must contain at least 8 characters.
Your password can't be a commonly used password.
Your password can't be entirely numeric.

Password confirmation: Enter the same password as before, for verification.

[Save and add another](#) [Save and continue editing](#) **SAVE**

Personal info

First name:

Last name:

Email address:




Please, use the following form to log-in:

Username:

Password:

LOG IN



Bookmarks

[My dashboard](#)

[Images](#)

[People](#)

Hello Antonio, [Logout](#)

Dashboard

Welcome to your dashboard.

Logged out

You have been successfully logged out. You can [log-in again](#).

Change your password

Use the form below to change your password.

Old password:

New password:

- Your password can't be too similar to your other personal information.
- Your password must contain at least 8 characters.
- Your password can't be a commonly used password.
- Your password can't be entirely numeric.

New password confirmation:

CHANGE

Password changed

Your password has been successfully changed.

Log-in

Please, use the following form to log-in:

Username:

Password:

LOG-IN

[Forgotten your password?](#)

Forgotten your password?

Enter your e-mail address to obtain a new password.

Email:

[SEND E-MAIL](#)

Reset your password

We've emailed you instructions for setting your password.

If you don't receive an email, please make sure you've entered the address you registered with.

Reset your password

Please enter your new password twice:

New password:

- Your password can't be too similar to your other personal information.
- Your password must contain at least 8 characters.
- Your password can't be a commonly used password.
- Your password can't be entirely numeric.

New password confirmation:

CHANGE MY PASSWORD

Password set

Your password has been set. You can [log in now](#)

Create an account

Please, sign up using the following form:

Username:

Required. 150 characters or fewer. Letters, digits and @/./+/-/_ only.

First name:

Email address:

Password:

Repeat password:

CREATE MY ACCOUNT

Welcome Paloma!

Your account has been successfully created. Now you can [log in](#).

Log-in

Please, use the following form to log-in. If you don't have an account [register here](#).

Username:

Password:

LOG-IN

[Forgotten your password?](#)

ACCOUNT

Profiles

 Add  Change

Add profile

User:



Date of birth:

Today | 

Note: You are 2 hours ahead of server time.

Photo:

Choose File

no file selected

Edit your account

You can edit your account using the following form:

First name:

Paloma

Last name:

Melé

Email address:

paloma@zenxit.com

Date of birth:

1981-04-14

Photo:

no file selected

SAVE CHANGES

Dashboard

Welcome to your dashboard. You can [edit your profile](#) or [change your password](#).

Profile updated successfully

X

Error updating your profile

X

Chapter 5: Implementing Social Authentication

DisallowedHost at /account/login/

Invalid HTTP_HOST header: 'mysite.com:8000'. You may need to add 'mysite.com' to ALLOWED_HOSTS.



Your connection is not private

Attackers might be trying to steal your information from **mysite.com** (for example, passwords, messages or credit cards). [Learn more](#)

NET::ERR_CERT_AUTHORITY_INVALID



To get Chrome's highest level of security, [turn on enhanced protection](#)

[Hide advanced](#)

[Back to safety](#)

This server could not prove that it is **mysite.com**; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection.

[Proceed to mysite.com \(unsafe\)](#)



This Connection Is Not Private

This website may be impersonating "mysite.com" to steal your personal or financial information. You should go back to the previous page.

[Go Back](#)

Safari warns you when a website has a certificate that is invalid. This may happen if the website is misconfigured or an attacker has compromised your connection.

To learn more, you can [view the certificate](#). If you understand the risks involved, you can [visit this website](#).



Your connection isn't private

Attackers might be trying to steal your information from **mysite.com** (for example, passwords, messages or credit cards).

NET::ERR_CERT_AUTHORITY_INVALID

[Hide Advanced](#)

[Go Back](#)

This server couldn't prove that it's **mysite.com**; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection.

[Continue to mysite.com \(unsafe\)](#)



127.0.0.1:8000/account/login/



Search by App Name or App ID

[Create App](#)

Create an App

[X Cancel](#)

Type
 Details

Select an app type

The app type can't be changed after your app is created. [Learn more](#)

Business

Create or manage business assets like Pages, Events, Groups, Ads, Messenger, WhatsApp and Instagram Graph API using the available business permissions, features and products.

Consumer

Connect consumer products, and permissions, like Facebook Login and Instagram Basic Display to your app.

Games

Create an HTML5 game hosted on Facebook.

Gaming

Connect an off-platform game to Facebook Login.

Workplace

Create enterprise tools for Workplace from Meta.

None

Create an app with combinations of consumer and business permissions and products.

[Next](#)

Add details

Display name

This is the app name associated with your app ID. You can change this later.

Bookmarks

App Contact Email

This email address is used to contact you about potential policy violations, app restrictions or steps to recover the app if it's been deleted or compromised.

antonio.mele@zenxit.com

Business Account · Optional

To access certain permissions or features, apps need to be connected to a Business Account.

No Business Account selected

By proceeding, you agree to the [Facebook Platform Terms](#) and [Developer Policies](#).

[Previous](#)

[Create App](#)



Facebook Login

The world's number one social login product.

[Read Docs](#)

[Set Up](#)

Use the Quickstart to add Facebook Login to your app. To get started, select the platform for this app.



iOS



Android



Web



Other

[iOS](#)[Android](#)[Web](#)[Other](#)

1. Tell Us about Your Website

Tell us what the URL of your site is.

Site URL

[Save](#)

[Continue](#)



Dashboard



Settings



Basic

Advanced

App ID

App Secret

Show

Display Name

Namespace

App Domains

mysite.com X

Privacy Policy URL

https://en.wikipedia.org/wiki/Privacy_policy

User Data Deletion ⓘ

Data Deletion Instructions URL



https://en.wikipedia.org/wiki/Privacy_policy

Facebook Login



Settings

Quickstart

Client OAuth Settings

 Yes
 No

Client OAuth Login

Enables the standard OAuth client token flow. Secure your application and prevent abuse by locking down which token redirect URIs are allowed with the options below. Disable globally if not used. [?]

 Yes
 No

Web OAuth Login

Enables web-based Client OAuth Login.
[?]

 Yes
 No

Enforce HTTPS

Enforce the use of HTTPS for Redirect URLs and the JavaScript SDK. Strongly recommended. [?]

 No

Force Web OAuth Reauthentication

When on, prompts people to enter their Facebook password in order to log in on the web. [?]

 Yes
 No

Embedded Browser OAuth Login

Enable webview Redirect URIs for Client OAuth Login. [?]

 Yes
 No

Use Strict Mode for Redirect URIs

Only allow redirects that exactly match the Valid OAuth Redirect URIs. Strongly recommended. [?]

Valid OAuth Redirect URIs

A manually specified redirect_uri used with Login on the web must exactly match one of the URLs listed here. This list is also used by the JavaScript SDK for in-app browsers that suppress popups. [?]

<https://mysite.com:8000/social-auth/complete/facebook/> 

 No

Login from Devices

Enables the OAuth client login flow for devices like a smart TV [?]

 No

Login with the JavaScript SDK

Enables Login and signed-in functionality with the JavaScript SDK. [?]

Bookmarks

Log-in

Log-in

Please, use the following form to log-in. If you don't have an account [register here](#).

Username:

[Sign in with Facebook](#)

Password:

[LOG-IN](#)

[Forgotten your password?](#)

 **Submit for Login Review**
Some of the permissions below have not been approved for use by Facebook.



Bookmarks is requesting access to:

Your name and profile picture and email address.

 [Edit access](#)

[Continue as Antonio](#)

[Cancel](#)

By continuing, Bookmarks DBE4 will receive ongoing access to the information you share and Facebook will record when Bookmarks DBE4 accesses it. [Learn more](#) about this sharing and the settings you have.

Bookmarks DBE4's [Privacy Policy](#)

Docs ▾ Community ▾ Updates ▾ Support



Dashboard



Create a Project to use v2 endpoints

[+ Create Project](#)



Get access to new endpoints!

We're rebuilding the Twitter API and have a new set of Early Access endpoints.

[Get access](#)

Helpful docs

[Docs home](#)

[Make your first request](#)

Name Your Project

1 Project name

2 Use case

3 Project description

4 App set up

Your Project helps you organize your work and monitor your usage with the Twitter API.

Bookmarks

23

Back

Next

Which best describes you?

1 Project name

2 Use case

3 Project description

4 App set up

This is how you intend to use the Twitter developer platform.

Exploring the API



Back

Next

Describe your new Project

1 Project name 2 Use case 3 Project description **4 App set up**

This info is just for us, here at Twitter. It'll help us create better developer experiences down the road.

Sign in with Twitter.

Back

Next

Add an existing App or create a new App



Add an existing App

Add an existing App



Create a new App

Create new

Choose an App environment

1 App Environment 2 App name 3 Keys & Tokens

Development

For new work and in progress features



Staging

Used to test out changes



Production

Used for live products



Back

Next

Name your App

1 App Environment 2 App name 3 Keys & Tokens

Apps are where you get your access **keys & tokens**, plus set permissions. You can find them within your Projects.

DEVELOPMENT APP

Bookmarks

23

Back

Next



Here are your keys & tokens

1 App Environment 2 App name 3 Keys & Tokens

For security, this will be the last time we'll fully display these. If something happens, you can always regenerate them. [Learn more](#)

API Key ⓘ

HUqeJUA9apiQIUjwwc3lUiBzd

[Copy](#)

API Key Secret ⓘ

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

[Copy](#)

Bearer Token ⓘ

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

[Copy](#)

[Go to dashboard](#)

[App settings](#)

User authentication settings

Authentication not set up

OAuth 2.0 and OAuth 1.0a are authentication methods that allow users to sign in to your App with Twitter. They also allow your App to make specific requests on behalf of authenticated users. You can turn on one, or both methods.

[Set up](#)

User authentication settings

OAuth 2.0 and OAuth 1.0a are authentication methods that allow users to sign in to your App with Twitter. They also allow your App to make specific requests on behalf of authenticated users. You can turn on one, or both methods. [Read the docs](#)

OAuth 2.0 NEW



- Can be used with the Twitter API v2 only
- Allows you to pick specific scopes (also known as, permissions)

OAuth 1.0a



- Can be used with Twitter API v1.1 and v2
- Uses broad authorization with coarse scopes

OAUTH 2.0 SETTINGS

Type of App

Web App ▾

This type of App uses **confidential clients**, which securely authenticate with the authorization server. They keep your client secret safe.

GENERAL AUTHENTICATION SETTINGS

Callback URI / Redirect URL ⓘ

`https://mysite.com:8000/social-auth/complete/twitter/`

+ Add another

Website URL

`https://mysite.com:8000/`

OAuth 2.0 Client ID and Client Secret

Think of your Client ID and Client Secret as the user name and password that allow you to use OAuth 2.0 as an authentication method.

For security, this will be the last time we'll fully display the Client Secret. If something happens, you can always regenerate it. [Read the docs](#)

Client ID ⓘ

MIh4cWg2R1ZNZUdSY2ZqUVNWckE6MTpjaQ

Copy 

Client Secret ⓘ

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Copy 

Done

Save your OAuth 2.0 Client Secret

Did you save your OAuth 2.0 Client Secret?

- Save it in a secure location
- Treat it like a password or a set of keys
- If security has been compromised, regenerate it
- DO NOT store it in public places or shared docs

Client Secret ⓘ

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXX

Copy 

Yes, I saved it

User authentication settings

OAuth 2.0 turned on

OAuth 2.0 and OAuth 1.0a are authentication methods that allow users to sign in to your App with Twitter. They also allow your App to make specific requests on behalf of authenticated users. You can turn on one, or both methods.

 Edit

Bookmarks

Log-in

Log-in

Please, use the following form to log-in. If you don't have an account [register here](#).

Username:

[Sign in with Facebook](#)

[Sign in with Twitter](#)

Password:

[LOG-IN](#)

[Forgotten your password?](#)

Authorize Bookmarks to access your account?

[Authorize app](#)

[Cancel](#)



Bookmarks

mysite.com:8000/

This app was created to use the Twitter API.

This application will be able to:

- See Tweets from your timeline (including protected Tweets) as well as your Lists and collections.
- See your Twitter profile information and account settings.
- See accounts you follow, mute, and block.

Learn more about third-party app permissions in the [Help Center](#).



Redirecting you back to the application. This may take a few moments. 

We recommend reviewing the app's terms and privacy policy to understand how it will use data from your Twitter account. You can revoke access to any app at any time from the [Apps and sessions](#) section of your Twitter account settings.

By authorizing an app you continue to operate under Twitter's [Terms of Service](#). In particular, some usage information will be shared back with Twitter. For more, see our [Privacy Policy](#).

≡ Google Cloud Platform

New Project

Project name *

Bookmarks



Project ID: bookmarks-332818. It cannot be changed later. [EDIT](#)

Location *

No organisation

[BROWSE](#)

Parent organisation or folder

[CREATE](#)

[CANCEL](#)

≡ Google Cloud Platform

Bookmarks ▾



Marketplace



Billing



APIs and services >



Support >



IAM & Admin >



Getting started



Compliance

- js
- ...
- Dashboard
- Library
- Credentials
- OAuth consent screen
- Domain verification
- Page usage agreements

Bookmarks ▾ Search products and resources

Credentials + CREATE CREDENTIALS ⌂ DELETE

Create credentials to access Google services

API key
Identifies your project using a simple API key to check quota and access

OAuth client ID
Requests user consent so that your app can access the user's data.

Service account
Enables server-to-server, app-level authentication using robot accounts

Remember me

API keys

Name

No API keys to display

Help me choose
Asks a few questions to help you decide which type of credential to use

CONFIGURE CONSENT SCREEN

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date	Type	Client ID	Actions
No OAuth clients to display					

Service Accounts

<input type="checkbox"/>	Email	Name	Actions
No service accounts to display			

To create an OAuth client ID, you must first configure your consent screen

CONFIGURE CONSENT SCREEN

OAuth consent screen

Choose how you want to configure and register your app, including your target users. You can only associate one app with your project.

User Type

Internal [?](#)

Only available to users within your organisation. You will not need to submit your app for verification. [Learn more about user type](#)

External [?](#)

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#)

CREATE

App information

This shows in the consent screen, and helps end users know who you are and contact you

App name *

Bookmarks

The name of the app asking for consent

User support email *

myaccount@gmail.com



For users to contact you with questions about their consent

Authorised domains ?

When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorised. [Learn more](#) about the authorised domain limit.

mysite.com

+ ADD DOMAIN

Test users

While publishing status is set to 'Testing,' only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

[+ ADD USERS](#)

Filter Enter property name or value [?](#)

User information

myaccount@gmail.com



[SAVE AND CONTINUE](#)

[CANCEL](#)

[←](#) Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

Web application

Name *

Bookmarks

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.



The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorised domains](#).

Authorised JavaScript origins [?](#)

For use with requests from a browser

URIs *

<https://mysite.com:8000>

[+ ADD URI](#)

Authorised redirect URIs [?](#)

For use with requests from a web server

URIs *

<https://mysite.com:8000/social-auth/complete/google-oauth2/>

[+ ADD URI](#)

[CREATE](#)

[CANCEL](#)

OAuth client created

The client ID and secret can always be accessed from Credentials in APIs & Services



OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Your Client ID

1012815324089-75nc1o30qhoadjqbsg04s3gr9ajs0n3q.apps.googleusercontent.com



Your Client Secret

XXXXXXXXXXXXXX



DOWNLOAD JSON

OK

Log-in

Please, use the following form to log-in. If you don't have an account [register here](#).

Username:

[Sign in with Facebook](#)

Password:

[Sign in with Twitter](#)[LOG-IN](#)[Sign in with Google](#)

[Forgotten your password?](#)

[Sign in with Google](#)


Choose an account

to continue to [mysite.com](#)

**Antonio Melé**antonio.mele@gmail.com[Use another account](#)

To continue, Google will share your name, email address, language preference, and profile picture with [mysite.com](#).

Chapter 6: Sharing Content on Your Website



IMAGES

Images Add Change

Bookmarks My dashboard Images People Hello Antonio, Logout

Bookmark an image



Title:

Django and Duke

Description:

BOOKMARK IT!

AttributeError


```
AttributeError: 'Image' object has no attribute 'get_absolute_url'
```

Select image to change

Action: Go 0 of 1 selected

<input type="checkbox"/>	TITLE	SLUG	IMAGE	CREATED
<input type="checkbox"/>	Django and Duke	django-and-duke	images/2022/01/10/django-and-duke.jpg	Jan. 10, 2022

1 image




Get the Pinterest browser button

Save ideas from around the web with one click

Pin it

Just drag this button to your bookmarks toolbar.
[Need help?](#)



Get the Pinterest browser button

Save ideas from around the web with one click

Pin it

Just drag this button to your bookmarks toolbar.
[Need help?](#)

Select an image to bookmark:

X

A screenshot of a web browser window. The address bar shows the URL `127.0.0.1:8000/account/`. The main content area displays a modal window titled "Select an image to bookmark:" with a green footer bar. Below the modal is a navigation bar with icons for back, forward, and search, followed by a toolbar with a shield icon and other buttons. A green header bar contains the text "Hello Paloma, Logout". The main content area is titled "Dashboard" and includes the following text:

Welcome to your dashboard. You have bookmarked 1 image.

Drag the following button to your bookmarks toolbar to bookmark images from other websites → [BOOKMARK IT](#)

You can also [edit your profile](#) or [change your password](#).

A red arrow points from the "Bookmark it" button in the modal to the "Bookmark it" button in the toolbar, indicating they are the same button.

NEW & INTERESTING FINDS ON AMAZON

EXPLORE

All ▾ django reinhardt

Departments ▾ Browsing History ▾ Antonio's Amazon.com Today's Deals Gift Cards Registry EN

1-16 of 11,256 results for "django reinhardt"

Show results for CDs & Vinyl Jazz Pop European Jazz Swing Jazz Gypsy Music See more Books Jazz Music See more See All 21 Departments

Refine by International Shipping (What's this?) Ship to Spain Amazon Prime prime Eligible for Free Shipping

Select an image to bookmark:

music unlimited

Introducing Amazon Music Unlimited. Listen to any song, anywhere. Learn More about Amazon Music Unlimited

Showing most relevant results. See all results for django reinhardt.

Sponsored Solo Flight: The Music of Django Reinhardt by J.P. McShane and Django Reinhardt \$15.00 prime FREE Shipping on eligible orders Only 2 left in stock - order soon.

The Essential DJANGO REINHARDT The Essential Django Reinhardt Mar 15, 2017

commons.wikimedia.org

Bookmark it

Not logged in Talk Contributions Create account Log in

Main page Discussion View View source History Search Wikimedia Commons

Wikimedia Commons

a collection of 80,141,810 freely usable media files to which anyone can contribute

Picture of the day

Monthly photo challenge

Take some photos and upload them to meet our monthly thematic challenge, get inspiration and try new subjects! [Learn more about the challenges!](#)

[Check out this month's challenges](#)

Images Sounds Videos Upload

commons.wikimedia.org

Main page Discussion

Wikimedia Commons

a collection of 80,141,810 freely usable media files to which anyone can contribute!

Picture of the day



Select an image to bookmark:



Take some photos and upload them to meet our monthly thematic challenge, get inspiration and try new subjects! [Learn more about the challenges!](#)

[Check out this month's challenges](#)

Camera icon

commons.wikimedia.org

Main page Discussion

Wikimedia Commons

a collection of 80,141,810 freely usable media files to which anyone can contribute!

Picture of the day



Select an image to bookmark:



Take some photos and upload them to meet our monthly thematic challenge, get inspiration and try new subjects! [Learn more about the challenges!](#)

[Check out this month's challenges](#)

Camera icon

Image added successfully

X

Wikimedia Commons




0 likes

A flock of cranes (*Grus grus*) in Hula Valley, Northern Israel.

Nobody likes this image yet.

Django and Duke



0 likes

- [Open Link in New Tab](#)
- [Open Link in New Window](#)
-
- [Download Linked File](#)
- [Download Linked File As...](#)
- [Add Link to Bookmarks...](#)
- [Add Link to Reading List](#)
-
- [Copy Link](#)
-
- [Open Image in New Tab](#)
- [Open Image in New Window](#)
-
- [Save Image to "Downloads"](#)
- [Save Image As...](#)
- [Add Image to Photos](#)
- [Use Image as Desktop Picture](#)
-
- [Copy Image Address](#)
- [Copy Image](#)
-
- [Share](#)
-
- [Inspect Element](#)

🔗 127.0.0.1:8000/media/images/2022/01/10/django-and-duke.jpg.300x0_q85.jpg ↗


0 likes

LIKE

1 likes

UNLIKE

Images bookmarked



Louis Armstrong



Chick Corea



Al Jarreau



Al Jarreau



Ella Fitzgerald



Glenn Miller



Charlie Parker



Nina Simone

Screenshot of the Network tab in the Chrome DevTools developer console, showing network requests for bookmarked images.

The Network tab is selected, showing the following details:


- Preserve log is checked.
- Disable cache is unchecked.
- No throttling is selected.
- Filter: Invert is unchecked, Hide data URLs is unchecked, All is selected, Fetch/XHR, JS, CSS, Img, Media, Font, Doc, and W are listed.
- Blocked Requests and 3rd-party requests checkboxes are unchecked.
- Timeline scale: 500 ms, 1000 ms, 1500 ms, 2000 ms, 2500 ms, 3000 ms, 3500 ms, 4000 ms, 4500 ms, and 500 ms again at the end.

Name	Status	Type	Initiator	Size	Time
images/	200	document	Other	6.7 kB	205 ms
?images_only=1&page=2	200	fetch	(index):170	4.8 kB	674 ms
?images_only=1&page=3	200	fetch	(index):170	993 B	6 ms
?images_only=1&page=4	200	fetch	(index):170	295 B	4 ms


Chapter 7: Tracking User Actions

Bookmarks My dashboard Images People Hello Tesla, Logout

People



Tesla




Einstein



Turing

Bookmarks My dashboard Images People Hello Tesla, Logout

Tesla




0 followers

FOLLOW



Django and Duke



Louis Armstrong



Chick Corea

1 followers

UNFOLLOW

Add action





User:  

Verb:

Target ct:

Target id:

What's happening

*3 minutes ago***Einstein** likes **Alternating electric current generator***5 minutes ago***Einstein** bookmarked image **Turing Machine***2 days, 2 hours ago***Tesla** likes **Chick Corea**

Users like:

Tesla
Einstein
Turing



Hold down "Control", or "Command" on a Mac, to select more than one.

Total likes:

2



Bookmarks

My dashboard

Images

People

Hide »

History

/images/

Versions

Django 4.1

Time

CPU: 45.11ms (41.63ms)

Settings

Headers

Request

image_list

SQL

4 queries in 0.87ms

Al Jarreau

Static files

1 file used

Templates

images/image/list.html

Cache

0 calls in 0.00ms

Signals

40 receivers of 15 signals

Logging


0 messages

Nina Simone

Intercept redirects

Profiling

Images bookmarked



Louis Armstrong



Chick Corea



Al Jarreau



Ella Fitzgerald



Glenn Miller



Charlie Parker

Time



Resource usage

Resource	Value
User CPU time	29.429 msec
System CPU time	15.678 msec
Total CPU time	45.107 msec
Elapsed time	41.627 msec
Context switches	7 voluntary, 779 involuntary

Browser timing

Timing attribute	Timeline	Milliseconds since navigation start (+length)
domainLookup		2 (+0)
connect		2 (+0)
request		4 (+47)
response		50 (+1)
domLoading		53 (+82)
domInteractive		131
domContentLoadedEvent		131 (+1)
loadEvent		135 (+0)

SQL queries from 1 connection



default 0.87 ms (4 queries)

Query	Timeline	Time (ms)	Action
 [+] <code>SELECT ... FROM "django_session" WHERE ("django_session"."expire_date" > "'2022-04-28 07:52:52.102129'" AND "django_session"."session_key" = "7fsezy0fc551provt9j9slojazs5bx6n") LIMIT 21</code>		0.36	Sel Expl
 [+] <code>SELECT ... FROM "auth_user" WHERE "auth_user"."id" = '1' LIMIT 21</code>		0.14	Sel Expl
 [+] <code>SELECT ... FROM "images_image"</code>		0.30	Sel Expl
 [+] <code>SELECT ... FROM "images_image" ORDER BY "images_image"."created" DESC LIMIT 8</code>		0.07	Sel Expl

Templates (3 rendered)

Template paths

None

Templates

`images/image/list.html`

/Users/amele/Documents/Django-4-by-example/Chapter07/bookmarks/images/templates/images/image/list.html

▶ Toggle context

`base.html`

/Users/amele/Documents/Django-4-by-example/Chapter07/bookmarks/account/templates/base.html

▶ Toggle context

`images/image/list_images.html`

/Users/amele/Documents/Django-4-by-example/Chapter07/bookmarks/images/templates/images/image/list_images.html

▶ Toggle context

Context processors

`django.template.context_processors.csrf`

▶ Toggle context

`django.template.context_processors.debug`

▶ Toggle context

`django.template.context_processors.request`

▶ Toggle context

`django.contrib.auth.context_processors.auth`

▶ Toggle context

`django.contrib.messages.context_processors.messages`

▶ Toggle context

Signals



Signal	Receivers
class_prepared	
connection_created	
got_request_exception	
m2m_changed	users_like_changed
post_delete	
post_init	ImageField.update_dimension_fields, ImageField.update_dimension_fields
post_migrate	create_permissions, create_contenttypes
post_save	signal_committed_filefields
pre_delete	
pre_init	
pre_migrate	inject_rename_contenttypes_operations
pre_save	find_uncommitted_filefields
request_finished	close_caches, close_old_connections, reset_urlconf
request_started	reset_queries, close_old_connections
setting_changed	reset_cache, clear_cache_handlers, update_installed_apps, update_connections_time_zone, clear_routers_cache, reset_template_engines, clear_serializers_cache, language_changed, localize_settings_changed, file_storage_changed, complex_setting_changed, root_urlconf_changed, static_storage_changed, static_finders_changed, auth_password_validators_changed, user_model_swapped, update_toolbar_config, reset_hashers, update_level_tags, FileSystemStorage._clear_cached_properties, FileSystemStorage._clear_cached_properties, FileSystemStorage._clear_cached_properties, StaticFilesStorage._clear_cached_properties, FileSystemStorage._clear_cached_properties, ThumbnailFileSystemStorage._clear_cached_properties

Django and Duke



0 likes

16 views

LIKE



Django and Duke image.


Nobody likes this image yet.

Images ranking

1. [Chick Corea](#)
2. [Louis Armstrong](#)
3. [Al Jarreau](#)
4. [Django Reinhardt](#)
5. [Django and Duke](#)

Chapter 8: Building an Online Shop





Django administration

WELCOME, ADMIN VIEW SITE / CHANGE PASSWORD / LOG OUT

Home > Shop > Products

Select product to change

Action: Go 0 of 1 selected

<input type="checkbox"/>	NAME	SLUG	PRICE	AVAILABLE	CREATED	UPDATED
<input type="checkbox"/>	Green tea	green-tea	30.00	<input checked="" type="checkbox"/>	Jan. 30, 2022, 8:46 p.m.	Jan. 31, 2022, 3:36 p.m.

1 product

FILTER

By available

- All
- Yes
- No

By created

- Any date
- Today
- Past 7 days
- This month
- This year

By updated

- Any date
- Today
- Past 7 days
- This month
- This year

My shop

Your cart is empty.

Products

Categories

All

Tea



Green tea
\$30.00



Red tea
\$45.50



Tea powder
\$21.20

NO IMAGE
AVAILABLE



Red tea
\$45.50



Tea powder
\$21.20

My shop

Your cart is empty.

Red tea

Tea

\$45.50



Lore ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

My shop

Your cart is empty.



Red tea

Tea

\$45.50

Quantity:

Your shopping cart

Image	Product	Quantity	Remove	Unit price	Price
	Red tea	2	<input type="button" value="Remove"/>	\$45.50	\$91.00
Total					\$91.00

Your shopping cart

Image	Product	Quantity	Remove	Unit price	Price
	Red tea	<input type="button" value="2"/> <input type="button" value="Update"/>	<input type="button" value="Remove"/>	\$45.50	\$91.00
Total					\$91.00

My shop

Your cart: 3 items, \$121.00

Your shopping cart

Image	Product	Quantity	Remove	Unit price	Price
	Green tea	1 <input type="button" value="Update"/>	<input type="button" value="Remove"/>	\$30.00	\$30.00
	Red tea	2 <input type="button" value="Update"/>	<input type="button" value="Remove"/>	\$45.50	\$91.00
Total					\$121.00

[Continue shopping](#)

[Checkout](#)

Add order

First name:

Last name:

Email:

Address:

Postal code:

City:

Paid

ORDER ITEMS			
PRODUCT	PRICE	QUANTITY	DELETE?
<input type="text"/> Q	<input type="text"/>	1 <input type="button" value=""/>	<input type="button" value="X"/>
<input type="text"/> Q	<input type="text"/>	1 <input type="button" value=""/>	<input type="button" value="X"/>
<input type="text"/> Q	<input type="text"/>	1 <input type="button" value=""/>	<input type="button" value="X"/>
+ Add another Order item			

[Save and add another](#)

[Save and continue editing](#)

[SAVE](#)

My shop

Your cart: 4 items, \$166.50

Checkout

First name:

Antonio

Last name:

Melé

Email:

antonio.mele@zenxit.com

Address:

1 Bank Street

Postal code:

E14 4AD

City:

London

Place order

Your order

- 3x Red tea
- 1x Green tea

\$136.50
\$30.00

Total: \$166.50

My shop

Your cart is empty.

Thank you



Your order has been successfully completed. Your order number is 1.

Select order to change

Action: 0 of 1 selected

<input type="checkbox"/>	ID	FIRST NAME	LAST NAME	EMAIL	ADDRESS	POSTAL CODE	CITY	PAID	CREATED	UPDATED
<input type="checkbox"/>	1	Antonio	Melé	antonio.mele@zenxit.com	1 Bank Street	E14 4AD	London	✖	Jan. 31, 2022, 5:46 p.m.	Jan. 31, 2022, 5:46 p.m.

1 order



RabbitMQ™ RabbitMQ 3.10.7 Erlang 25.0.3 Refreshed 2022-08-18 17:30:44 Refresh every 5 seconds Virtual host All Cluster rabbit@eb84ab9e024b User guest Log out

Overview

Totals

Queued messages last minute ? Currently idle Message rates last minute ? Currently idle Global counts ?

Connections: 0 Channels: 0 Exchanges: 7 Queues: 0 Consumers: 0

Nodes

Name	File descriptors ?	Socket descriptors ?	Erlang processes	Memory ?	Disk space	Uptime	Info	Reset stats	+/-
rabbit@d774abc5a4a8	36 1048576 available	0 943629 available	391 1048576 available	95 MiB 795 MiB high watermark	53 GiB 48 MiB low watermark	36m 8s	basic disc 2 rss	This node All nodes	

Churn statistics Ports and contexts Export definitions Import definitions

HTTP API Server Docs Tutorials Community Support Community Slack Commercial Support Plugins GitHub Changelog

RabbitMQ™ RabbitMQ 3.10.7 Erlang 25.0.3 Refreshed 2022-08-18 17:30:44 Refresh every 5 seconds Virtual host All Cluster rabbit@eb84ab9e024b User guest Log out

Overview

Totals

Queued messages last minute ?

Ready: 0 Unacked: 0 Total: 0

Message rates last minute ?

Publish: 1.0/s Publisher confirm: 0.00/s Deliver (auto ack): 1.0/s Consumer ack: 0.00/s Redelivered: 0.00/s Get (manual ack): 0.00/s Get (auto ack): 0.00/s Get (empty): 0.00/s

Unroutable (return): 0.00/s Unroutable (drop): 0.00/s Disk read: 0.00/s Disk write: 0.00/s

Global counts ?

Connections: 3 Channels: 5 Exchanges: 11 Queues: 3 Consumers: 3

Nodes

Name	File descriptors ?	Socket descriptors ?	Erlang processes	Memory ?	Disk space	Uptime	Info	Reset stats	+/-
rabbit@d774abc5a4a8	39 1048576 available	3 943629 available	437 1048576 available	97 MiB 795 MiB high watermark	53 GiB 48 MiB low watermark	3h 18m	basic disc 2 rss	This node All nodes	

Flower Dashboard Tasks Broker Docs Code

Active: 0	Processed: 0	Failed: 0	Succeeded: 0	Retried: 0
-----------	--------------	-----------	--------------	------------

Search:

Worker Name	Status	Active	Processed	Failed	Succeeded	Retried	Load Average
celery@Antonios-MBP.home	Online	0	0	0	0	0	2.91, 3.11, 3.88

Showing 1 to 1 of 1 entries

Worker:
celery@Antonios-MBP.home

Refresh

Pool Broker **Queues** Tasks Limits Config System Other

Active queues being consumed from

<input type="text"/>	<input type="button" value="Add Consumer"/>								
Name	Exclusive	Durable	Routing key	No ACK	Alias	Queue arguments	Binding arguments	Auto delete	
celery	False	True	celery	False	None	None	None	False	<input type="button" value="Cancel Consumer"/>

Worker:
celery@Antonios-MBP.home

Refresh

Pool Broker Queues **Tasks** Limits Config System Other

Processed number of completed tasks

orders.tasks.order_created	5
----------------------------	---

Worker Name	Status	Active	Processed	Failed	Succeeded	Retried	Load Average
celery@Antonios-MBP.home	Online	0	1	0	1	0	5.51, 4.14, 4.2

Flower Dashboard Tasks Broker Docs Code

Show entries Search:

Name	UUID	State	args	kwargs	Result	Received	Started	Runtime	Worker
orders.tasks.order_created	abb1048f-9a2a-4b59-8b39-8c6b804bebbc	SUCCESS	(10,)	{}	1	2022-02-06 15:54:55.803	2022-02-06 15:54:55.999	0.086	celery@Antonios-MBP.home

Showing 1 to 1 of 1 entries Previous Next

Chapter 9: Managing Payments and Orders

Create your Stripe account

Email

Full name

Country ⓘ

United States

Password

Don't email me about product updates. If this box is left unticked, Stripe will occasionally send helpful and relevant emails. You can unsubscribe at any time. [Privacy Policy](#)

Create account

Have an account? [Sign in](#)

The screenshot shows the Stripe homepage with a sidebar on the left containing three main sections: "Get started quickly", "Support any business model", and "Join millions of businesses". The "Join millions of businesses" section includes a note that Stripe is trusted by ambitious startups and enterprises of every size.

Create your Stripe account

Email

Full name

Country

Password

Don't email me about product updates. If this box is left unticked, Stripe will occasionally send helpful and relevant emails. You can unsubscribe at any time. [Privacy Policy](#)

Create account

Have an account? [Sign in](#)

New Business Activate →

Search...

Create Help Settings

Home Payments Balances Customers Products Reports Connect More

Developers Test mode

Next, add your business details

Tell us a little more about your business to activate your account.

Start →

Get started with Stripe

No code

Create your first connected account

Become a dasher

Your country

Mobile phone

Setup

Complete your Connect platform profile

Platform profile

Select the industry that best matches your business.

On-demand services Examples: DoorDash, Lyft, UpWork

Travel Examples: Airbnb, Booking.com

Not sure where to start?

Get personalised recommendations to set up

Explore all products

For developers

Publishable key `pk_test_51KQTvZJ5UH88...`

Secret key `*****`

[View docs →](#)

Settings > Account details

Account settings

acct_XXXXXXX

Account name	Tea shop
Country	United States
Phone verification	Unverified
Time zone	America - New York

Cancel **Save**

Tea shop **Activate →**

Search...

Home **Payments** **Balances** **Customers** **Products** **Reports** **Connect** **More** **TEST DATA**

API keys

[Learn more about API authentication →](#)



i Viewing test API keys. Toggle to view live keys.

Viewing test data

Standard keys

These keys will allow you to authenticate API requests. [Learn more](#)

NAME	TOKEN	LAST USED	CREATED	...
Publishable key	pk_test_51KQTvZJ5UH88gi9TqRlwQzR0gZopjf7as5Dxwk129qR2hB4KLCh6sgP6bDkeT2oCUq0WJZm0Cfe xgfzkgHDtsiJv00XqYm42Pk	-	7 Feb	...
Secret key	Reveal test key	-	7 Feb	...



←  Tea shop TEST MODE

Pay Tea shop

US\$121.00

Green tea

Qty 1

US\$30.00

Red tea

Qty 2

US\$91.00

US\$45.50 each

 Pay

Or pay with card

Email

Card information

1234 1234 1234 1234



MM / YY

CVC



Name on card

Country or region

United States



ZIP

Save my info for secure 1-click checkout

Pay faster on Tea shop and thousands of sites.

Pay

←  Tea shop TEST MODE

Pay Tea shop

US\$121.00

Green tea

Qty 1

US\$30.00

Red tea

Qty 2

US\$91.00

US\$45.50 each

 Pay

Or pay with card

Email

antonio.mele@zenxit.com

Card information

4242 4242 4242 4242



12 / 29

123



Name on card

Antonio Melé

Country or region

United States



10001

Save my info for secure 1-click checkout

Pay faster on Tea shop and thousands of sites.

Pay



 Tea shop TEST MODE

Pay Tea shop

US\$121.00

Green tea US\$30.00
Qty 1

Red tea US\$91.00
Qty 2 US\$45.50 each

G Pay

Or pay with card

Email

antonio.mele@zenxit.com

Card information

4242 4242 4242 4242

VISA

12 / 29

123



Name on card

Antonio Melé

Country or region

United States

10001

Save my info for secure 1-click checkout
Pay faster on Tea shop and thousands of sites.

Processing...



 Tea shop TEST MODE

Pay Tea shop

US\$121.00

Green tea US\$30.00
Qty 1

Red tea US\$91.00
Qty 2 US\$45.50 each

G Pay

Or pay with card

Email

antonio.mele@zenxit.com

Card information

4242 4242 4242 4242

VISA

12 / 29

123



Name on card

Antonio Melé

Country or region

United States

10001

Save my info for secure 1-click checkout
Pay faster on Tea shop and thousands of sites.



My shop

Your payment was successful

Your payment has been processed successfully.

Payments

All Succeeded Refunded Uncaptured Failed

Filter 1 Export + Create payment N

<input type="checkbox"/>	AMOUNT	DESCRIPTION	CUSTOMER	DATE	...
<input type="checkbox"/>	US\$121.00	Succeeded ✓ pi_3KgplHJ5UH88gi9T0e3c8Nhy	antonio.mele@zenxit.com	24 Mar, 08:55	...

1 result

Previous Next

Payments

All Succeeded Refunded Uncaptured Failed

Filter 1 Export + Create payment N

<input type="checkbox"/>	AMOUNT	DESCRIPTION	CUSTOMER	DATE	...
<input type="checkbox"/>	US\$121.00	Succeeded ✓ pi_3KgplHJ5UH88gi9T0e3c8Nhy	antonio.mele@zenxit.com	24 Mar, 08:55	...

1 result

Previous Next

Payment method

ID	pm_1KgqCeJ5UH88gi9T66fuyETL	Owner	Antonio Melé
Number 4242	Owner email	antonio.mele@zenxit.com
Fingerprint	Ms4UOyABpHZLkN3s	Address	10001, US
Expires	12 / 2029	Origin	United States 
Type	Visa credit card	CVC check	Passed 
Issuer	Stripe Payments UK Limited	Zip check	Passed 

Events and logs

LATEST ACTIVITY

PaymentIntent status: succeeded

ALL ACTIVITY

- A Checkout Session was completed
24/03/2022, 08:55:51
- The payment pi_3KgplHJ5UH88gi9T0e3c8Nhy for US\$121.00 has succeeded
24/03/2022, 08:55:50
- ch_3LXk4dJ5UH88gi9T1BepIYFX was charged US\$121.00
24/03/2022, 08:55:50
- A new payment pi_3KgplHJ5UH88gi9T0e3c8Nhy for US\$121.00 was created
24/03/2022, 08:55:49
- 200 OK A request to confirm a Checkout Session completed
24/03/2022, 08:55:31
- 200 OK A request to create a Checkout Session completed
24/03/2022, 08:55:30

From Stripe

checkout.session.completed


[View event detail](#)

Event data

```
1  {
2    "id": "cs_test_a1cCmTfq07pHKqJJ7uW9F4RJMdfHCvYNasrQn0PXrk4xti",
3    "object": "checkout.session",
4    "livemode": false,
5    "payment_intent": "pi_3KgplHJ5UH88gi9T0e3c8Nhy",
6    "status": "complete",
7    "after_expiration": null,
8    "allow_promotion_codes": null,
9    "amount_subtotal": 12100,
10   "amount_total": 12100,
```

[See all 72 lines](#)

Webhooks



Listen to Stripe events

Create webhook endpoints, so that Stripe can notify your integration when asynchronous events occur.

[Add an endpoint](#)

[Test in a local environment](#)

[Learn about webhooks](#)

X | Listen to Stripe events

Listen to Stripe events

Add an endpoint

Test in a local environment

Use Stripe CLI to simulate Stripe events in your local environment or [learn more about Webhooks](#).

- 1 Download the CLI and log in with your Stripe account

```
$ stripe login
```

Completed Logged in on Antonios-MBP.home

- 2 Forward events to your webhook

```
$ stripe listen --forward-to  
localhost:4242/webhook
```

Completed Listening for events

- 3 Trigger events with the CLI

```
$ stripe trigger  
payment_intent.succeeded
```

Done

Sample endpoint Received events

Python ▾

```
1 # app.py  
2 #  
3 # Use this sample code to handle webhook events in your integration.  
4 #  
5 # 1) Paste this code into a new file (app.py)  
6 #  
7 # 2) Install dependencies  
8 # pip3 install flask  
9 # pip3 install stripe  
10 #  
11 # 3) Run the server on http://localhost:4242  
12 # python3 -m flask run --port=4242  
13  
14 import json  
15 import os  
16 import stripe  
17  
18 from flask import Flask, jsonify, request  
19  
20 # This is your Stripe CLI webhook secret for testing your endpoint.  
21 endpoint_secret = 'whsec_e46ee9a47be07eec94d46c324d71707c'  
22  
23 app = Flask(__name__)  
24  
25 @app.route('/webhook', methods=['POST'])  
26 def webhook():  
27     event = None  
28     payload = request.data  
29     sig_header = request.headers['STRIPE_SIGNATURE']  
30  
31     try:  
32         event = stripe.Webhook.construct_event(  
33             payload, sig_header, endpoint_secret
```



Allow Stripe CLI to access your account information?

Tea shop ▾

Verify that the pairing code below matches the one shown in the Stripe CLI login command.

xxxx-yyy-zzzz-0000

If you did not initiate this request, [let us know](#) and deny the request.

[Deny access](#)

[Allow access](#)



Access granted

You may now close this window and return to the CLI.

Webhooks

Hosted endpoints


+ Add endpoint

Listen to live Stripe events by creating a hosted webhook endpoint when your app is deployed online.

Local listeners

+ Add local listener

DEVICE	VERSION	STATUS
Antonios-MacBook-Pro.local localhost:8000/payment/webhook/	1.11.0	Listening



Stripe id:

pi_3KgzdDJ5UH88gi9T15cZLTrO

PAID STRIPE PAYMENT



pi_3KgzZVJ5UH88gi9T1l8ofnc6

Select user to change



Action:

Go

0 of 1 selected



User

Delete selected users

EMAIL ADDRESS



admin

Select order to change

Action:

Export to CSV



Go

1 of 25 selected

<input type="checkbox"/>	ID	FIRST NAME	LAST NAME	EMAIL	ADDRESS
<input checked="" type="checkbox"/>	5	Antonio	Melé	antonio.mele@zenxit.com	20 W 34th St
<input type="checkbox"/>	4	Antonio	Melé	antonio.mele@zenxit.com	1 Bank Street

PAID	STRIPE PAYMENT	CREATED	UPDATED	ORDER DETAIL
✓	pi_3KgzZVJ5UH88gi9T1l8ofnc6	March 24, 2022, 10:55 p.m.	March 24, 2022, 7:44 p.m.	View

Django administration

[Home](#) > [Orders](#) > [Order 5](#) > [Detail](#)

Order 5

[PRINT ORDER](#)

Created March 24, 2022, 10:55 p.m.

Customer Antonio Melé

E-mail antonio.mele@zenxit.com

Address 20 W 34th St, 10001 New York

Total amount \$30.00

Status Paid

Stripe payment [pi_3KgzZVJ5UH88gi9T1l8ofnc6](#)

Items bought

PRODUCT	PRICE	QUANTITY	TOTAL
Green tea	\$30.00	1	\$30.00
Total			\$30.00

[CREATED](#)

[UPDATED](#)

[ORDER DETAIL](#)

[INVOICE](#)

March 24, 2022, 10:55 p.m.

March 24, 2022, 7:44 p.m.

[View](#)

[PDF](#)

My Shop

Invoice no. 6

Mar 24, 2022

Bill to

Antonio Melé
antonio.mele@zenxit.com
20 W 34th St
10001, New York

Items bought

Product	Price	Quantity	Cost
Green tea	\$30.00	1	\$30.00
Red tea	\$45.50	2	\$91.00
Total			\$121.00

PENDING PAYMENT

My Shop

Invoice no. 6

Mar 24, 2022

Bill to

Antonio Melé
antonio.mele@zenxit.com
20 W 34th St
10001, New York

Items bought

Product	Price	Quantity	Cost
Green tea	\$30.00	1	\$30.00
Red tea	\$45.50	2	\$91.00
Total			\$121.00

PAID

Chapter 10: Extending Your Shop

Django administration

WELCOME, ADMIN. [VIEW SITE / CHANGE PASSWORD / LOG OUT](#)

Home › Coupons › Coupons › Add coupon

Add coupon

Code:

Valid from: Date: Today | Time: Now |

Note: You are 1 hour ahead of server time.

Valid to: Date: Today | Time: Now |

Note: You are 1 hour ahead of server time.

Discount:

Active

[Save and add another](#) [Save and continue editing](#) **SAVE**

Django administration

WELCOME, ADMIN. [VIEW SITE / CHANGE PASSWORD / LOG OUT](#)

Home > Coupons > Coupons > Add coupon

Add coupon

Code:

Valid from:

Date: Today |

Time: Now |

Note: You are 1 hour ahead of server time.

Valid to:

Date: Today |

Time: Now |

Note: You are 1 hour ahead of server time.

Discount:

Active

[Save and add another](#)

[Save and continue editing](#)

SAVE

Select coupon to change



[Search](#)

Action: 0 of 1 selected

<input type="checkbox"/>	CODE	VALID FROM	VALID TO	DISCOUNT	ACTIVE
<input type="checkbox"/>	SUMMER	March 28, 2022, midnight	March 28, 2029, midnight	10	

1 coupon

Your shopping cart

Image	Product	Quantity	Remove	Unit price	Price
	Tea powder	<input type="button" value="1"/> <input type="button" value="Update"/>	<input type="button" value="Remove"/>	\$21.20	\$21.20
Total					\$21.20

Apply a coupon:

Code:

Your shopping cart

Image	Product	Quantity	Remove	Unit price	Price
	Tea powder	<input type="button" value="1"/> <input type="button" value="Update"/>	<input type="button" value="Remove"/>	\$21.20	\$21.20
Total					\$21.20

Apply a coupon:

Code:

Your shopping cart

Image	Product	Quantity	Remove	Unit price	Price
	Tea powder	<input type="button" value="1"/> <input type="button" value="Update"/>	<input type="button" value="Remove"/>	\$21.20	\$21.20
Subtotal					\$21.20
"SUMMER" coupon (10% off)					- \$2.12
Total					\$19.08

Apply a coupon:

Code:

[Continue shopping](#)

Your order

- 1x Tea powder \$21.20
- "SUMMER" (10% off) - \$2.12

Total: \$19.08

My shop

Order summary

Image	Product	Price	Quantity	Total
	Tea powder	\$21.20	1	\$21.20
Subtotal				\$21.20
"SUMMER" coupon (10% off)				- \$2.12
Total				\$19.08

Pay now

←  Tea shop TEST MODE

Tea powder

US\$21.20

←  Tea shop **TEST MODE**

Pay Tea shop

US\$19.08

Tea powder US\$21.20

Subtotal US\$21.20

 SUMMER

-US\$2.12

10% off

Total due **US\$19.08**



Tea shop

TEST MODE

Pay Tea shop

US\$19.08Tea powder **US\$21.20**Subtotal **US\$21.20**

SUMMER

-US\$2.12

10% off

Total due **US\$19.08**

Items bought			
PRODUCT	PRICE	QUANTITY	TOTAL
Tea powder	\$21.20	2	\$42.40
Subtotal			\$42.40
"SUMMER" coupon (10% off)			- \$4.24
Total			\$38.16

Items bought

Product	Price	Quantity	Cost
Tea powder	\$21.20	2	\$42.40
Subtotal			\$42.40
"SUMMER" coupon (10% off)			- \$4.24
Total			\$38.16

PAID



Tea powder


Tea

\$21.20

Quantity:

Add to cart

People who bought this also bought



Black tea



Red tea



Green tea

Your shopping cart

Image	Product	Quantity	Remove	Unit price	Price
	Green tea	<input type="button" value="1"/> <input type="button" value="2"/> <input type="button" value="3"/> <input type="button" value="4"/> <input type="button" value="5"/> <input type="button" value="6"/> <input type="button" value="7"/> <input type="button" value="8"/> <input type="button" value="9"/> <input type="button" value="10"/> <input type="button" value="11"/> <input type="button" value="12"/> <input type="button" value="13"/> <input type="button" value="14"/> <input type="button" value="15"/> <input type="button" value="16"/> <input type="button" value="17"/> <input type="button" value="18"/> <input type="button" value="19"/> <input type="button" value="20"/> <input type="button" value="21"/> <input type="button" value="22"/> <input type="button" value="23"/> <input type="button" value="24"/> <input type="button" value="25"/> <input type="button" value="26"/> <input type="button" value="27"/> <input type="button" value="28"/> <input type="button" value="29"/> <input type="button" value="30"/> <input type="button" value="31"/> <input type="button" value="32"/> <input type="button" value="33"/> <input type="button" value="34"/> <input type="button" value="35"/> <input type="button" value="36"/> <input type="button" value="37"/> <input type="button" value="38"/> <input type="button" value="39"/> <input type="button" value="40"/> <input type="button" value="41"/> <input type="button" value="42"/> <input type="button" value="43"/> <input type="button" value="44"/> <input type="button" value="45"/> <input type="button" value="46"/> <input type="button" value="47"/> <input type="button" value="48"/> <input type="button" value="49"/> <input type="button" value="50"/> <input type="button" value="51"/> <input type="button" value="52"/> <input type="button" value="53"/> <input type="button" value="54"/> <input type="button" value="55"/> <input type="button" value="56"/> <input type="button" value="57"/> <input type="button" value="58"/> <input type="button" value="59"/> <input type="button" value="60"/> <input type="button" value="61"/> <input type="button" value="62"/> <input type="button" value="63"/> <input type="button" value="64"/> <input type="button" value="65"/> <input type="button" value="66"/> <input type="button" value="67"/> <input type="button" value="68"/> <input type="button" value="69"/> <input type="button" value="70"/> <input type="button" value="71"/> <input type="button" value="72"/> <input type="button" value="73"/> <input type="button" value="74"/> <input type="button" value="75"/> <input type="button" value="76"/> <input type="button" value="77"/> <input type="button" value="78"/> <input type="button" value="79"/> <input type="button" value="80"/> <input type="button" value="81"/> <input type="button" value="82"/> <input type="button" value="83"/> <input type="button" value="84"/> <input type="button" value="85"/> <input type="button" value="86"/> <input type="button" value="87"/> <input type="button" value="88"/> <input type="button" value="89"/> <input type="button" value="90"/> <input type="button" value="91"/> <input type="button" value="92"/> <input type="button" value="93"/> <input type="button" value="94"/> <input type="button" value="95"/> <input type="button" value="96"/> <input type="button" value="97"/> <input type="button" value="98"/> <input type="button" value="99"/> <input type="button" value="100"/> <input type="button" value="101"/> <input type="button" value="102"/> <input type="button" value="103"/> <input type="button" value="104"/> <input type="button" value="105"/> <input type="button" value="106"/> <input type="button" value="107"/> <input type="button" value="108"/> <input type="button" value="109"/> <input type="button" value="110"/> <input type="button" value="111"/> <input type="button" value="112"/> <input type="button" value="113"/> <input type="button" value="114"/> <input type="button" value="115"/> <input type="button" value="116"/> <input type="button" value="117"/> <input type="button" value="118"/> <input type="button" value="119"/> <input type="button" value="120"/> <input type="button" value="121"/> <input type="button" value="122"/> <input type="button" value="123"/> <input type="button" value="124"/> <input type="button" value="125"/> <input type="button" value="126"/> <input type="button" value="127"/> <input type="button" value="128"/> <input type="button" value="129"/> <input type="button" value="130"/> <input type="button" value="131"/> <input type="button" value="132"/> <input type="button" value="133"/> <input type="button" value="134"/> <input type="button" value="135"/> <input type="button" value="136"/> <input type="button" value="137"/> <input type="button" value="138"/> <input type="button" value="139"/> <input type="button" value="140"/> <input type="button" value="141"/> <input type="button" value="142"/> <input type="button" value="143"/> <input type="button" value="144"/> <input type="button" value="145"/> <input type="button" value="146"/> <input type="button" value="147"/> <input type="button" value="148"/> <input type="button" value="149"/> <input type="button" value="150"/> <input type="button" value="151"/> <input type="button" value="152"/> <input type="button" value="153"/> <input type="button" value="154"/> <input type="button" value="155"/> <input type="button" value="156"/> <input type="button" value="157"/> <input type="button" value="158"/> <input type="button" value="159"/> <input type="button" value="160"/> <input type="button" value="161"/> <input type="button" value="162"/> <input type="button" value="163"/> <input type="button" value="164"/> <input type="button" value="165"/> <input type="button" value="166"/> <input type="button" value="167"/> <input type="button" value="168"/> <input type="button" value="169"/> <input type="button" value="170"/> <input type="button" value="171"/> <input type="button" value="172"/> <input type="button" value="173"/> <input type="button" value="174"/> <input type="button" value="175"/> <input type="button" value="176"/> <input type="button" value="177"/> <input type="button" value="178"/> <input type="button" value="179"/> <input type="button" value="180"/> <input type="button" value="181"/> <input type="button" value="182"/> <input type="button" value="183"/> <input type="button" value="184"/> <input type="button" value="185"/> <input type="button" value="186"/> <input type="button" value="187"/> <input type="button" value="188"/> <input type="button" value="189"/> <input type="button" value="190"/> <input type="button" value="191"/> <input type="button" value="192"/> <input type="button" value="193"/> <input type="button" value="194"/> <input type="button" value="195"/> <input type="button" value="196"/> <input type="button" value="197"/> <input type="button" value="198"/> <input type="button" value="199"/> <input type="button" value="200"/> <input type="button" value="201"/> <input type="button" value="202"/> <input type="button" value="203"/> <input type="button" value="204"/> <input type="button" value="205"/> <input type="button" value="206"/> <input type="button" value="207"/> <input type="button" value="208"/> <input type="button" value="209"/> <input type="button" value="210"/> <input type="button" value="211"/> <input type="button" value="212"/> <input type="button" value="213"/> <input type="button" value="214"/> <input type="button" value="215"/> <input type="button" value="216"/> <input type="button" value="217"/> <input type="button" value="218"/> <input type="button" value="219"/> <input type="button" value="220"/> <input type="button" value="221"/> <input type="button" value="222"/> <input type="button" value="223"/> <input type="button" value="224"/> <input type="button" value="225"/> <input type="button" value="226"/> <input type="button" value="227"/> <input type="button" value="228"/> <input type="button" value="229"/> <input type="button" value="230"/> <input type="button" value="231"/> <input type="button" value="232"/> <input type="button" value="233"/> <input type="button" value="234"/> <input type="button" value="235"/> <input type="button" value="236"/> <input type="button" value="237"/> <input type="button" value="238"/> <input type="button" value="239"/> <input type="button" value="240"/> <input type="button" value="241"/> <input type="button" value="242"/> <input type="button" value="243"/> <input type="button" value="244"/> <input type="button" value="245"/> <input type="button" value="246"/> <input type="button" value="247"/> <input type="button" value="248"/> <input type="button" value="249"/> <input type="button" value="250"/> <input type="button" value="251"/> <input type="button" value="252"/> <input type="button" value="253"/> <input type="button" value="254"/> <input type="button" value="255"/> <input type="button" value="256"/> <input type="button" value="257"/> <input type="button" value="258"/> <input type="button" value="259"/> <input type="button" value="260"/> <input type="button" value="261"/> <input type="button" value="262"/> <input type="button" value="263"/> <input type="button" value="264"/> <input type="button" value="265"/> <input type="button" value="266"/> <input type="button" value="267"/> <input type="button" value="268"/> <input type="button" value="269"/> <input type="button" value="270"/> <input type="button" value="271"/> <input type="button" value="272"/> <input type="button" value="273"/> <input type="button" value="274"/> <input type="button" value="275"/> <input type="button" value="276"/> <input type="button" value="277"/> <input type="button" value="278"/> <input type="button" value="279"/> <input type="button" value="280"/> <input type="button" value="281"/> <input type="button" value="282"/> <input type="button" value="283"/> <input type="button" value="284"/> <input type="button" value="285"/> <input type="button" value="286"/> <input type="button" value="287"/> <input type="button" value="288"/> <input type="button" value="289"/> <input type="button" value="290"/> <input type="button" value="291"/> <input type="button" value="292"/> <input type="button" value="293"/> <input type="button" value="294"/> <input type="button" value="295"/> <input type="button" value="296"/> <input type="button" value="297"/> <input type="button" value="298"/> <input type="button" value="299"/> <input type="button" value="300"/> <input type="button" value="301"/> <input type="button" value="302"/> <input type="button" value="303"/> <input type="button" value="304"/> <input type="button" value="305"/> <input type="button" value="306"/> <input type="button" value="307"/> <input type="button" value="308"/> <input type="button" value="309"/> <input type="button" value="310"/> <input type="button" value="311"/> <input type="button" value="312"/> <input type="button" value="313"/> <input type="button" value="314"/> <input type="button" value="315"/> <input type="button" value="316"/> <input type="button" value="317"/> <input type="button" value="318"/> <input type="button" value="319"/> <input type="button" value="320"/> <input type="button" value="321"/> <input type="button" value="322"/> <input type="button" value="323"/> <input type="button" value="324"/> <input type="button" value="325"/> <input type="button" value="326"/> <input type="button" value="327"/> <input type="button" value="328"/> <input type="button" value="329"/> <input type="button" value="330"/> <input type="button" value="331"/> <input type="button" value="332"/> <input type="button" value="333"/> <input type="button" value="334"/> <input type="button" value="335"/> <input type="button" value="336"/> <input type="button" value="337"/> <input type="button" value="338"/> <input type="button" value="339"/> <input type="button" value="340"/> <input type="button" value="341"/> <input type="button" value="342"/> <input type="button" value="343"/> <input type="button" value="344"/> <input type="button" value="345"/> <input type="button" value="346"/> <input type="button" value="347"/> <input type="button" value="348"/> <input type="button" value="349"/> <input type="button" value="350"/> <input type="button" value="351"/> <input type="button" value="352"/> <input type="button" value="353"/> <input type="button" value="354"/> <input type="button" value="355"/> <input type="button" value="356"/> <input type="button" value="357"/> <input type="button" value="358"/> <input type="button" value="359"/> <input type="button" value="360"/> <input type="button" value="361"/> <input type="button" value="362"/> <input type="button" value="363"/> <input type="button" value="364"/> <input type="button" value="365"/> <input type="button" value="366"/> <input type="button" value="367"/> <input type="button" value="368"/> <input type="button" value="369"/> <input type="button" value="370"/> <input type="button" value="371"/> <input type="button" value="372"/> <input type="button" value="373"/> <input type="button" value="374"/> <input type="button" value="375"/> <input type="button" value="376"/> <input type="button" value="377"/> <input type="button" value="378"/> <input type="button" value="379"/> <input type="button" value="380"/> <input type="button" value="381"/> <input type="button" value="382"/> <input type="button" value="383"/> <input type="button" value="384"/> <input type="button" value="385"/> <input type="button" value="386"/> <input type="button" value="387"/> <input type="button" value="388"/> <input type="button" value="389"/> <input type="button" value="390"/> <input type="button" value="391"/> <input type="button" value="392"/> <input type="button" value="393"/> <input type="button" value="394"/> <input type="button" value="395"/> <input type="button" value="396"/> <input type="button" value="397"/> <input type="button" value="398"/> <input type="button" value="399"/> <input type="button" value="400"/> <input type="button" value="401"/> <input type="button" value="402"/> <input type="button" value="403"/> <input type="button" value="404"/> <input type="button" value="405"/> <input type="button" value="406"/> <input type="button" value="407"/> <input type="button" value="408"/> <input type="button" value="409"/> <input type="button" value="410"/> <input type="button" value="411"/> <input type="button" value="412"/> <input type="button" value="413"/> <input type="button" value="414"/> <input type="button" value="415"/> <input type="button" value="416"/> <input type="button" value="417"/> <input type="button" value="418"/> <input type="button" value="419"/> <input type="button" value="420"/> <input type="button" value="421"/> <input type="button" value="422"/> <input type="button" value="423"/> <input type="button" value="424"/> <input type="button" value="425"/> <input type="button" value="426"/> <input type="button" value="427"/> <input type="button" value="428"/> <input type="button" value="429"/> <input type="button" value="430"/> <input type="button" value="431"/> <input type="button" value="432"/> <input type="button" value="433"/> <input type="button" value="434"/> <input type="button" value="435"/> <input type="button" value="436"/> <input type="button" value="437"/> <input type="button" value="438"/> <input type="button" value="439"/> <input type="button" value="440"/> <input type="button" value="441"/> <input type="button" value="442"/> <input type="button" value="443"/> <input type="button" value="444"/> <input type="button" value="445"/> <input type="button" value="446"/> <input type="button" value="447"/> <input type="button" value="448"/> <input type="button" value="449"/> <input type="button" value="450"/> <input type="button" value="451"/> <input type="button" value="452"/> <input type="button" value="453"/> <input type="button" value="454"/> <input type="button" value="455"/> <input type="button" value="456"/> <input type="button" value="457"/> <input type="button" value="458"/> <input type="button" value="459"/> <input type="button" value="460"/> <input type="button" value="461"/> <input type="button" value="462"/> <input type="button" value="463"/> <input type="button" value="464"/> <input type="button" value="465"/> <input type="button" value="466"/> <input type="button" value="467"/> <input type="button" value="468"/> <input type="button" value="469"/> <input type="button" value="470"/> <input type="button" value="471"/> <input type="button" value="472"/> <input type="button" value="473"/> <input type="button" value="474"/> <input type="button" value="475"/> <input type="button" value="476"/> <input type="button" value="477"/> <input type="button" value="478"/> <input type="button" value="479"/> <input type="button" value="480"/> <input type="button" value="481"/> <input type="button" value="482"/> <input type="button" value="483"/> <input type="button" value="484"/> <input type="button" value="485"/> <input type="button" value="486"/> <input type="button" value="487"/> <input type="button" value="488"/> <input type="button" value="489"/> <input type="button" value="490"/> <input type="button" value="491"/> <input type="button" value="492"/> <input type="button" value="493"/> <input type="button" value="494"/> <input type="button" value="495"/> <input type="button" value="496"/> <input type="button" value="497"/> <input type="button" value="498"/> <input type="button" value="499"/> <input type="button" value="500"/> <input type="button" value="501"/> <input type="button" value="502"/> <input type="button" value="503"/> <input type="button" value="504"/> <input type="button" value="505"/> <input type="button" value="506"/> <input type="button" value="507"/> <input type="button" value="508"/> <input type="button" value="509"/> <input type="button" value="510"/> <input type="button" value="511"/> <input type="button" value="512"/> <input type="button" value="513"/> <input type="button" value="514"/> <input type="button" value="515"/> <input type="button" value="516"/> <input type="button" value="517"/> <input type="button" value="518"/> <input type="button" value="519"/> <input type="button" value="520"/> <input type="button" value="521"/> <input type="button" value="522"/> <input type="button" value="523"/> <input type="button" value="524"/> <input type="button" value="525"/> <input type="button" value="526"/> <input type="button" value="527"/> <input type="button" value="528"/> <input type="button" value="529"/> <input type="button" value="530"/> <input type="button" value="531"/> <input type="button" value="532"/> <input type="button" value="533"/> <input type="button" value="534"/> <input type="button" value="535"/> <input type="button" value="536"/> <input type="button" value="537"/> <input type="button" value="538"/> <input type="button" value="539"/> <input type="button" value="540"/> <input type="button" value="541"/> <input type="button" value="542"/> <input type="button" value="543"/> <input type="button" value="544"/> <input type="button" value="545"/> <input type="button" value="546"/> <input type="button" value="547"/> <input type="button" value="548"/> <input type="button" value="549"/> <input type="button" value="550"/> <input type="button" value="551"/> <input type="button" value="552"/> <input type="button" value="553"/> <input type="button" value="554"/> <input type="button" value="555"/> <input type="button" value="556"/> <input type="button" value="557"/> <input type="button" value="558"/> <input type="button" value="559"/> <input type="button" value="560"/> <input type="button" value="561"/> <input type="button" value="562"/> <input type="button" value="563"/> <input type="button" value="564"/> <input type="button" value="565"/> <input type="button" value="566"/> <input type="button" value="567"/> <input type="button" value="568"/> <input type="button" value="569"/> <input type="button" value="570"/> <input type="button" value="571"/> <input type="button" value="572"/> <input type="button" value="573"/> <input type="button" value="574"/> <input type="button" value="575"/> <input type="button" value="576"/> <input type="button" value="577"/> <input type="button" value="578"/> <input type="button" value="579"/> <input type="button" value="580"/> <input type="button" value="581"/> <input type="button" value="582"/> <input type="button" value="583"/> <input type="button" value="584"/> <input type="button" value="585"/> <input type="button" value="586"/> <input type="button" value="587"/> <input type="button" value="588"/> <input type="button" value="589"/> <input type="button" value="590"/> <input type="button" value="591"/> <input type="button" value="592"/> <input type="button" value="593"/> <input type="button" value="594"/> <input type="button" value="595"/> <input type="button" value="596"/> <input type="button" value="597"/> <input type="button" value="598"/> <input type="button" value="599"/> <input type="button" value="600"/> <input type="button" value="601"/> <input type="button" value="602"/> <input type="button" value="603"/> <input type="button" value="604"/> <input type="button" value="605"/> <input type="button" value="606"/> <input type="button" value="607"/> <input type="button" value="608"/> <input type="button" value="609"/> <input type="button" value="610"/> <input type="button" value="611"/> <input type="button" value="612"/> <input type="button" value="613"/> <input type="button" value="614"/> <input type="button" value="615"/> <input type="button" value="616"/> <input type="button" value="617"/> <input type="button" value="618"/> <input type="button" value="619"/> <input type="button" value="620"/> <input type="button" value="621"/> <input type="button" value="622"/> <input type="button" value="623"/> <input type="button" value="624"/> <input type="button" value="625"/> <input type="button" value="626"/> <input type="button" value="627"/> <input type="button" value="628"/> <input type="button" value="629"/> <input type="button" value="630"/> <input type="button" value="631"/> <input type="button" value="632"/> <input type="button" value="633"/> <input type="button" value="634"/> <input type="button" value="635"/> <input type="button" value="636"/> <input type="button" value="637"/> <input type="button" value="638"/> <input type="button" value="639"/> <input type="button" value="640"/> <input type="button" value="641"/> <input type="button" value="642"/> <input type="button" value="643"/> <input type="button" value="644"/> <input type="button" value="645"/> <input type="button" value="646"/> <input type="button" value="647"/> <input type="button" value="648"/> <input type="button" value="649"/> <input type="button" value="650"/> <input type="button" value="651"/> <input type="button" value="652"/> <input type="button" value="653"/> <input type="button" value="654"/> <input type="button" value="655"/> <input type="button" value="656"/> <input type="button" value="657"/> <input type="button" value="658"/> <input type="button" value="659"/> <input type="button" value="660"/> <input type="button" value="661"/> <input type="button" value="662"/> <input type="button" value="663"/> <input type="button" value="664"/> <input type="button" value="665"/> <input type="button" value="666"/> <input type="button" value="667"/> <input type="button" value="668"/> <input type="button" value="669"/> <input type="button" value="670"/> <input type="button" value="671"/> <input type="button" value="672"/> <input type="button" value="673"/> <input type="button" value="674"/> <input type="button" value="675"/> <input type="button" value="676"/> <input type="button" value="677"/> <input type="button" value="678"/> <input type="button" value="679"/> <input type="button" value="680"/> <input type="button" value="681"/> <input type="button" value="682"/> <input type="button" value="683"/> <input type="button" value="684"/> <input type="button" value="685"/> <input type="button" value="686"/> <input type="button" value="687"/> <input type="button" value="688"/> <input type="button" value="689"/> <input type="button" value="690"/> <input type="button" value="691"/> <input type="button" value="692"/> <input type="button" value="693"/> <input type="button" value="694"/> <input type="button" value="695"/> <input type="button" value="696"/> <input type="button" value="697"/> <input type="button" value="698"/> <input type="button" value="699"/> <input type="button" value="700"/> <input type="button" value="701"/> <input type="button" value="702"/> <input type="button" value="703"/> <input type="button" value="704"/> <input type="button" value="705"/> <input type="button" value="706"/> <input type="button" value="707"/> <input type="button" value="708"/> <input type="button" value="709"/> <input type="button" value="710"/> <input type="button" value="711"/> <input type="button" value="712"/> <input type="button" value="713"/> <input type="button" value="714"/> <input type="button" value="715"/> <input type="button" value="716"/> <input type="button" value="717"/> <input type="button" value="718"/> <input type="button" value="719"/> <input type="button" value="720"/> <input type="button" value="721"/> <input type="button" value="722"/> <input type="button" value="723"/> <input type="button" value="724"/> <input type="button" value="725"/> <input type="button" value="726"/> <input type="button" value="727"/> <input type="button" value="728"/> <input type="button" value="729"/> <input type="button" value="730"/> <input type="button" value="731"/> <input type="button" value="732"/> <input type="button" value="733"/> <input type="button" value="734"/> <input type="button" value="735"/> <input type="button" value="736"/> <input type="button" value="737"/> <input type="button" value="738"/> <input type="button" value="739"/> <input type="button" value="740"/> <input type="button" value="741"/> <input type="button" value="742"/> <input type="button" value="743"/> <input type="button" value="744"/> <input type="button" value="745"/> <input type="button" value="746"/> <input type="button" value="747"/> <input type="button" value="748"/> <input type="button" value="749"/> <input type="button" value="750"/> <input type="button" value="751"/> <input type="button" value="752"/> <input type="button" value="753"/> <input type="button" value="754"/> <input type="button" value="755"/> <input type="button" value="756"/> <input type="button" value="757"/> <input type="button" value="758"/> <input type="button" value="759"/> <input type="button" value="760"/> <input type="button" value="761"/> <input type="button" value="762"/> <input type="button" value="763"/> <input type="button" value="764"/> <input type="button" value="765"/> <input type="button" value="766"/> <input type="button" value="767"/> <input type="button" value="768"/> <input type="button" value="769"/> <input type="button" value="770"/> <input type="button" value="771"/> <input type="button" value="772"/> <input type="button" value="773"/> <input type="button" value="774"/> <input type="button" value="775"/> <input type="button" value="776"/> <input type="button" value="777"/> <input type="button" value="778"/> <input type="button" value="779"/> <input type="button" value="780"/> <input type="button" value="781"/> <input type="button" value="782"/> <input type="button" value="783"/> <input type="button" value="784"/> <input type="button" value="785"/> <input type="button" value="786"/> <input type="button" value="787"/> <input type="button" value="788"/> <input type="button" value="789"/> <input type="button" value="790"/> <input type="button" value="791"/> <input type="button" value="792"/> <input type="button" value="793"/> <input type="button" value="794"/> <input type="button" value="795"/> <input type="button" value="796"/> <input type="button" value="797"/> <input type="button" value="798"/> <input type="button" value="799"/> <input type="button" value="800"/> <input type="button" value="801"/> <input type="button" value="802"/> <input type="button" value="803"/> <input type="button" value="804"/> <input type="button" value="805"/> <input type="button" value="806"/> <input type="button" value="807"/> <input type="button" value="808"/> <input type="button" value="809"/> <input type="button" value="810"/> <input type="button" value="811"/> <input type="button" value="812"/> <input type="button" value="813"/> <input type="button" value="814"/> <input type="button" value="815"/> <input type="button" value="816"/> <input type="button" value="817"/> <input type="button" value="818"/> <input type="button" value="819"/> <input type="button" value="820"/> <input type="button" value="821"/> <input type="button" value="822"/> <input type="button" value="823"/> <input type="button" value="824"/> <input type="button" value="825"/> <input type="button" value="826"/> <input type="button" value="827"/> <input type="button" value="828"/> <input type="button" value="829"/> <input type="button" value="830"/> <input type="button" value="831"/> <input type="button" value="832"/> <input type="button" value="833"/> <input type="button" value="834"/> <input type="button" value="835"/> <input type="button" value="836"/> <input type="button" value="837"/> <input type="button" value="838"/> <input type="button" value="839"/> <input type="button" value="840"/> <input type="button" value="841"/> <input type="button" value="842"/> <input type="button" value="843"/> <input type="button" value="844"/> <input type="button" value="845"/> <input type="button" value="846"/> <input type="button" value="847"/> <input type="button" value="848"/> <input type="button" value="849"/> <input type="button" value="850"/> <input type="button" value="851"/> <input type="button" value="852"/> <input type="button" value="853"/> <input type="button" value="854"/> <input type="button" value="855"/> <input type="button" value="856"/> <input type="button" value="857"/> <input type="button" value="858"/> <input type="button" value="859"/> <input type="button" value="860"/> <input type="button" value="861"/> <input type="button" value="862"/> <input type="button" value="863"/> <input type="button" value="864"/> <input type="button" value="865"/> <input type="button" value="866"/> <input type="button" value="867"/> <input type="button" value="868"/> <input type="button" value="869"/> <input type="button" value="870"/> <input type="button" value="871"/> <input type="button" value="872"/> <input type="button" value="873"/> <input type="button" value="874"/> <input type="button" value="875"/> <input type="button" value="876"/> <input type="button" value="877"/> <input type="button" value="878"/> <input type="button" value="879"/> <input type="button" value="880"/> <input type="button" value="881"/> <input type="button" value="882"/> <input type="button" value="883"/> <input type="button" value="884"/> <input type="button" value="885"/> <input type="button" value="886"/> <input type="button" value="887"/> <input type="button" value="888"/> <input type="button" value="889"/> <input type="button" value="890"/> <input type="button" value="891"/> <input type="button" value="892"/> <input type="button" value="893"/> <input type="button" value="894"/> <input type="button" value="895"/> <input type="button" value="896"/> <input type="button" value="897"/> <input type="button" value="898"/> <input type="button" value="899"/> <input type="button" value="900"/> <input type="button" value="901"/> <input type="button" value="902"/> <input type="button" value="903"/> <input type="button" value="904"/> <input type="button" value="905"/> <input type="button" value="906"/> <input type="button" value="907"/> <input type="button" value="908"/> <input type="button" value="909"/> <input type="button" value="910"/> <input type="button" value="911"/> <input type="button" value="912			

Chapter 11: Adding Internationalization to Your Shop

Rosetta

Home > Language selection

Filter: PROJECT THIRD PARTY DJANGO ALL

English						
APPLICATION	PROGRESS	MESSAGES	TRANSLATED	FUZZY ?	OBSOLETE	FILE
Myshop	0%	37	0	0	0	Django-4-by-example/Chapter11/myshop/locale/en/LC_MESSAGES/django.po
Orders	0%	23	0	0	0	Django-4-by-example/Chapter11/orders/locale/en/LC_MESSAGES/django.po

Spanish						
APPLICATION	PROGRESS	MESSAGES	TRANSLATED	FUZZY ?	OBSOLETE	FILE
Myshop	100%	37	37	0	0	Django-4-by-example/Chapter11/myshop/locale/es/LC_MESSAGES/django.po
Orders	100%	23	22	0	0	Django-4-by-example/Chapter11/orders/locale/es/LC_MESSAGES/django.po
Rosetta	100%	42	42	0	0	python3.10/site-packages/rosetta/locale/es/LC_MESSAGES/django.po

Translate into Spanish

Display: UNTRANSLATED ONLY TRANSLATED ONLY FUZZY ONLY ALL

ORIGINAL	SPANISH	<input type="checkbox"/> FUZZY ? OCCURRENCES(S)
Quantity	Cantidad	<input type="checkbox"/> cart/forms.py:12 cart/templates/cart/detail.html:16 payment/templates/payment/process.html:15
Your shopping cart	Su carro	<input type="checkbox"/> cart/templates/cart/detail.html:6 cart/templates/cart/detail.html:10
Image	Imagen	<input type="checkbox"/> cart/templates/cart/detail.html:14 payment/templates/payment/process.html:12
Product	Producto	<input type="checkbox"/> cart/templates/cart/detail.html:15 payment/templates/payment/process.html:13
Remove	Eliminar	<input type="checkbox"/> cart/templates/cart/detail.html:17 cart/templates/cart/detail.html:43
Unit price	Precio unitario	<input type="checkbox"/> cart/templates/cart/detail.html:18
Price	Precio	<input type="checkbox"/> cart/templates/cart/detail.html:19 payment/templates/payment/process.html:14
Update	Actualizar	<input type="checkbox"/> cart/templates/cart/detail.html:37

%(items)s item, \$**%(total)s**

0:

%(items)s producto, \$%(total)s

%(items)s items, \$**%(total)s**

1:

%(items)s productos, \$%(total)s

Translate into Spanish

Display: **UNTRANSLATED ONLY** TRANSLATED ONLY FUZZY ONLY ALL

ORIGINAL	SPANISH	<input type="checkbox"/> FUZZY ?	OCCURRENCES(S)
cart/		<input type="checkbox"/>	myshop/urls.py:26
orders/		<input type="checkbox"/>	myshop/urls.py:27
payment/		<input type="checkbox"/>	myshop/urls.py:28
process/		<input type="checkbox"/>	payment/urls.py:9
completed/		<input type="checkbox"/>	payment/urls.py:10

Displaying: 5/44 messages SAVE AND TRANSLATE NEXT BLOCK

Translate into Spanish

Display: **UNTRANSLATED ONLY** TRANSLATED ONLY FUZZY ONLY ALL

ORIGINAL	SPANISH	<input type="checkbox"/> FUZZY ?	OCCURRENCES(S)
cart/	carro/	<input type="checkbox"/>	myshop/urls.py:26
orders/	pedidos/	<input type="checkbox"/>	myshop/urls.py:27
payment/	pago/	<input type="checkbox"/>	myshop/urls.py:28
process/	procesar/	<input type="checkbox"/>	payment/urls.py:9
completed/	completado/	<input type="checkbox"/>	payment/urls.py:10

Displaying: 5/44 messages SAVE AND TRANSLATE NEXT BLOCK

Translate into Spanish

Display: UNTRANSLATED ONLY TRANSLATED ONLY FUZZY ONLY ALL

Search: Go

ORIGINAL	SPANISH	FUZZY ?	OCCURRENCES(S)
coupons/	Cupón	<input checked="" type="checkbox"/>	myshop/urls.py:29
canceled/	Pago cancelado	<input checked="" type="checkbox"/>	payment/urls.py:11

Displaying: 2/44 messages SAVE AND TRANSLATE NEXT BLOCK

Translate into Spanish

Display: UNTRANSLATED ONLY TRANSLATED ONLY FUZZY ONLY ALL

Search: Go

ORIGINAL	SPANISH	FUZZY ?	OCCURRENCES(S)
coupons/	cupon/	<input type="checkbox"/>	myshop/urls.py:29
canceled/	cancelado/	<input type="checkbox"/>	payment/urls.py:11

Displaying: 2/44 messages SAVE AND TRANSLATE NEXT BLOCK

Mi tienda

Language: English Español

Tu carro está vacío.

Categorías

Productos

Todos

Té




Green tea
\$30,00



Red tea
\$45,50



Tea powder
\$21,20



Select category to change

[ADD CATEGORY +](#)

Action: 0 of 1 selected

<input type="checkbox"/>	NAME	SLUG
<input type="checkbox"/>	-	-

1 category

Django administration

WELCOME, **ADMIN**. [VIEW SITE / CHANGE PASSWORD / LOG OUT](#)

[Home](#) > [Shop](#) > [Categories](#) > [Tea](#)

Change category (English)

[HISTORY](#) [VIEW ON SITE >](#)

[English](#) [Spanish](#)

Name:	<input type="text" value="Tea"/>
Slug:	<input type="text" value="tea"/>

[Delete](#)

[Save and add another](#)

[Save and continue editing](#)

[SAVE](#)

Change category (Spanish)

HISTORY

VIEW ON SITE ➔

English Spanish

Name:

Té

Slug:

te

Delete

Save and add another

Save and continue editing

SAVE

Mi tienda

Idioma: English Español

Su carro está vacío.

Productos

Categorías

Todos

Té



Té verde
\$30,00



Té rojo
\$45,50



Té en polvo
\$21,20

NO IMAGE
AVAILABLE

Té negro
\$30,00

Su carro está vacío.



Té rojo

Té

\$45,50

Cantidad: Añadir al carro

- Enter a zip code in the format XXXXX or XXXXX-XXXX.

Postal code:

ABC

Chapter 12: Building an E-learning Platform

Django administration

WELCOME, ADMIN. [VIEW SITE / CHANGE PASSWORD / LOG OUT](#)

Home > Courses > Subjects

Select subject to change

Action: 0 of 4 selected

<input type="checkbox"/>	TITLE	SLUG
<input type="checkbox"/>	Mathematics	mathematics
<input type="checkbox"/>	Music	music
<input type="checkbox"/>	Physics	physics
<input type="checkbox"/>	Programming	programming

4 subjects

[ADD SUBJECT +](#)

Django administration

WELCOME, ADMIN. [VIEW SITE / CHANGE PASSWORD / LOG OUT](#)

Home > Courses > Subjects

Select subject to change

Action: 0 of 4 selected

<input type="checkbox"/>	TITLE	SLUG
<input type="checkbox"/>	Mathematics	mathematics
<input type="checkbox"/>	Music	music
<input type="checkbox"/>	Physics	physics
<input type="checkbox"/>	Programming	programming

4 subjects

[ADD SUBJECT +](#)

Select subject to change

Action: 0 of 4 selected

<input type="checkbox"/>	TITLE	SLUG
<input type="checkbox"/>	Mathematics	mathematics
<input type="checkbox"/>	Music	music
<input type="checkbox"/>	Physics	physics
<input type="checkbox"/>	Programming	programming

4 subjects

[ADD SUBJECT +](#)

Log-in

Please, use the following form to log-in:

Username:

Password:

LOG-IN

Log-in

Please, use the following form to log-in:

Username:

Password:

LOG-IN

Chapter 13: Creating a Content Management System

Add group

Name:

Permissions:

Available permissions ?

courses | subject | Can add subject
courses | subject | Can change subject
courses | subject | Can delete subject
courses | subject | Can view subject

Choose all ?

Hold down "Control", or "Command" on a Mac, to select more than one.

Chosen permissions ?

courses | content | Can add content
courses | content | Can change content
courses | content | Can delete content
courses | content | Can view content
courses | course | Can add course
courses | course | Can change course
courses | course | Can delete course
courses | course | Can view course
courses | file | Can add file
courses | file | Can change file
courses | file | Can delete file
courses | file | Can view file
courses | image | Can add image
courses | image | Can change image
courses | image | Can delete image
courses | image | Can view image

Remove all ?

Delete Save and add another Save and continue editing SAVE

Groups:

Available groups ?

Instructors

+

EDUCA

My courses

You haven't created any courses yet.

[CREATE NEW COURSE](#)

Create a new course

Course info

Subject:

Title:

Slug:

Overview:

[SAVE COURSE](#)

EDUCA

My courses

Django course

[Edit](#) [Delete](#)

[CREATE NEW COURSE](#)

EDUCA

Delete course "Django course"

Are you sure you want to delete "Django course"?

CONFIRM

Edit "Django course"

Course modules

Title:

Description:

Delete:

Title:

Description:

Delete:

SAVE MODULES

EDUCA

Add new content

Course info

Title:

File:

no file selected

SAVE CONTENT

Course "Django course"

Modules

MODULE 1
Introduction to Django

[Edit modules](#)

Module 1: Introduction to Django

Module contents:

This module has no contents yet.

Add new content:

[Text](#)

[Image](#)

[Video](#)

[File](#)

Course "Django course"

Modules

MODULE 1
Introduction to Django

MODULE 2
Configuring Django

[Edit modules](#)

Module 2: Configuring Django

Module contents:

Setting up Django (text)

[Edit](#) [Delete](#)

Example settings.py (image)

[Edit](#) [Delete](#)

Add new content:

[Text](#)

[Image](#)

[Video](#)

[File](#)

Course "Django Course"

Modules

MODULE 2

Configuring Django

MODULE 1

Introduction to Django

Edit modules

Module 2: Introduction to Django

Module contents:

Setting up Django (text)

Edit

Delete

Example settings.py (image)

Edit

Delete

Add new content:

Text

Image

Video

File

Course "Django Course"

Modules

MODULE 1

Configuring Django

MODULE 2

Introduction to Django

Edit modules

Module 2: Introduction to Django

Module contents:

Setting up Django (text)

Edit

Delete

Example settings.py (image)

Edit

Delete

Add new content:

Text

Image

Video

File

Course "Django Course"

Modules

MODULE 1
Configuring Django

MODULE 2
Introduction to Django

[Edit modules](#)

Module 2: Introduction to Django

Module contents:

Setting up Django (text)

[Edit](#) [Delete](#)

Example settings.py (image)

[Edit](#) [Delete](#)

Add new content:

[Text](#)

[Image](#)

[Video](#)

[File](#)

Chapter 14: Rendering and Caching Content

The screenshot shows a user interface for an educational platform named 'EDUCA'. At the top, there is a green header bar with the word 'EDUCA' on the left and a 'Sign out' link on the right. Below the header, the main content area has a light gray background. A large, bold title 'All courses' is centered at the top of this area. To the left of the main content, there is a dark sidebar containing a list of subjects:

- Subjects**
- All**
- Mathematics**
1 COURSES
- Music**
0 COURSES
- Physics**
0 COURSES
- Programming**
2 COURSES

The main content area lists the available courses:

- Django course**
Programming. 2 modules. Instructor: Antonio Melé
- Python for beginners**
Programming. 2 modules. Instructor: Laura Marlon
- Algebra basics**
Mathematics. 4 modules. Instructor: Laura Marlon

The screenshot shows a user interface for an educational platform named 'EDUCA'. At the top, there is a green header bar with the word 'EDUCA' on the left and a 'Sign out' link on the right. Below the header, the main content area has a light gray background. The title 'Django course' is centered at the top of this area.

Overview

Programming. 2 modules. Instructor: Antonio Melé

Meet Django. Django is a high-level Python Web framework that encourages rapid development and clean, pragmatic design. Built by experienced developers, it takes care of much of the hassle of Web development, so you can focus on writing your app without needing to reinvent the wheel. It's free and open source.

Sign up

Enter your details to create an account:

Username: Required. 150 characters or fewer. Letters, digits and @/./+/-/_ only.

Password:

- Your password can't be too similar to your other personal information.
- Your password must contain at least 8 characters.
- Your password can't be a commonly used password.
- Your password can't be entirely numeric.

Password confirmation: Enter the same password as before, for verification.

CREATE MY ACCOUNT

Overview

[Programming](#). 2 modules. Instructor: Antonio Melé

Meet Django. Django is a high-level Python Web framework that encourages rapid development and clean, pragmatic design. Built by experienced developers, it takes care of much of the hassle of Web development, so you can focus on writing your app without needing to reinvent the wheel. It's free and open source.

ENROLL NOW

Introduction to Django

Modules

MODULE 1
Introduction to Django

MODULE 2
Configuring Django

MODULE 3
Your first Django project

MODULE 4
Django URLs

Why Django?

Meet Django. Django is a high-level Python Web framework that encourages rapid development and clean, pragmatic design. Built by experienced developers , it takes care of much of the hassle of Web development, so you can focus on writing your app without needing to reinvent the wheel. It's free and open source.

Django video



Cache calls from 1 backend

Summary

Total calls	Total time	Cache hits	Cache misses
2	103.26123237609863 ms	0	1

Commands

add	get	set	get_or_set	touch	delete	clear	get_many	set_many	delete_many	has_key	incr	decr	incr_version	decr_version
0	1	1	0	0	0	0	0	0	0	0	0	0	0	0

Calls

Time (ms)	Type	Arguments	Keyword arguments	Backend
76.8130	get	('all_subjects',)	{}	<django.core.cache.backends.memcached.PyMemcacheCache object at 0x107f633a0>
26.4482	set	('all_subjects', <QuerySet [<Subject: Mathematics>, <Subject: Music>, <Subject: Physics>, <Subject: Programming>]>)	{}	<django.core.cache.backends.memcached.PyMemcacheCache object at 0x107f633a0>

SQL

8 queries in 5.56ms

Cache calls from 1 backend



Summary

Total calls	Total time	Cache hits	Cache misses
1	23.750782012939453 ms	1	0

Commands

add	get	set	get_or_set	touch	delete	clear	get_many	set_many	delete_many	has_key	incr	decr	incr_version	decr_version
0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

Calls

Time (ms)	Type	Arguments	Keyword arguments	Backend
23.7508	get	('all_subjects',)	{}	<django.core.cache.backends.memcached.PyMemcacheCache object at 0x107cbcc10>

SQL

7 queries in 2.98ms

Add Redis Server

Label:

redis

URL:

redis://localhost:6379/0

IANA-compliant URL Examples:

redis://[[username]:[password]]@localhost:6379/0
rediss://[[username]:[password]]@localhost:6379/0
unix://[[username]:[password]]@/path/to/socket.sock?db=0

Password:

You can also specify the password here (the field is masked).

Select Redis Server to change

Action:	NAME	STATUS	MEMORY	CLIENTS	DETAILS	CPU UTILIZATION	SLOWLOG	TOOLS
<input type="checkbox"/>	redis	UP	1.29M (peak: 1.34M)	7	redis version 7.0.4 redis mode standalone os Linux 5.10.104- linuxkit arch64 multiplexing api epoll atomicvar api c11-builtin gcc version 10.2.1 used memory human 1.29M used memory rss human 8.14M used memory peak human 1.34M total system memory human 7.76G used memory lua human 31.00K used memory vm total human 63.00K used memory scripts human 184B maxmemory human 0B maxmemory policy noeviction expired keys 32	cpu utilization 0.002% used cpu sys 2318.116634 used cpu sys children 0.123416 used cpu user 1732.266923 used cpu user children 0.060922	Total: 3 items 13.7ms INFO 13.6ms INFO 11.2ms ZUNIONSTORE tmp_34 2 product:3;purchased_with product:4;purchased_with	Inspect Details

Chapter 15: Building an API

Subject List

OPTIONS

GET ▾

GET /api/subjects/

HTTP 200 OK
Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

```
[  
  {  
    "id": 1,  
    "title": "Mathematics",  
    "slug": "mathematics"  
  },  
  {  
    "id": 2,  
    "title": "Music",  
    "slug": "music"  
  },  
  {  
    "id": 3,  
    "title": "Physics",  
    "slug": "physics"  
  },  
  {  
    "id": 4,  
    "title": "Programming",  
    "slug": "programming"  
  }]
```

Subject Detail

OPTIONS

GET ▾

GET /api/subjects/1/

HTTP 200 OK

Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

```
{  
  "id": 1,  
  "title": "Mathematics",  
  "slug": "mathematics"  
}
```

Api Root

OPTIONS

GET ▾

The default basic root view for DefaultRouter



GET /api/


HTTP 200 OK

Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept



```
{  
  "courses": "http://127.0.0.1:8000/api/courses/"  
}
```


Chapter 16: Building a Chat Server





	Resources	Timelines	Storage	Canvas	Audit	Console	Search	+	⚙️
	CSS	Image	Font	JS	XHR	Other	<input type="checkbox"/> Group Media Requests	⬇️ Import	⬆️ Export
	Preview Headers Cookies Sizes Timing Security								
Data	WebSocket Connection Established							Time	
								10:45:00 PM	





The image shows a screenshot of a Django course page. The top navigation bar is green with the word 'EDUCA' and a 'Sign out' link. The main title of the page is 'Introduction to Django'.

Left sidebar (Modules):

- MODULE 1
Introduction to Django
- MODULE 2
Configuring Django
- MODULE 3
Your first Django project
- MODULE 4
Django URLs

Course chat room

Content Area:

Why Django?

Meet Django. Django is a high-level Python Web framework that encourages rapid development and clean, pragmatic design. Built by experienced developers , it takes care of much of the hassle of Web development, so you can focus on writing your app without needing to reinvent the wheel. It's free and open source.

Django video

DjangoCon 2012 - Malcolm Tredinnick "The ..."

In the background...

- All aliases in a QuerySet can be changed at once
 - T1, T2, T3, ... → U1, U2, U3, ...
 - for nested queries
- QuerySets can be merged
- Same table can appear with different aliases

A video player interface is shown, displaying a presentation slide with text and a small image of a person speaking.

Chapter 17: Going Live



Django administration

Username:

Password:

Log in

	NAME	IMAGE ↑	STATUS	PORT(S)	STARTED	
<input type="checkbox"/>	chapter17	-	Running (1/1)	-		 ↻ ■ ✖
<input type="checkbox"/>	web-1	chapter17_web	Running	8000	37 seconds ago	🔗 ✖ ↻ ■

	NAME	IMAGE	STATUS	PORT(S)	STARTED	
chapter17 3 containers	-	Running (3/3)	-			⚡ ■ 🗑
db-1 9d0b376f0547	postgres	Running	-	5 minutes ago	🔗 ⚡ ■	
web-1 087abe150782	chapter17_web	Running	8000	5 minutes ago	🔗 🔍 ⚡ ■	
cache-1 0600a3fbf3cd	redis	Running	-	5 minutes ago	🔗 ⚡ ■	


Educa


- [Sign in](#)

All courses

Subjects

- [All](#)





EDUCA

All courses

Subjects

All



Your connection is not private

Attackers might be trying to steal your information from **educaproject.com** (for example, passwords, messages or credit cards). [Learn more](#)


NET::ERR_CERT_INVALID





To get Chrome's highest level of security, [turn on enhanced protection](#)

[Advanced](#)

[Reload](#)



⚠ Not Secure | <https://educaproject.com>



The screenshot shows a web browser window with the URL `educaproject.com/chat/room/1/` in the address bar. The page has a green header with the word "EDUCA" on the left and "Sign out" on the right. The main content area displays two messages from a user identified as "Me":
1. "Me 2:17 AM This is a test"
2. "Me 2:18 AM Using the Daphne server behind Nginx!"
Below the messages is a light gray input field, and at the bottom is a green "SEND" button.

EDUCA

Sign out

Me 2:17 AM
This is a test

Me 2:18 AM
Using the Daphne server behind Nginx!

SEND