Front-end Development

Lecturer: Ung Văn Giàu
Email: giau.ung@eiu.edu.vn



Lab 6 – JavaScript Fundamentals

Assignment 1. Quoted text

Create a string variable containing quoted text. For example: He said, “I don’t know.”

Note: To display the string, you can use one of the following methods:

- document.writeln(string);
- console.log(string);
- Create a <p> tag with an ID, then use:

```
document.getElementById(“p_tag_ID”).innerText = string;
```

Assignment 2. Confirm Box

Display a confirmation box, and log the user’s choice to the console.

Assignment 3. querySelector() Method

Expand pre-written HTML code to:

- add a **background color** to the **first p** element in the document with **class** = “example”
- add a **red border** to the **first link** that has a **target attribute**
- change a **font size** and a **color** of the **first p** element in the document where the **parent is a div** element

when the whole page has loaded

Assignment 4. querySelectorAll() Method

Expand pre-written HTML code to:

- add a **background color** to the **first p** element in the document with **class** = “example”
- change a **margin** and a **padding** and add a **border** of all elements with class = “example”
- add a **red border** and **remove** the **underline** to **all links** in the document with a **target attribute**
- change the **color** of all **h1** and **h2** elements with **class** = “Title”

when the whole page has loaded

Assignment 5. Alert Messages

Alert messages are used to notify users of specific system states: danger, success, information or warning.

Requirement: Create alert notifications (danger and success types) that automatically disappear after 5 seconds.

Assignment 6. Parsing numbers

Try parsing the following strings to numbers using parseInt, parseFloat, Number, + and | 0.

Fill the answers in the table below using JavaScript.

str	parseInt(str)	parseFloat(str)	Number(str)	+str	str | 0
1234	?	?	?	?	?
1234abc	?	?	?	?	?
0.15	?	?	?	?	?
3.14ivan	?	?	?	?	?
Infinity	?	?	?	?	?
99999999999999999999	?	?	?	?	?

Assignment 7. Replace all href values

- **Description**

  Write JavaScript code to replace all occurrences of the href values of all links in a site when whole page has loaded.

- **Input**

  One **href** string that you want to be replaced.

- **Output**

  All **href** values of the site will be replaced by the specified **href** string.

Assignment 8. Redirect a Webpage

Write JavaScript code to redirect to another webpage after 3 seconds.

Assignment 9. Registration form

- Use JavaScript to retrieve values from the following fields: Full Name, Email, Password, Confirm Password, and Phone Number.
- Validate each field based on the requirements below and display error messages where necessary:
  - **Required fields**: Full Name, Email, Password, Confirm Password, and Phone Numbermust be not empty.
  - **Password Match**: The Password and Confirm Password fields must be identical.
  - **Length validation**: The Phone Number must be exactly 10 digits long.
  - Students need to use the setTimeout function to simulate a click event.

Full Name*	
Email*	
Password*	Enter your password
Confirm Password*	Enter your password again
Phone number*	
Address	
City	Enter your City **State** Enter your State
Zip/Postal Code	Enter your Zip/Postal Code
Country	[Select your country]
Birthday	mm/dd/yyyy
Gender	Male
Starting date	○ Spring ◉ Summer
Comments	Please send us more information
Submit	