

Date Printed: 5 February 2023

TEST IDENTIFICATION

TEST NAME

Resistance Value, R6

TEST NO*	Т9	UUT PN	04A-005
LAST TEST NO	Т8	TEST TYPE	STATIC

COMPONENTS UNDER TEST

REF DES	TYPE	PARAMETER	FAILURE MODE	TEST LIMIT
R6	DESISTOR (GENERAL)	RESISTANCE	Out of Tolerance: HIGH	UPPER
	RESISTOR (GENERAL)		Out of Tolerance: LOW	LOWER
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	IV/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N1/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A N/A	N/A	N/A
	N/A		N/A	N/A
	N1/A	N/A	N/A	N/A
	N/A		N/A	N/A



Date Printed: 5 February 2023

TEST PROCEDURE

PURPOSE		
Verify resistance is within expected resistance tole	erance.	
,		
SCOPE		
Handheld multimeter measurement at test points.		
	N/A	



Date Printed: 5 February 2023

POWER

None


STIMULI

None


MEASUREMENT

Measure resistance across resistor.

SIGNAL PIN TP5



RETURN PIN TP7





Date Printed: 5 February 2023

ACCEPTANCE CRITERIA

PARAMETER	LOWER LIMIT	TARGET VALUE	UPPER LIMIT	UNITS
RESISTANCE	98	100	102	Ω

TEST RESULTS

RESULT	NEXT STEP	ADJUST	REPLACE
IN TOLERANCE	T10	N/A	N/A
OOT HIGH	END FAIL	N/A	R6
OOT LOW	END FAIL	N/A	R6
OOT HIGH AND UNABLE TO ADJUST	N/A	N/A	N/A
OOT LOW AND UNABLE TO ADJUST	N/A	N/A	N/A



Date Printed: 5 February 2023

THIS SPACE INTENTIONALLY BLANK

FORM CONTROLS

Save

Save and Close

Close Without Saving

Delete

Log Entry Key 20230205193127 Computer ID desktop-jti13j1

User ID nolan

Date Time 20230205193127

PDF C:\Repos\miniPCB\EAGLE\miniPCB\04\A\04A-005\TESTbase v2\Tests\PDFs\T9.pdf