

Date Printed: 5 February 2023

TEST IDENTIFICATION

TEST NAME

U1 Pin 2 Short-Circuit

TEST NO*	T2	UUT PN	04A-005
LAST TEST NO	T1	TEST TYPE	STATIC

COMPONENTS UNDER TEST

EF DES	TYPE	PARAMETER	FAILURE MODE	TEST LIMIT
U1	IC (ANALOG)	CONTINUITY	Short Circuit	LOWER
	ic (ANALOG)	CONTINUITY	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	IV/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	NI/A	N/A	N/A	N/A
	IN/A	N/A N/A	N/A	N/A
	N/A	N/A	N/A	N/A
	N/A		N/A	N/A
	N/A	N/A	N/A	N/A
	IN/A	N/A	N/A	N/A



Date Printed: 5 February 2023

TEST PROCEDURE

PURPOSE		
Detect if U1 has a short-circuit to ground on pin 1.		
·		
SCOPE		
Handheld multimeter measurement.		
	N/A	



Date Printed: 5 February 2023

POWER

None


STIMULI

None


MEASUREMENT

Measure resistance between input pin and ground.

SIGNAL PIN TP1



RETURN PIN TP10





Date Printed: 5 February 2023

ACCEPTANCE CRITERIA

PARAMETER	LOWER LIMIT	TARGET VALUE	UPPER LIMIT	UNITS
RESISTANCE	10 ΚΩ	N/A	N/A	Ω

TEST RESULTS

RESULT	NEXT STEP	ADJUST	REPLACE
IN TOLERANCE	Т3	N/A	N/A
OOT HIGH	N/A	N/A	N/A
OOT LOW	END FAIL	N/A	U1
OOT HIGH AND UNABLE TO ADJUST	N/A	N/A	N/A
OOT LOW AND UNABLE TO ADJUST	N/A	N/A	N/A



Date Printed: 5 February 2023

THIS SPACE INTENTIONALLY BLANK

FORM CONTROLS Save Save and Close Close Without Saving Delete

Log Entry Key 20230205185001 Computer ID desktop-jti13j1 User ID nolan

Date Time 20230205190419

PDF C:\Repos\miniPCB\EAGLE\miniPCB\04\A\04A-005\TESTbase v2\Tests\PDFs\T2.pdf