iConnect | Dashboard | Quiz 1 (Version 1): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=167807&cmid=132465
Beirut Arab Universi... Facebook Instagram Home Page | Terra... Twitter YouTube FPL ...- كورة اون لاين 360 CS50W Replit Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Information
Flag question

Consider the following Numpy array C:

	0	1	2	3
0	—	—	—	—
1	—	—	—	—
2	—	—	—	—
3	—	—	—	—
4	—	—	—	—
5	—	—	—	—
6	—	—	—	—
7	—	—	—	—
8	—	—	—	—

Question 7
Correct
Mark 1.50 out of 1.50
Flag question

Extract the elements located between element (5,0) and element (7,3).

Answer: C[5:8 , 0:4]

The correct answer is: C[5:8,0:4]

Question 8
Complete
Mark 2.50 out of 2.50
Flag question

Consider the Numpy array `a=np.abs(np.random.randn(5,1))`.

Using the Numpy function ***np.linalg.norm***, write a **statement** to normalize *a* by dividing each element by the *maximum element* inside the Numpy array *a*.

Here's the function header: ***np.linalg.norm(array,ord=None)***

ENG 1:52 PM 5/12/2023

iConnect | Dashboard | Quiz 1 (Version 1): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=167807&cmid=132465
Beirut Arab Universi... Facebook Instagram Home Page | Terra... Twitter YouTube FPL ...- كورة اون لاين 360 CS50W Replit Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Question 4
Incorrect
Mark 0.00 out of 1.00
Flag question

If a=np.array([[2,3,1],[1,0,0]]) then the value of a.sum(axis=1) is:

- a. [3,3,1]
- b. [6,1]
- c. [[3,3,1]]
- d. [[6],[1]] ✗

The correct answer is: [6,1]

Question 5
Correct
Mark 1.00 out of 1.00
Flag question

If a=np.array([[2,3,4]]) then a.shape is:

- a. None of the mentioned
- b. (3,1)
- c. (3,0)
- d. (1,3) ✓

The correct answer is: (1,3)

Question 6
Correct
Mark 1.00 out of 1.00
Flag question

If a is a numpy array of shape (3,5), then the operation a*3 involves:

- a. broadcasting ✓
- b. matrix multiplication
- c. overloading
- d. vectorization

The correct answer is: broadcasting

Information
Flag question

Consider the following Numpy array C:

	0	1	2	3
0				

ENG 1:52 PM 5/12/2023

iConnect | Dashboard | Quiz 1 (Version 1): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=167807&cmid=132465
Beirut Arab Universi... Facebook Instagram Home Page | Terra... Twitter YouTube FPL ...- كورة اون لاين 360 CS50W Replit Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Grade 8.00 out of 10.00 (80%)

Question 1
Incorrect
Mark 0.00 out of 1.00
Flag question

If a=np.array([4,5]), then the value of a after a.reshape(1,2) is:

- a. [4, 5]
- b. [[4],[5]]
- c. None of the mentioned
- d. [[4, 5]] ✗

The correct answer is: [4, 5]

Question 2
Correct
Mark 1.00 out of 1.00
Flag question

If a=np.linspace(1,10,2), then the value of a is:

- a. [1., 4., 7., 10.]
- b. [1., 4., 7.,]
- c. [1., 4., 7., 9.]
- d. None of the mentioned ✓

The correct answer is: None of the mentioned

Question 3
Correct
Mark 1.00 out of 1.00
Flag question

If a=np.array([[2,3,4,1]]) then a.shape is:

- a. (1,4) ✓
- b. None of the mentioned
- c. (4,1)
- d. (4,0)

The correct answer is: (1,4)

Question 4

If a=np.array([[2,3,1],[1,0,0]]) then the value of a.sum(axis=1) is:

Slicing
Coding
Show one page at a time
Finish review

https://moodle.bau.edu.lb/mod/quiz/review.php?attempt=167807&cmid=1...
ENG 1:52 PM 5/12/2023

iConnect | Dashboard | Quiz 1 (Version 1): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=167807&cmid=132465
Beirut Arab Universi... Facebook Instagram Home Page | Terra... Twitter YouTube FPL ...- كورة اون لاين 360 CS50W Replit Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Question **8**
Complete
Mark 2.50 out of 2.50
Flag question

Consider the Numpy array *a=np.abs(np.random.randn(5,1))*.

Using the Numpy function ***np.linalg.norm***, write a **statement** to normalize *a* by dividing each element by the *maximum element* inside the Numpy array *a*.

Here's the function header: ***np.linalg.norm(array,ord=None)***

Hint: The following table shows the normal forms that can be calculated according to the ***ord*** argument in *np.linalg.norm*.

ord	norm for matrices	norm for vectors
None	Frobenius norm	2-norm
'fro'	Frobenius norm	-
'nuc'	nuclear norm	-
np.inf	max(sum(abs(x), axis=1))	max(abs(x))
- np.inf	min(sum(abs(x), axis=1))	min(abs(x))
0	-	sum(x != 0)
1	max(sum(abs(x), axis=0))	as below
-1	min(sum(abs(x), axis=0))	as below
2	2-norm (largest sing. value)	as below
-2	smallest singular value	as below
other	-	sum(abs(x)**ord)**(1./ord)

The Frobenius norm is given by [1]:

$$||A||_F = [\sum_{i,j} abs(a_{i,j})^2]^{1/2}$$

```
b=np.linalg.norm(a,ord=np.inf)
value=a/b
```

Finish review

ENG 1:52 PM 5/12/2023

iConnect | Quiz 2 (D2): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=172058&cmid=137029
Beirut Arab Universi... | Facebook | Instagram | Home Page | Terra... | Twitter | YouTube | FPL | ...- كورة اون لاين 360 | CS50W | Replit | Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Question 7
Incorrect
Mark 0.00 out of 2.00
Flag question

In the "Age" column, 75% of the records are less than or equal to:

- a. 56
- b. 77
- c. 70
- d. 61

The correct answer is: 61

Question 8
Correct
Mark 2.00 out of 2.00
Flag question

The "Chol" and "Fbs" columns have a correlation of:

- a. -0.175340
- b. 0.130120
- c. 0.175340
- d. -0.130120

The correct answers are: 0.130120, -0.130120, 0.175340, -0.175340

Information
Flag question

Consider the following boxplot:



ENG 1:53 PM 5/12/2023

iConnect | Quiz 2 (D2): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=172058&cmid=137029
Beirut Arab Universi... | Facebook | Instagram | Home Page | Terra... | Twitter | YouTube | FPL | 360 كورة اون لاين -... | CS50W | Replit | Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Question 4
Incorrect
Mark 0.00 out of 0.75
Flag question

Which of the following methods replaces NaN with '?' and modifies a copy of a dataFrame df?

- a. df.replace('?',np.NaN,inplace=False)
- b. df.replace(np.NaN,'?',inplace=True) ✗
- c. df.replace('?',np.NaN,inplace=True)
- d. df.replace(np.NaN,'?',inplace=False)

The correct answer is: df.replace(np.NaN,'?',inplace=False)

Question 5
Correct
Mark 1.00 out of 1.00
Flag question

The "Sex" is a:

- a. numerical feature
- b. none of the mentioned
- c. continuous feature
- d. categorical feature ✓

The correct answer is: categorical feature

Question 6
Correct
Mark 1.00 out of 1.00
Flag question

In case we need to develop a model using the "AHD" feature as an output, which supervised learning method we should use?

- a. regression
- b. classification ✓
- c. clustering
- d. anomaly detection

The correct answer is: classification

Question 7
Incorrect
Mark 0.00 out of 2.00
Flag

In the "Age" column, 75% of the records are less than or equal to:

- a. 56 ✗
- b. 77
- c. 70

ENG 1:53 PM 5/12/2023

iConnect | Quiz 2 (D2): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=172058&cmid=137029
Beirut Arab Universi... | Facebook | Instagram | Home Page | Terra... | Twitter | YouTube | FPL | 360 كورة اون لاين -... | CS50W | Replit | Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Information
Flag question

Consider the following boxplot:



Question 9
Correct
Mark 1.00 out of 1.00
Flag question

The value of the 1st quartile is almost:

- a. 120
- b. 90
- c. 130
- d. 140

The correct answer is: 120

Finish review

Previous activity
◄ Quiz 1 (Version 2)

Jump to...

Next activity
Quiz 2 (D1 and D3) ►

ENG 1:53 PM 5/12/2023

ray a=np.abs(np.random.randn(5,1)).

ion np.linalg.norm, write a statement to normalize a by dividing each element by the maximum el

eader: np.linalg.norm(array,ord=None)

table shows the normal forms that can be calculated according to the ord argument in np.linalg.no

ord	norm for matrices	norm for vectors
None	Frobenius norm	2-norm
'fro'	Frobenius norm	-
'nuc'	nuclear norm	-
np.inf	max(sum(abs(x), axis=1))	max(abs(x))
-np.inf	min(sum(abs(x), axis=1))	min(abs(x))
0	-	sum(x != 0)
1	max(sum(abs(x), axis=0))	as below
-1	min(sum(abs(x), axis=0))	as below
2	2-norm (largest sing. value)	as below
-2	smallest singular value	as below
other	-	sum(abs(x)**ord)**(1./ord)

The Frobenius norm is given by [1]:

$$\|A\|_F = [\sum_{i,j} abs(a_{i,j})^2]^{1/2}$$

m(a,ord=np.inf)

Activate Windows
Go to Settings to activate Windows.

110%

ENG

6:35
4/27/20

iConnect | Quiz 2 (D2): Attempt review | Downloads
moodle.bau.edu.lb/mod/quiz/review.php?attempt=172058&cmid=137029
Beirut Arab Universi... | Facebook | Instagram | Home Page | Terra... | Twitter | YouTube | FPL | ...- كورة اون لاين 360 | CS50W | Replit | Sage - Poe
Font size A- A A+ Site color R A A A
جامعة بيروت العربية
BEIRUT ARAB UNIVERSITY

Question 1
Correct
Mark 0.75 out of 0.75
Flag question

How can you rename a column in a Pandas DataFrame?

- a. df.column_name = 'new_name'
- b. df.rename(columns={'column_name': 'new_name'})
- c. df.columns('column_name', 'new_name')
- d. df.new_name = 'column_name'

The correct answer is: df.rename(columns={'column_name': 'new_name'})

Question 2
Correct
Mark 0.75 out of 0.75
Flag question

If the pearson correlation between two variables is -1, this means that:

- a. they are directly proportional to each other
- b. they are inversely proportional to each other
- c. they are independent from each other
- d. None of the mentioned

The correct answer is: they are inversely proportional to each other

Question 3
Correct
Mark 0.75 out of 0.75
Flag question

Which method is used to display the last 5 records in a pandas DataFrame?

- a. data.tail(20)
- b. data.head(20)
- c. data.tail()
- d. data.head()

The correct answer is: data.tail()

Question 4
Incorrect
Mark 0.00 out of 0.75

Which of the following methods replaces NaN with '?' and modifies a copy of a dataFrame df?

- a. df.replace('?',np.NaN,inplace=False)
- b. df.replace(np.NaN,'?',inplace=True)

Practical
5 6 7 8
Boxplot
1 9
Show one page at a time
Finish review

ENG 1:53 PM 5/12/2023