

CJSM POP guide - Microsoft Outlook 2007

- 1) Open Outlook 2007.
- 2) Go to **Tools** and then **Account Settings**.



- 3) Click on the Email Tab and click on the "NEW.." button
- 4) Select Microsoft Exchange, POP3, IMAP, or HTTP and click on NEXT.
- 5) Select the checkbox at the bottom "Manually Configure Server Setting or additional Server types" and click on NEXT



6) Select **INTERNET E-mail** and click **NEXT**.

7) Fill out the fields

Your Name: John Smith (Enter your full name or nick name)

Email Address: example@chambers.cjsm.net (Enter your full CJSM email address)


Account Type: **POP3**

Incoming Mail server: **Mail.cjsm.net** Outgoing Mail server: **smtp.cjsm.net**

User Name: firstname.Lastname@abbreviation

Password: Enter your CJSM password (the same one you use to login to the website)


Check Remember password.




- 8) Click on the "More Settings" button.
- 9) Click on the "Outgoing server tab" and tick "My outgoing Server (SMTP) Requires Authentication)" and use same settings as my incoming Mail Server should also be selected.



- Click on the Advanced Tab and check "This Server requires an encrypted Connection SSL (Port should change to 995)
- 11) Under "Outgoing Server" Use the following type of encrypted connection: Auto
 - a. Check "Leave a Copy of messages on the server."
 - b. Check "Remove From Server when deleted from Delete items"
 - c. Click on "OK"



12) Click on the "Test Account Settings" button. If the account was setup successfully, you should see the following dialogue box. You can then click on **Close**, **Next** and **Finish**



You have now successfully setup your CJSM Account. If the CJSM account is not set as default, please ensure you select to send from it, when sending a secure email.

Troubleshooting:

Note: if your POP3 account attempts to login 3 times with the incorrect password, your account will be locked and will require a password reset from your CJSM administrator.

• If you receive the following dialogue during the test account settings stage:



It is possible the default port **25** is being blocked by your Internet provider. Please use the alternative port 2525 instead. To do this, see step 10 above and change the port from 25 to **2525** under outgoing server.

- On occasions, antivirus software blocks secure email. Please disable "Email scanning" or "SMTP scanning" in your antivirus software to resolve this.
- If you receive the following dialogue during the test account settings:



It would indicate, port 995 is being blocked by a firewall or antivirus. Please enable port 995 on the firewall to fix this error.