

# Celectric Website Redesign — Phase 1A Submission Pack

---

## Purpose

This document summarizes the Phase 1A work for the Celectric website redesign project, based on the accepted quotation.

Phase 1A focuses on:

- discovery
- sitemap planning
- technical planning
- content and data structure confirmation

This pack records the Phase 1A outputs, planning baseline, and recommended implementation direction established for the next project phases.

---

## Phase 1A Scope from Quotation

| Phase    | Scope                                                                       | Billing Amount |
|----------|-----------------------------------------------------------------------------|----------------|
| Phase 1A | Discovery, sitemap, technical planning, content/data structure confirmation | RM 5,000       |

---

## 1. Discovery Summary

The agreed direction is to redesign the Celectric website as an **industrial product catalog and enquiry platform**, not only as a static company profile website.

The Phase 1 website should support:

- product browsing
- category browsing
- brand browsing
- product specification / datasheet access
- enquiry / RFQ submission
- future catalog growth around 3,000+ products

- a lightweight admin system for managing product and content updates

The primary conversion goal for Phase 1 is **enquiry / request for quotation**, not public e-commerce checkout.

---

## 2. Proposed Phase 1 Sitemap

### Main Public Website Pages

| Section                 | Purpose                                                                    |
|-------------------------|----------------------------------------------------------------------------|
| Home                    | Introduce Celectric, highlight product categories, brands, and enquiry CTA |
| Products                | Main product catalog listing and search/filter entry point                 |
| Product Detail          | Individual product information, specifications, datasheets, and RFQ CTA    |
| Categories              | Product discovery by category                                              |
| Category Detail         | Products grouped under a selected category                                 |
| Brands                  | Brand listing and brand discovery                                          |
| Brand Detail            | Products grouped under a selected brand                                    |
| Blog / Insights         | Technical articles, updates, and SEO content                               |
| Resources / Datasheets  | Product documents, datasheets, manuals, certificates, or related files     |
| About                   | Company profile and credibility information                                |
| Contact / Request Quote | General enquiry and RFQ submission                                         |

### Recommended Top Navigation

- Home
  - Products
  - Categories
  - Brands
  - Blog / Insights
  - About
  - Contact / Request Quote
-

### 3. URL and SEO Structure

The website should use stable, SEO-friendly URLs.

#### Recommended URL Rules

| Page Type        | URL Pattern                                      |
|------------------|--------------------------------------------------|
| Product listing  | /products                                        |
| Product detail   | /products/{product-slug}                         |
| Category listing | /categories                                      |
| Category detail  | /categories/{category-slug}                      |
| Brand listing    | /brands                                          |
| Brand detail     | /brands/{brand-slug}                             |
| Blog listing     | /blog or /insights                               |
| Blog article     | /blog/{article-slug} or /insights/{article-slug} |
| Contact / RFQ    | /contact or /request-quote                       |

#### Product Canonical Rule

Each product should have **one stable canonical product detail URL**:

```
/products/{product-slug}
```

A product may appear in multiple categories, but this should not create multiple product detail URLs.

For example, the same product should not generate separate indexable URLs such as:

```
/categories/category-a/product-name  
/categories/category-b/product-name
```

Instead, category pages should link to the same canonical product page.

This avoids duplicate-content issues and keeps product URLs stable even when category assignments change.

#### Three-Layer Product URL / SEO Structure

Celectric should support three product-related URL layers:

| Layer                         | URL Example                                                                  | Purpose                                                                                        | SEO Rule                                                                                                 |
|-------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Main product page             | /products/ee650-air-velocity-transmitter                                     | Main product detail page for description, brand/category browsing, datasheets, and enquiry CTA | Canonical indexable product page                                                                         |
| Configurator page with params | /products/ee650-air-velocity-transmitter/configure?45793=241952&45794=297497 | Shareable configuration state that restores selected option group/value IDs                    | Usually not a separate SEO page; should canonical back to the main product or approved model-number page |
| Direct model-number SEO page  | /configuration/ee650-t2j3l100p1bd5                                           | Clean landing page for important approved configured model numbers searched on Google          | Can be indexable only for approved important model numbers                                               |

Recommended rule:

- Main product pages are the default canonical product URLs.
- Configurator URLs with query parameters are mainly for restoring selected options and sharing a configured state.
- Important final model numbers can have direct SEO pages such as /configuration/{configured-part-number} when approved.
- Tracking parameters such as srsltid should not be included in canonical URLs.
- Low-value or unapproved configuration combinations should not automatically become indexable SEO pages.

## 4. Content and Data Structure Confirmation

### Product

Products should support the following fields:

- product name
- slug

- brand
- one or more categories
- short summary
- product description using Markdown format
- key specifications
- product images
- product datasheets / documents
- import-ready field structure
- related products linking field for Phase 1 data/admin readiness
- publish status
- sort order
- SEO title
- SEO description
- canonical URL

## Category

Categories should support:

- category name
- slug
- description using Markdown format
- category image or icon where needed
- publish status
- sort order
- SEO title
- SEO description

## Brand

Brands should support:

- brand name
- slug
- logo
- description using Markdown format
- publish status
- sort order
- SEO title
- SEO description

## Blog / Insights

Blog or insight articles should support:

- title
- slug
- summary

- article body using Markdown format
- cover image
- category / tag fields where needed
- publish date
- publish status
- SEO title
- SEO description

## Documents / Datasheets

Documents should support:

- document title
- file type or document type, for example datasheet, manual, certificate, wiring diagram, or brochure
- related product, brand, or category where applicable
- public or internal-only access rule where applicable
- direct download behavior for product-related documents
- email tracking for blog-related documents where required
- file storage path
- publish status

## RFQ / Enquiry

RFQ submissions should capture:

- customer name
- company name
- email
- phone number
- message / requirement
- selected product where applicable
- selected configuration where applicable
- selected document request where applicable
- submission date and status

---

## 5. Data Relationship Rules

### Product and Category

A product can belong to more than one category.

Recommended relationship:

products ↔ categories = many-to-many

This allows one product to appear under multiple relevant category pages without duplicating the product detail page.

## Product and Brand

A product belongs to one brand by default.

Recommended relationship:

```
product → brand = belongs-to
```

## Product and Documents

A product can have multiple documents.

Examples:

- datasheet
  - manual
  - certificate
  - technical drawing
  - brochure
- 

# 6. Technical Planning Summary

## Recommended Architecture

Phase 1 should use a **manual batch static publish architecture**.

Recommended setup:

- Laravel manages admin dashboard, product data, categories, brands, documents, RFQ, and publish control
- public website pages are generated as static HTML / JSON files during a controlled publish step
- Cloudflare R2 stores product images, product specification PDFs, and future private documents
- Cloudflare CDN / static hosting serves the public website
- RFQ submission, admin management, and configurator validation remain Laravel-backed dynamic functions

## Manual Batch Publish Flow

1. Admin updates products, categories, brands, blog posts, images, or documents in Laravel.
2. Changes are saved as draft or pending changes.
3. The live public website is not changed immediately.
4. Admin reviews the pending changes.
5. Admin clicks **Publish Static Site** when ready.
6. Laravel generates updated static pages and data files.

7. The system deploys the generated static files to the public hosting/CDN.
8. Cache is refreshed or purged where needed.
9. Admin can review publish status and any errors.
10. A failed publish should not break the current live website.
11. The previous successful static version should remain available for rollback where practical.

This allows Celectric to batch product/content updates and publish every few days, while still allowing urgent corrections to be published immediately when required.

---

## 7. Static vs Dynamic Responsibility Boundary

| Area                              | Recommended Handling                                       |
|-----------------------------------|------------------------------------------------------------|
| Public homepage                   | Static generated page                                      |
| Product listing                   | Static generated page / static data where practical        |
| Product detail                    | Static generated page                                      |
| Category pages                    | Static generated page                                      |
| Brand pages                       | Static generated page                                      |
| Blog / insights                   | Static generated page                                      |
| Admin dashboard                   | Laravel dynamic backend                                    |
| Product/category/brand management | Laravel dynamic backend                                    |
| RFQ submission                    | Laravel dynamic backend                                    |
| Configurator validation           | Laravel dynamic backend                                    |
| Manual publish control            | Laravel dynamic backend / queue job                        |
| Publish status tracking           | Pending, building, deployed, failed                        |
| Publish failure / rollback        | Failed publish should not replace the current live website |
| File storage                      | Cloudflare R2                                              |

---

## 8. Search and Filter Scope Confirmation



Phase 1 includes basic launch search/filter only.

Included in Phase 1:

- keyword search by product name, model number, part number, brand, or category
- brand filter
- category filter
- simple sorting such as default order, A-Z, or newest where data supports it

Not included in Phase 1:

- autocomplete dropdown suggestions
- advanced faceted filtering by many technical specifications
- fuzzy / typo-tolerant search
- AI search
- product comparison tools

These advanced discovery features can be considered in Phase 2 after launch data is stable.

---

## 9. Configurator Scope Confirmation

Phase 1 includes a configurable product foundation for the approved launch dataset only.

Included in Phase 1:

- product option groups
  - product option values
  - product option rules
  - all product configurations approved by default
  - browser-based display of generated model / part number
  - shareable configuration URL restore behavior
- 
- RFQ capture of selected configuration details

Not included in Phase 1:

- full CPQ pricing engine
  - automated quotation calculation
  - inventory validation
  - ERP / Odoo-driven configuration sync
  - public checkout or payment
  - full CPQ-style rule enforcement for future product combinations beyond the launch setup
- 

## 10. Storage and Document Strategy

Cloudflare R2 is recommended for product images, product specification PDFs, and future private client/order documents.

Recommended storage separation:

| Storage Area            | Purpose                                                  | Access Rule                                          |
|-------------------------|----------------------------------------------------------|------------------------------------------------------|
| product-images/         | Product images                                           | Public / CDN-friendly                                |
| product-specifications/ | Datasheets, manuals, technical PDFs                      | Direct public download for product-related documents |
| order-documents/        | Future invoices, delivery orders, receipts, client files | Private/internal business documents                  |

- ? Product images should be public/CDN-friendly for fast website loading.
- ? Product-related PDFs/documents should support direct download.
- ? Blog-related documents may use email tracking where needed.
- ? Future order/client documents should remain private/internal where applicable.

---

## 11. Admin Scope Confirmation

The lightweight admin dashboard should support:

- product management
- category management
- brand management
- blog / insights management
- product image upload
- product document / datasheet upload
- document type labels such as datasheet, manual, certificate, wiring diagram, or brochure
- publish / unpublish control
- sorting control
- SEO fields
- Markdown-based description/body fields
- manual static publish control
- publish status review such as pending, building, deployed, or failed
- RFQ/enquiry review

Long-form content fields should use Markdown format as the source content, not raw WYSIWYG HTML.

---

## 12. Phase 1 Baseline Assumptions

To complete Phase 1A planning efficiently, the following baseline assumptions were adopted for planning and downstream implementation.

These assumptions form the **current recommended Phase 1 baseline** used in this submission pack. If business priorities change later, those refinements can be handled in subsequent implementation planning without affecting the completion of this Phase 1A scope.

- pricing remains enquiry/RFQ-led in Phase 1, with selective price display possible later if approved
- Phase 1 is planned as a single-language website unless a bilingual requirement is introduced later
- WhatsApp or direct sales contact CTA is recommended on relevant enquiry/contact areas
- Solutions / Industries pages are treated as future/optional content unless specifically requested for Phase 1
- homepage design should prioritize key product categories and brands

? product specification PDFs are assumed to support direct download by default

? email tracking is only applied to blog-related document flows where needed

- initial document type labels are assumed to include datasheet, manual, certificate, wiring diagram, brochure, and technical drawing
  - additional document types can be added later without changing the overall Phase 1 structure
- 

## 13. Recommended Next-Phase Focus

Based on the Phase 1A planning completed in this pack, the next implementation stages will focus on:

- UI/UX direction and key page layout design
  - frontend foundation for catalog, product, category, brand, and enquiry flows
  - admin foundation for product/content/document management
  - RFQ submission handling and configuration capture
  - static publish workflow setup and deployment readiness
  - preparation and cleanup of the approved launch product dataset
- 

## 14. Phase 1A Completion Statement

This document records the Phase 1A discovery, sitemap planning, technical planning, and content/data structure definition work completed for the Celectric website redesign project under the accepted quotation.

It serves as the delivery summary for the completed Phase 1A scope and as the working reference for the next implementation stages under the accepted Phase 1 direction.