Appendix

Table I.1.2.1 Summary statistics

	PRECIP	EDUC	NONWHITE	POOR	NOX	SO2	MORTALITY
Min.	10.00	9.00	0.80	9.40	1.00	1.00	790.7
1st Qu.	32.75	10.40	4.95	12.00	4.00	11.00	898.4
Median	38.00	11.05	10.40	13.20	9.00	30.00	943.7
Mean	37.37	10.97	11.87	14.37	22.65	53.77	940.4
3rd Qu.	43.25	11.50	15.65	15.15	23.75	69.00	983.2
Max.	60.00	12.30	38.50	26.40	319.00	278.00	1113.0

Figure I.1.2.1 Histogram of each variable




Table I.1.2.2 Single linear regression results summary

	Estimate	Std. Error	t value	Pr(> t)	R square
PRECIP	3.174	0.7039	4.509	3.22e-05	0.2596
EDUC	-37.601	8.306	-4.527	3.02e-05	0.2611
NONWHITE	4.4884	0.7006	6.406	2.89e-08	0.4144
POOR	6.137	1.79	3.428	0.00112	0.1685
NOX	-0.1039	0.1757	-0.591	0.557	0.005988
SO2	0.418	0.1166	3.585	0.000691	0.1814

Figure I.1.3.1 Histogram of possible transformations




Table I.1.3.1 Correlation matrix

##		PRECIP	EDUC	NONWHITE	POOR	NOX
##	PRECIP	1.0000000	-0.49042518	0.34931594	0.50658543	-0.36830267
##	EDUC	-0.4904252	1.00000000	-0.15861781	-0.40333845	0.01798472
##	NONWHITE	0.3493159	-0.15861781	1.00000000	0.64267418	0.19583176
##	POOR	0.5065854	-0.40333845	0.64267418	1.00000000	-0.09027348
##	NOX	-0.3683027	0.01798472	0.19583176	-0.09027348	1.00000000
##	S02	-0.1211723	-0.25616219	0.05780639	-0.19336723	0.73280742
##	MORTALITY	0.5094924	-0.51098130	0.62366084	0.41045399	0.29199967
##		S02	MORTALITY			
##	PRECIP	-0.12117231	0.5094924			
##	EDUC	-0.25616219	-0.5109813			
##	NONWHITE	0.05780639	0.6236608			
##	POOR	-0.19336723	0.4104540			
##	NOX	0.73280742	0.2919997			
##	S02	1.00000000	0.4031300			
##	MORTALITY	0.40313003	1.0000000			




Figure I.1.3.2 Matrix plot






Table I.1.3.2 VIF

	PRECIP	EDUC	NONWHITE	POOR	NOX	SO2
VIF	2.114044	1.871773	2.127563	2.680043	3.381715	3.272394

Table II.2.1.1 Stepwise regression (first order)

```
## Step: AIC=-61.03
## MORTALITY ~ NONWHITE + EDUC + SO2 + PRECIP
##
              Df Sum of Sq
                              RSS
                                      AIC
## <none>
                           18.366 -61.031
## + NOX
                    0.4283 17.938 -60.447
               1
## + POOR
                    0.3862 17.980 -60.306
               1
## - EDUC
               1
                    1.5853 19.951 -58.064
## - PRECIP
               1
                    3.0516 21.417 -53.809
## - SO2
               1
                    6.4080 24.774 -45.074
## - NONWHITE 1
                   11.2504 29.616 -34.361
88
## Call:
## lm(formula = MORTALITY ~ NONWHITE + EDUC + SO2 + PRECIP, data =
mortality_std)
## Coefficients:
## (Intercept)
                   NONWHITE
                                    EDUC
                                                  502
                                                            PRECIP
                                            3.593e-01
## 3.322e-16
                 4.696e-01 -2.024e-01
                                                         2.897e-01
```

Figure II.2.1.1 Residual plots for first order regression models




Table II.2.1.2 Stepwise regression (second order)

```
## Step: AIC=-68.03
## MORTALITY ~ NONWHITE + EDUC + SO2 + PRECIP + NONWHITE: SO2 + EDUC: SO2
##
       SO2: PRECIP
##
##
                      Df Sum of Sq
                                       RSS
                                               AIC
## <none>
                                    14.788 -68.030
## + EDUC:NONWHITE
                           0.44327 14.345 -67.856
                       1
## + POOR
                           0.41002 14.378 -67.717
                       1
## - SO2:PRECIP
                       1
                           0.66771 15.456 -67.381
## + PRECIP: EDUC
                           0.32327 14.465 -67.356
                       1
  + PRECIP: NONWHITE
                       1
                           0.12835 14.660 -66.553
## + NOX
                           0.03115 14.757 -66.157
                       1
## - EDUC:SO2
                           1.07945 15.868 -65.803
                       1
## - NONWHITE:SO2
                       1
                           1.46619 16.255 -64.358
##
## Call:
## lm(formula = MORTALITY ~ NONWHITE + EDUC + SO2 + PRECIP +
NONWHITE:SO2 +
##
       EDUC:SO2 + SO2:PRECIP, data = mortality_std)
  Coefficients:
                      NONWHITE
                                         EDUC
                                                         502
                                                                     PRECIP
##
    (Intercept)
                                                     0.41399
                                                                   0.28651
##
        0.07058
                       0.47763
                                     -0.19947
## NONWHITE:SO2
                      EDUC:SO2
                                   SO2:PRECIP
       -0.23873
                       0.16954
                                      0.12004
```

Figure II.2.1.2 Residual plots for second order regression models




Figure II.2.2.1 Ridge regression lambda




Figure II.2.2.2 Residual plot of ridge regression




Figure II.2.3.1 Ridge regression lambda





Figure II.2.3.2 Residual plot of lasso regression



residuals vs fitted values (lass histogram of residuals (lasso





Table II.2.4.1 PLS

```
## Data:
            X dimension: 60 6
##...Y dimension: 60 1
## Fit method: kernelpls
## Number of components considered: 5
##
## VALIDATION: RMSEP
## Cross-validated using 10 random segments.
                                           3 comps
##
          (Intercept)...l comps
                                 2 comps
                                                    4 comps
## CV
                1.008
                         0.6402
                                  0.6428
                                            0.6538
                                                     0.6440
                                                               0.6699
## adjCV
                1.008
                         0.6375
                                  0.6405
                                            0.6476
                                                     0.6394
                                                               0.6630
##
## TRAINING: % variance explained
##
              1 comps 2 comps
                                 3 comps
                                           4 comps
                                                    5 comps
## X
                35.48
                          64.84
                                                      97.12
                                   76.44
                                             88.02
## MORTALITY
                64.10
                          67.32
                                   70.10
                                             70.40
                                                      70.54
```

Figure II.2.4.1 Residual plot of PLS



residuals vs fitted values (pls

residuals

fitted mortality of the documents of the

histogram of residuals (pls)




Table II.2.4.2 Loadings

```
## Loadings:
##
            Comp 1 Comp 2 Comp 3 Comp 4
## PRECIP
             0.432 -0.322
                            0.703 -0.545
## EDUC
            -0.472
                    0.123
                            0.104
                                   0.484
## NONWHITE
             0.515
                            0.176
                                   0.894
## POOR
             0.492 -0.560 -0.301
                                   0.111
## NOX
             0.200
                    0.676 -0.603
                                   0.292
## S02
             0.270
                    0.756 -0.286 -0.403
##
##
                  Comp 1 Comp 2 Comp 3 Comp 4
## SS loadings
                   1.029
                           1.465
                                  1.073
                                         1.590
## Proportion Var
                   0.172
                          0.244
                                  0.179
                                         0.265
                   0.172 0.416
## Cumulative Var
                                  0.595
                                         0.860
```

Figure II.4.1 Residual plots for final model




Figure II.4.2 Residual plots for final model after deleting outlier




Table III.2.1 regression model of mortality to NOX and SO2

Call:

lm(formula = MORTALITY ~ NOX + SO2, data = mortality_std)

Residuals:

Min 1Q Median 3Q Max -1.8259 -0.5532 0.0329 0.4833 3.6518

Coefficients:

Estimate Std. Error t value Pr(>|t|)
(Intercept) 1.488e-16 1.202e-01 0.000 1.0000
NOX -7.380e-03 1.781e-01 -0.041 0.9671
S02 4.085e-01 1.781e-01 2.293 0.0255 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.931 on 57 degrees of freedom Multiple R-squared: 0.1625, Adjusted R-squared: 0.1332

F-statistic: 5.531 on 2 and 57 DF, p-value: 0.006375