# Data Analysis of Roll Call Data

# **Table of contents**

0.0.1	MODEL 1: Simple Linear Probability Model (OLS)	1
0.0.2	plot correllelograms of variables	3
0.0.3	113th session contributions & vote change	4
0.0.4	114th session contributions & vote change	6
0.0.5	115th session contributions & vote change	7
0.0.6	116th session contributions & vote change	8
0.0.7	117th session contributions & vote change	9
0.0.8	MODEL 2: Subsample OLS	10
1 OLS		11
1.0.1	OLS vote change and party affiliation	14
1.0.2	MODEL 3: Subsample OLS with (time and state) Fixed Effects	15
1.0.3	MODEL 4: Probit and Logit for Robustness	17

The summary statistics and plots of the data can be found in the plots.qmd file in the same directory.

# 0.0.1 MODEL 1: Simple Linear Probability Model (OLS)

```
ols_1 <- lm(Vote_change_dummy ~ ., data = df_ols)
summary(ols_1)</pre>
```

```
Call:
lm(formula = Vote_change_dummy ~ ., data = df_ols)
Residuals:
    Min    1Q    Median    3Q    Max
```

#### Coefficients:

```
Estimate Std. Error t value Pr(>|t|)
                  6.820e-02 3.189e-02
(Intercept)
                                         2.139 0.034359 *
partyR
                 -1.518e-01 4.286e-02 -3.542 0.000556 ***
amount.oil.113
                 -8.330e-07
                             8.584e-07 -0.970 0.333698
amount.coal.113
                 -4.450e-06 5.966e-06 -0.746 0.457167
amount.mining.113 5.810e-06 4.063e-06
                                         1.430 0.155178
amount.gas.113
                 -9.351e-07
                             4.958e-06 -0.189 0.850709
amount.env.113
                                        -0.056 0.955762
                 -1.753e-07
                             3.153e-06
amount.alt_en.113 -6.919e-07
                             5.805e-06
                                        -0.119 0.905314
amount.oil.114
                  2.799e-06 1.049e-06
                                         2.669 0.008613 **
amount.coal.114
                 -2.812e-06 1.163e-05
                                        -0.242 0.809344
amount.mining.114 -8.828e-07
                             6.142e-06 -0.144 0.885932
amount.gas.114
                  1.996e-06
                             5.492e-06
                                         0.363 0.716855
amount.env.114
                  9.669e-07
                             3.081e-06
                                         0.314 0.754191
amount.alt_en.114 -4.219e-06
                             6.599e-06 -0.639 0.523823
amount.oil.115
                 -5.681e-07
                             1.536e-06
                                        -0.370 0.712118
amount.coal.115
                                         1.074 0.284856
                  1.117e-05
                             1.040e-05
amount.mining.115 -5.952e-06
                             6.088e-06
                                        -0.978 0.330121
amount.gas.115
                  3.506e-06 5.637e-06
                                         0.622 0.535031
amount.env.115
                 -3.020e-06 5.404e-06
                                        -0.559 0.577231
amount.alt en.115 -7.277e-07
                             5.408e-06 -0.135 0.893185
amount.oil.116
                  4.503e-07 1.041e-06
                                        0.432 0.666166
amount.coal.116
                 -7.205e-06
                             9.238e-06 -0.780 0.436873
amount.mining.116 -1.140e-06
                             2.627e-06
                                        -0.434 0.664976
amount.gas.116
                 -6.622e-06 5.546e-06
                                        -1.194 0.234662
amount.env.116
                 -1.180e-06
                             5.540e-06
                                        -0.213 0.831740
amount.alt_en.116 7.405e-06
                             4.567e-06
                                         1.622 0.107386
amount.oil.117
                 -8.185e-07
                             8.387e-07
                                        -0.976 0.330981
amount.coal.117
                 -1.329e-05 1.234e-05
                                        -1.077 0.283553
amount.mining.117 1.028e-05 7.695e-06
                                         1.336 0.184041
amount.gas.117
                  6.090e-06
                             4.280e-06
                                         1.423 0.157162
amount.env.117
                             3.179e-06
                                        -0.543 0.588222
                 -1.725e-06
amount.alt_en.117 -2.717e-06 2.382e-06
                                        -1.141 0.256168
Signif. codes:
               0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Residual standard error: 0.1938 on 127 degrees of freedom (401 observations deleted due to missingness)

Multiple R-squared: 0.3721, Adjusted R-squared: 0.2188

F-statistic: 2.428 on 31 and 127 DF, p-value: 0.0002924

here we can see the results are not very significant, only the party variable gives us significant results.

```
ols sum <- lm(Vote change dummy ~ ., data = df sum)
summary(ols sum)
Call:
lm(formula = Vote_change_dummy ~ ., data = df_sum)
Residuals:
    Min
                   Median
              1Q
                                3Q
                                        Max
-0.34468 -0.03988 -0.02993 -0.02358 0.96847
Coefficients:
             Estimate Std. Error t value Pr(>|t|)
(Intercept) 2.897e-02 1.435e-02 2.019 0.044020 *
partyR
           5.263e-03 1.893e-02 0.278 0.781097
oil sum
           -3.839e-08 8.031e-08 -0.478 0.632798
coal_sum
           -1.428e-06 1.049e-06 -1.361 0.173919
gas_sum
           2.001e-06 5.404e-07 3.702 0.000235 ***
mining_sum 2.365e-07 6.302e-07 0.375 0.707595
           -4.296e-07 3.240e-07 -1.326 0.185466
env_sum
alt_en_sum -3.039e-07 5.164e-07 -0.589 0.556430
               0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
Signif. codes:
Residual standard error: 0.1938 on 552 degrees of freedom
Multiple R-squared: 0.05964,
                               Adjusted R-squared: 0.04772
F-statistic: 5.002 on 7 and 552 DF, p-value: 1.651e-05
```

interestingly, at least amount\_gas is more significant here, but party variable does not produce any significant results.


# 0.0.2 plot correllelograms of variables

# view(df sum)

Results are not very significant, we need to add more variables, but also we need to check each session with the vote changes.

```
# ggpairs(df_ols)
ggpairs(df_sum)
```

```
`stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



Interpretation...

## 0.0.3 113th session contributions & vote change

I am looking at each session independently, aka the vote of the representative in the 113th session and the corresponding contributions received. I am regressing these values with the Vote\_change\_dummy. This does not necessarily mean that a representative had to have changed their vote in the next session, but just how representatives who eventually changed their votes voted, and how their campaign contributions looked like in the 113th session.

```
df_113 <- filter_session_data(df, "113")
ols_113 <- lm(Vote_change_dummy ~ ., data = df_113)
summary(ols_113)</pre>
```

Max

```
Call:
lm(formula = Vote_change_dummy ~ ., data = df_113)
Residuals:
```

Median

-0.66110 -0.04054 -0.01896 -0.00082 0.96801

1Q

### Coefficients:

Min

```
Estimate Std. Error t value Pr(>|t|)
(Intercept)
                  7.503e-01 8.503e-02
                                         8.823 3.35e-16 ***
partyR
                 -7.528e-01 8.547e-02 -8.809 3.69e-16 ***
Vote3+
                 -7.297e-01 8.691e-02 -8.396 5.47e-15 ***
                  1.719e-07 2.960e-07 0.581 0.562013
amount.oil.113
amount.coal.113
                 -2.441e-06 3.114e-06 -0.784 0.433975
amount.mining.113 1.104e-06 2.041e-06 0.541 0.589194
amount.gas.113
                  7.807e-06 2.318e-06
                                         3.368 0.000892 ***
amount.env.113
                 -2.256e-07 1.452e-06 -0.155 0.876617
amount.alt_en.113 -5.082e-06 3.266e-06 -1.556 0.121151
Signif. codes:
               0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

30

```
Residual standard error: 0.1846 on 222 degrees of freedom (329 observations deleted due to missingness)

Multiple R-squared: 0.3352, Adjusted R-squared: 0.3112

F-statistic: 13.99 on 8 and 222 DF, p-value: < 2.2e-16
```

b0 is 0.75, aka the change of a representative changing their votes is to 75% not affected by the following coefficients, and holding all else constant. b0 is significant at a 0 level.

b1 is the coefficient which determines that being in the republican party is associated with a -0.752 change in vote. Meaning compared to democrats, republicans in the 113th session are less likely to change their votes. b1 is significant at a 0 level.

b2 describes that voting pro-environment on the methane bill introduced in the 113th congress decreases the chance of changing votes by 0.73, this coefficient is significant on a 0 level.

from the amount variables. only b6 is significant on a high level, which means that for a one unit increase in natural gas contributions to a representatives campaign, will increase their change of a change in vote by 0.0000078, aka 0.00078 percent.

# 0.0.4 114th session contributions & vote change

```
df 114 <- filter session data(df, "114")
ols_114 <- lm(Vote_change_dummy ~ ., data = df_114)</pre>
summary(ols 114)
Call:
lm(formula = Vote_change_dummy ~ ., data = df_114)
Residuals:
    Min
              1Q
                   Median
                                3Q
                                        Max
-0.50487 -0.05104 -0.02991 -0.00187 1.00908
Coefficients:
                   Estimate Std. Error t value Pr(>|t|)
(Intercept)
                  4.917e-01 8.180e-02 6.011 6.31e-09 ***
partyR
                 -4.937e-01 8.093e-02 -6.100 3.89e-09 ***
Vote4+
                 -4.564e-01 8.168e-02 -5.588 5.87e-08 ***
                  3.856e-07 3.124e-07 1.234 0.21815
amount.oil.114
amount.coal.114
                 -3.401e-06 4.247e-06 -0.801 0.42406
amount.mining.114 4.663e-07 2.481e-06 0.188 0.85107
amount.gas.114
                  6.422e-06 2.015e-06
                                         3.187 0.00162 **
amount.env.114
                 -9.729e-07 1.141e-06 -0.853 0.39473
amount.alt_en.114 -2.893e-06 2.993e-06 -0.967 0.33453
```

Residual standard error: 0.194 on 256 degrees of freedom (295 observations deleted due to missingness)

Multiple R-squared: 0.2208, Adjusted R-squared: 0.1965

F-statistic: 9.068 on 8 and 256 DF, p-value: 5.782e-11

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.05 '.' 0.1 ' ' 1

# 0.0.5 115th session contributions & vote change

```
# incl. two votes
df 1151 <- filter session data(df, "1151")</pre>
df_1152 <- filter_session_data(df, "1152")</pre>
ols_1151 <- lm(Vote_change_dummy ~ ., data = df_1151)</pre>
summary(ols_1151)
Call:
lm(formula = Vote_change_dummy ~ ., data = df_1151)
Residuals:
     Min
              1Q
                   Median
                                3Q
                                        Max
-0.34501 -0.06536 -0.04049 -0.01533 0.98827
Coefficients:
                   Estimate Std. Error t value Pr(>|t|)
(Intercept)
                 5.294e-02 9.233e-02 0.573 0.5669
                 -4.248e-02 9.116e-02 -0.466 0.6416
partyR
                  1.084e-02 9.180e-02 0.118 0.9061
Vote51+
                 2.124e-07 4.041e-07 0.526 0.5995
amount.oil.115
amount.coal.115 -4.463e-06 4.513e-06 -0.989 0.3237
amount.mining.115 4.377e-07 2.991e-06 0.146 0.8838
amount.gas.115 5.727e-06 2.208e-06
                                         2.593
                                                 0.0101 *
amount.env.115
                 -3.224e-06 1.661e-06 -1.942 0.0533.
amount.alt_en.115 7.731e-07 2.299e-06 0.336
                                                 0.7369
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
Residual standard error: 0.2185 on 255 degrees of freedom
  (296 observations deleted due to missingness)
Multiple R-squared: 0.08148,
                               Adjusted R-squared: 0.05266
F-statistic: 2.828 on 8 and 255 DF, p-value: 0.005056
ols_1151 <- lm(Vote_change_dummy ~ ., data = df_1151)</pre>
summary(ols_1151)
```

```
Call:
```

```
lm(formula = Vote_change_dummy ~ ., data = df_1151)
Residuals:
    Min
              1Q
                   Median
                               3Q
                                       Max
-0.34501 -0.06536 -0.04049 -0.01533 0.98827
Coefficients:
                   Estimate Std. Error t value Pr(>|t|)
(Intercept)
                  5.294e-02 9.233e-02 0.573 0.5669
partyR
                 -4.248e-02 9.116e-02 -0.466
                                                0.6416
                  1.084e-02 9.180e-02 0.118
Vote51+
                                                0.9061
                  2.124e-07 4.041e-07 0.526
amount.oil.115
                                                0.5995
                 -4.463e-06 4.513e-06 -0.989 0.3237
amount.coal.115
amount.mining.115 4.377e-07 2.991e-06 0.146
                                                0.8838
                  5.727e-06 2.208e-06
amount.gas.115
                                        2.593
                                                0.0101 *
                 -3.224e-06 1.661e-06 -1.942
                                                0.0533 .
amount.env.115
amount.alt_en.115 7.731e-07 2.299e-06
                                        0.336 0.7369
               0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
Signif. codes:
Residual standard error: 0.2185 on 255 degrees of freedom
  (296 observations deleted due to missingness)
Multiple R-squared: 0.08148,
                              Adjusted R-squared: 0.05266
F-statistic: 2.828 on 8 and 255 DF, p-value: 0.005056
```

not much change in the 115th session. is this because in between the 115th session there were no vote changes? There were 7 vote changes within the 115th session...

# 0.0.6 116th session contributions & vote change

```
df_116 <- filter_session_data(df, "116")
df_116 <- lm(Vote_change_dummy ~ ., data = df_116)
summary(df_116)</pre>
```

```
Call:
lm(formula = Vote_change_dummy ~ ., data = df_116)
Residuals:
    Min     1Q     Median     3Q     Max
```

```
-0.25094 -0.05440 -0.03430 -0.00344 1.05898
```

#### Coefficients:

```
Estimate Std. Error t value Pr(>|t|)
(Intercept)
                -1.113e-01 8.704e-02 -1.278
                                              0.2023
                1.090e-01 8.593e-02 1.268
partyR
                                              0.2060
Vote6+
                1.669e-01 8.563e-02 1.949 0.0524 .
amount.oil.116
                1.827e-07 3.373e-07 0.542 0.5884
amount.coal.116 -1.685e-06 3.493e-06 -0.483 0.6298
amount.mining.116 -4.438e-07 1.557e-06 -0.285 0.7759
                3.448e-06 2.044e-06 1.687
amount.gas.116
                                              0.0927 .
                -2.385e-06 1.215e-06 -1.963
amount.env.116
                                              0.0507 .
amount.alt_en.116 9.334e-07 1.640e-06 0.569
                                              0.5698
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
Residual standard error: 0.1858 on 259 degrees of freedom
  (292 observations deleted due to missingness)
```

# 0.0.7 117th session contributions & vote change

F-statistic: 2.465 on 8 and 259 DF, p-value: 0.0137

Multiple R-squared: 0.07076,

```
df_117 <- filter_session_data(df, "117")
df_117 <- lm(Vote_change_dummy ~ ., data = df_117)
summary(df_117)</pre>
```

Adjusted R-squared: 0.04206

#### Call:

lm(formula = Vote\_change\_dummy ~ ., data = df\_117)

#### Residuals:

Min 1Q Median 3Q Max -0.76499 -0.05377 -0.02651 0.01391 1.00875

## Coefficients:

Estimate Std. Error t value Pr(>|t|)

(Intercept) -6.769e-01 9.131e-02 -7.413 2.24e-12 \*\*\*

partyR 6.509e-01 8.953e-02 7.270 5.36e-12 \*\*\*

Vote7+ 7.320e-01 8.971e-02 8.160 2.07e-14 \*\*\*

```
4.815e-07 2.965e-07
                                                0.1058
amount.oil.117
                                        1.624
                 -8.706e-06 4.099e-06 -2.124
amount.coal.117
                                                0.0347 *
amount.mining.117 5.518e-06 3.092e-06
                                       1.784
                                                0.0757 .
amount.gas.117
                 5.647e-07 1.784e-06
                                                0.7518
                                        0.317
amount.env.117
                 -1.292e-06 8.082e-07 -1.599
                                                0.1111
amount.alt_en.117 -1.708e-06 1.337e-06 -1.277
                                                0.2028
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
Residual standard error: 0.1719 on 234 degrees of freedom
  (317 observations deleted due to missingness)
Multiple R-squared: 0.2791,
                              Adjusted R-squared: 0.2544
F-statistic: 11.32 on 8 and 234 DF, p-value: 1.536e-13
```

# 0.0.8 MODEL 2: Subsample OLS

here I only look at those who did change their voting behavior. For this I created a seperate df out of the original df, where i only included representatives who changed their minds. I marked the changes, where from pro-environment vote "+" to anti-environment "-" = 0, and from anti-environment to pro-environment = 1. ### vote changers dataframe

```
mind_changers <- df %>% filter(Vote_change_dummy == 1)
# view(mind_changers)
knitr::kable(mind_changers, format = "html")
```

last_name	$first\_name$	name	party	state	$member\_id$	Vote3	Vote4
Costa	Jim	jim costa	D	CA	C001059	-	+
Coffman	Mike	mike coffman	$\mathbf{R}$	CO	C001077	-	-
Ros-Lehtinen	Ileana	ileana ros lehtinen	R	$\operatorname{FL}$	NA	-	+
Bishop	Sanford D.	sanford d bishop	D	GA	B000490	+	-
Roskam	Peter J.	peter j roskam	R	$\operatorname{IL}$	R000580	-	-
Upton	Fred	fred upton	R	MI	U000031	-	-
Smith	Christopher H.	christopher h smith	R	NJ	S000522	-	-
Lance	Leonard	leonard lance	R	NJ	L000567	-	-
Hanna	Richard	richard hanna,richard l hanna	R	NY	H001051	-	+
Reed	Tom	tom reed	R	NY	R000585	-	-
Meehan	Patrick	patrick meehan	R	PA	M001181	-	-
Sanford	Mark	mark sanford	R	SC	S000051	-	-
Cuellar	Henry	henry cuellar	D	TX	C001063	-	-
Green	Gene	gene green	D	TX	G000410	-	+

last_name	$first\_name$	name	party	state	$member\_id$	Vote3	Vote4
Veasey	Marc A.	marc a veasey	D	TX	V000131	+	-
Vela	Filemon	filemon vela	D	TX	V000132	-	+
Reichert	Dave	dave reichert	$\mathbf{R}$	WA	NA	-	-
Knight	Steve	steve knight	$\mathbf{R}$	CA	NA	NA	-
Stefanik	Elise	elise stefanik, elise m stefanik	$\mathbf{R}$	NY	S001196	NA	+
Costello	Ryan	ryan costello,ryan a costello	$\mathbf{R}$	PA	C001106	NA	-
Gaetz	Matt	matt gaetz	$\mathbf{R}$	$\operatorname{FL}$	G000578	NA	NA
Gonzalez	Vicente	vicente gonzalez	D	TX	G000581	NA	NA
Waltz	Michael	michael waltz	$\mathbf{R}$	FL	W000823	NA	NA

# 1 OLS

knitr::kable(df\_subsample, format = "html")

last_name	first_name	name	change	votes	party	state	member_i
Costa	Jim	jim costa	1	change1	D	CA	C001059
Costa	$\operatorname{Jim}$	jim costa	0	change 2	D	CA	C001059
Costa	$\operatorname{Jim}$	jim costa	1	change3	D	CA	C001059
Coffman	Mike	mike coffman	1	change1	$\mathbf{R}$	CO	C001077
Ros-Lehtinen	Ileana	ileana ros lehtinen	1	change1	$\mathbf{R}$	$\operatorname{FL}$	NA
Bishop	Sanford D.	sanford d bishop	0	change1	D	GA	B000490
Bishop	Sanford D.	sanford d bishop	1	change 2	D	GA	B000490
Bishop	Sanford D.	sanford d bishop	0	change3	D	GA	B000490
Bishop	Sanford D.	sanford d bishop	1	change 4	D	GA	B000490
Roskam	Peter J.	peter j roskam	1	change1	$\mathbf{R}$	$\operatorname{IL}$	R000580
Upton	Fred	fred upton	1	change1	$\mathbf{R}$	MI	U000031
Smith	Christopher H.	christopher h smith	1	change1	$\mathbf{R}$	NJ	S000522
Smith	Christopher H.	christopher h smith	0	change 2	$\mathbf{R}$	NJ	S000522
Lance	Leonard	leonard lance	1	change1	$\mathbf{R}$	NJ	L000567
Hanna	Richard	richard hanna,richard l hanna	1	change1	$\mathbf{R}$	NY	H001051
Reed	Tom	tom reed	1	change1	$\mathbf{R}$	NY	R000585
Meehan	Patrick	patrick meehan	1	change1	R	PA	M001181
Sanford	Mark	mark sanford	1	change1	R	SC	S000051
Cuellar	Henry	henry cuellar	1	change1	D	TX	C001063
Green	Gene	gene green	1	change1	D	TX	G000410
Veasey	Marc A.	marc a veasey	0	change1	D	TX	V000131
Veasey	Marc A.	marc a veasey	1	change 2	D	TX	V000131

$last\_name$	$first\_name$	name	change	votes	party	state	member_i
Vela	Filemon	filemon vela	1	change1	D	TX	V000132
Reichert	Dave	dave reichert	1	change1	R	WA	NA
Knight	Steve	steve knight	1	change1	R	CA	NA
Knight	Steve	steve knight	0	change 2	R	CA	NA
Stefanik	Elise	elise stefanik, elise m stefanik	0	change1	R	NY	S001196
Costello	Ryan	ryan costello,ryan a costello	1	change1	R	PA	C001106
Gaetz	Matt	matt gaetz	1	change1	R	$\operatorname{FL}$	G000578
Gonzalez	Vicente	vicente gonzalez	1	change1	D	TX	G000581
Waltz	Michael	michael waltz	0	change1	R	$\operatorname{FL}$	W000823

```
df_subsample <- subset(df_subsample, select = -c(
    last_name, first_name, member_id, name, Vote_count, District,
    Vote3, Vote4, Vote51, Vote52, Vote6, Vote7, Vote_change, state, Vote_change_dummy
))

ols_subsample <- lm(change ~ ., data = df_subsample)
summary(ols_subsample)</pre>
```

#### Call.

lm(formula = change ~ ., data = df\_subsample)

## Residuals:

```
1 2 3 4 6 7 8
5.000e-01 -8.333e-01 3.333e-01 7.440e-16 -1.667e-01 5.000e-01 -3.333e-01
9 11 16 19 21 22 23
-3.313e-17 -3.662e-16 -4.772e-16 -1.143e-15 -3.333e-01 3.333e-01 -3.313e-17
```

Coefficients: (24 not defined because of singularities)

```
Estimate Std. Error t value Pr(>|t|)
                  1.279e-01 7.321e-01
                                         0.175
                                                  0.872
(Intercept)
voteschange2
                  3.333e-01 6.086e-01
                                         0.548
                                                  0.622
voteschange3
                  1.667e-01 7.136e-01
                                         0.234
                                                  0.830
voteschange4
                  8.333e-01 9.379e-01
                                         0.889
                                                  0.440
                  1.335e+00 2.574e+00
                                         0.519
                                                  0.640
partyR
amount.oil.113
                  1.382e-05 1.272e-05
                                        1.087
                                                  0.357
amount.coal.113
                 -4.443e-04 6.692e-04 -0.664
                                                  0.554
amount.mining.113 7.962e-05 1.886e-04
                                       0.422
                                                  0.701
amount.gas.113
                 -9.826e-05 1.222e-04 -0.804
                                                  0.480
amount.env.113
                 -7.094e-04 7.206e-04 -0.985
                                                  0.397
```

amount.alt_en.113	1.370e-03	1.596e-03	0.858	0.454
amount.oil.114	NA	NA	NA	NA
amount.coal.114	NA	NA	NA	NA
amount.mining.114	NA	NA	NA	NA
amount.gas.114	NA	NA	NA	NA
amount.env.114	NA	NA	NA	NA
amount.alt_en.114	NA	NA	NA	NA
amount.oil.115	NA	NA	NA	NA
amount.coal.115	NA	NA	NA	NA
amount.mining.115	NA	NA	NA	NA
amount.gas.115	NA	NA	NA	NA
amount.env.115	NA	NA	NA	NA
amount.alt_en.115	NA	NA	NA	NA
amount.oil.116	NA	NA	NA	NA
amount.coal.116	NA	NA	NA	NA
amount.mining.116	NA	NA	NA	NA
amount.gas.116	NA	NA	NA	NA
amount.env.116	NA	NA	NA	NA
amount.alt_en.116	NA	NA	NA	NA
amount.oil.117	NA	NA	NA	NA
amount.coal.117	NA	NA	NA	NA
amount.mining.117	NA	NA	NA	NA
amount.gas.117	NA	NA	NA	NA
amount.env.117	NA	NA	NA	NA
amount.alt_en.117	NA	NA	NA	NA

```
Residual standard error: 0.7454 on 3 degrees of freedom (17 observations deleted due to missingness)

Multiple R-squared: 0.4167, Adjusted R-squared: -1.528

F-statistic: 0.2143 on 10 and 3 DF, p-value: 0.9726
```

I tried regressing the change variable with each individual contributions, i.e. amount.coal.113, amount.oil.113, etc. but the results were neither significant, nor did they often appear. many had NAs.

```
df_subsample_sum <- subset(df_subsample_sum, select = -c(
    last_name, first_name, member_id, name, Vote_count, District,
    Vote3, Vote4, Vote51, Vote52, Vote6, Vote7, Vote_change, state, Vote_change_dummy
))

ols_subsample_sum <- lm(change ~ ., data = df_subsample_sum)
summary(ols_subsample_sum)</pre>
```

```
Call:
lm(formula = change ~ ., data = df_subsample_sum)
Residuals:
   Min
            1Q Median
                           3Q
                                  Max
-0.8396 -0.2432 0.1327 0.2473 0.7695
Coefficients:
              Estimate Std. Error t value Pr(>|t|)
(Intercept)
             6.094e-01 3.045e-01 2.001
                                          0.0591 .
voteschange2 -3.492e-01 2.584e-01 -1.352
                                          0.1916
voteschange3 -2.006e-01 4.314e-01 -0.465
                                          0.6470
voteschange4 4.203e-01 5.719e-01 0.735
                                          0.4710
partyR
             1.433e-01 3.070e-01
                                 0.467
                                          0.6458
            3.967e-07 1.059e-06
                                 0.374
                                          0.7121
oil_sum
coal_sum
            -5.561e-06 4.570e-05 -0.122
                                          0.9044
            2.314e-06 5.609e-06
                                 0.413
                                          0.6843
gas_sum
mining_sum -4.936e-07 2.015e-05 -0.024
                                          0.9807
env_sum
           -2.517e-07 3.498e-05 -0.007
                                          0.9943
alt_en_sum -3.930e-06 8.332e-06 -0.472
                                          0.6422
Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
Residual standard error: 0.4789 on 20 degrees of freedom
Multiple R-squared: 0.2273,
                              Adjusted R-squared:
                                                  -0.1591
F-statistic: 0.5882 on 10 and 20 DF, p-value: 0.8049
```

So i tried to regress the change with the summarised variables, i.e. oil\_sum, coal\_sum, etc. and now the variables aren't NA, just not significant.

## 1.0.1 OLS vote change and party affiliation

```
# ols_1 <- lm(Vote_change_dummy ~ party, data = df)
# summary(ols_1)

# ols_2 <- lm(Vote_change_dummy ~ party, data = df_subsample_sum)
# summary(ols_2)</pre>
```

regressing the vote change dummy on party affiliation, we find that the coefficient for the Republican party is 0.2, the intercept shows how likely a democrat is to change their voting

behaviour, at 0.31, we can see that democrats are more likely to change their voting behaviour on methane related issues, with only the democrat variable at 0.05 being significant.

# 1.0.2 MODEL 3: Subsample OLS with (time and state) Fixed Effects

```
# remove cols not necessary for analysis
df_fe <- df_fe %>% select(-c(
    last_name, first_name, name, District, Vote_count, Vote_change,
    first_contribution, Vote_change, Vote_change_dummy, member_id, Vote3, Vote4, Vote51, Vote
))
view(df_fe)
fixed <- plm(vote_change_type ~ ., data = df_fe, index = c("state", "year"), model = "within
Warning in pdata.frame(data, index): duplicate couples (id-time) in resulting pdata.frame
 to find out which, use, e.g., table(index(your_pdataframe), useNA = "ifany")
summary(fixed)
Oneway (individual) effect Within Model
Call:
plm(formula = vote_change_type ~ ., data = df_fe, model = "within",
    index = c("state", "year"))
Unbalanced Panel: n = 6, T = 1-4, N = 14
Residuals:
                                  5
                                                                     11
                                              6
 5.3333e-01 -5.3333e-01 1.7222e-16 2.3700e-16 -4.0000e-01 -1.3333e-01
         12
                     13
                                 15
                                             20
                                                         26
 7.7843e-17 5.3333e-01 0.0000e+00 0.0000e+00 -1.3333e-01 -1.9971e-16
 1.3333e-01 -8.8690e-17
Coefficients: (30 dropped because of singularities)
                             Estimate Std. Error t-value Pr(>|t|)
vote_change_year2016-2017 7.3333e-01 7.0553e-01 1.0394
                                                            0.4078
vote_change_year2017-2018 -4.0000e-01 9.2376e-01 -0.4330
                                                            0.7072
vote_change_year2018-2019 6.6667e-02 7.0553e-01 0.0945
                                                            0.9333
```

 vote\_change\_year2019-2021
 5.3333e-01
 9.6148e-01
 0.5547
 0.6349

 amount.oil.113
 -1.7760e-05
 1.9702e-05
 -0.9014
 0.4625

 amount.mining.113
 4.8437e-04
 5.0413e-04
 0.9608
 0.4380

Total Sum of Squares: 2.4167 Residual Sum of Squares: 1.0667

R-Squared: 0.55862 Adj. R-Squared: -1.869

F-statistic: 0.421875 on 6 and 2 DF, p-value: 0.82568

knitr::kable(df\_fe, format = "html")

party	state	vote_change_type	vote_change_year	year	amount.oil.113	amount.coal.113	amount.
D	CA	1	2013-2016	2016	82750	5000	
D	CA	0	2018-2019	2019	82750	5000	
D	CA	1	2019-2021	2021	82750	5000	
R	CO	1	2017-2018	2018	210275	12750	
R	$\operatorname{FL}$	1	2013-2016	2016	NA	NA	
D	GA	0	2013-2016	2016	5500	0	
D	GA	1	2016-2017	2017	5500	0	
D	GA	0	2017-2018	2018	5500	0	
D	GA	1	2018-2019	2019	5500	0	
R	$\operatorname{IL}$	1	2017-2018	2018	42250	2000	
R	MI	1	2017-2018	2018	224300	44633	
R	NJ	1	2016-2017	2017	NA	NA	
R	NJ	0	2019-2021	2021	NA	NA	
R	NJ	1	2017-2018	2018	21050	0	
R	NY	1	2013-2016	2016	NA	NA	
R	NY	1	2019-2021	2021	120021	0	
R	PA	1	2016-2017	2017	50000	1500	
R	SC	1	2016-2017	2017	NA	NA	
D	TX	1	2018-2019	2019	99125	0	
D	TX	1	2013-2016	2016	96700	0	
D	TX	0	2013-2016	2016	62350	0	
D	TX	1	2016-2017	2017	62350	0	
D	TX	1	2013-2016	2016	13550	0	
$\mathbf{R}$	WA	1	2016-2017	2017	NA	NA	
$\mathbf{R}$	CA	1	2016-2017	2017	NA	NA	
R	CA	0	2017-2018	2018	NA	NA	
R	NY	0	2019-2021	2021	NA	NA	
$\mathbf{R}$	PA	1	2016-2017	2017	NA	NA	

party	state	vote_change_type	vote_change_year	year	amount.oil.113	amount.coal.113	amount.m
R	$\operatorname{FL}$	1	2019-2021	2021	NA	NA	
D	TX	1	2017-2018	2018	NA	NA	
$\mathbf{R}$	$\operatorname{FL}$	0	2019-2021	2021	NA	NA	

time & state fixed effects – This model eliminates omitted variable bias caused by excluding unobserved variables that evolve over time but are constant across entities.

fixed effects remove the effect of those time-invariant characteristics so we can assess the net effect of the predictors on the outcome variable. I.e. we fix time and thus only look at one time period each.

# 1.0.3 MODEL 4: Probit and Logit for Robustness