

A Switchable Minnesota NLP and ICLR Paper Template

Young-Jun Lee Dongyeop Kang
 Minnesota NLP, University of Minnesota
 passing2961@gmail.com

 **Code**  **Dataset**

Abstract

This template adds Minnesota NLP styling to an existing conference paper with one package line. A single option selects the presentation. Minnesota mode uses Times text, maroon accents, institutional logos, and a plain abstract. The original conference layout returns with the `off` option. Both modes share the authors, abstract, body, and references.

1. Choose a Style

Load `\usepackage{minnesotanlp}` after the other packages. Select `[black]` for black text or `[off]` for the conference format. Table 1 summarizes the output. Recompile after changing the setting.

Table 1: The style switch changes presentation and author visibility.

Mode	Typography and layout	Authors
Minnesota	Times, maroon accents, A4	Shown
ICLR review	Standard conference style	Anonymous
ICLR final	Standard conference style	Shown

1.1. Edit Authors in One Place

Use a single `\author{...}` block for names, affiliations, and email addresses. Separate lines with `\\`. Use `\And` between author blocks for an automatic break, or `\AND` to force a new row. Author notes can use `\thanks{...}`. For an ICLR final copy, select `[off]` and uncomment `\iclrfinalcopy` before the document begins.

1.1.1. Project Links

The optional icon links in the author block point to code and datasets. Replace their URLs or remove the row. ICLR review mode hides these links along with the authors. Minnesota third-level headings use bold upright text.

2. Equations and Citations

The paper body is shared across modes, including tables such as Table 1 and equations such as

$$\mathcal{L}(\theta) = - \sum_{i=1}^N \log p_{\theta}(y_i | x_i), \quad \hat{\theta} = \arg \min_{\theta} \mathcal{L}(\theta). \quad (1)$$

Use `\citet` for textual citations, such as Vaswani et al. (2017), and `\citep` for parenthetical citations (Devlin et al., 2019).

References

A. Vaswani et al. Attention Is All You Need. *NeurIPS*, 2017.

J. Devlin et al. BERT: Pre-training of Deep Bidirectional Transformers. *NAACL*, 2019.

Appendix Contents

A	Author Layout Examples	3
A.1	Shared Affiliations	3
A.2	Separate Author Blocks	3
B	Files to Keep	3

A. Author Layout Examples

This page also demonstrates the running header used on subsequent pages. The title, body, and references use the same source in both modes.

A.1. Shared Affiliations

Names can share a single affiliation line, with optional superscripts:

```
\author{
  \textbf{First Author}\textsuperscript{1} \quad
  \textbf{Second Author}\textsuperscript{1,2} \\\
  \textsuperscript{1}University of Minnesota \\\
  \textsuperscript{2}Other University \\\
  \texttt{email@example.com}
}
```

A.2. Separate Author Blocks

The standard ICLR separators work without changing the document class:

```
\author{
  First Author\thanks{Author note.} \\\
  First Affiliation \\\
  \texttt{first@example.com}
  \And
  Second Author \\\
  Second Affiliation \\\
  \texttt{second@example.com}
  \AND
  Third Author \\\
  Third Affiliation \\\
  \texttt{third@example.com}
}
```

B. Files to Keep

To style an existing paper, copy `minnesotanlp.sty` and the two institutional logo images into the project, then add the package line. Keep the paper's own conference style and bibliography files. The same overlay supports the bundled ICLR, NeurIPS, ACL, ICML, CVPR, and ICCV templates, including ICML's native author and affiliation commands.