

1. Book Appointment

- **Route:** `POST /bookappointment`
- **Description:** Book a new appointment.
- **Body Parameters (JSON):**

```
{  
  "first_name": "string",  
  "last_name": "string",  
  "email": "string",  
  "phone_number": 1234567890,  
  "car_id": 1,  
  "date": "YYYY-MM-DD",  
  "time": "HH:MM:SS",  
  "appointment_id": 1  
}
```

- **Response:**

```
{  
  "result": { /* booked appointment object */ }  
}
```

- **Component to send:** Appointment form including personal info, car selection, date & time, and appointment slot ID.

2. Available Appointment Slots

- **Route:** `POST /availablappointment`

- **Description:** Send available time slots to be inserted into the system.
- **Body Parameters (JSON):**

```
{
  "availableTimeSlots": [
    { "date": "YYYY-MM-DD", "time": "HH:MM:SS" },
    ...
  ]
}
```

- **Response:**

```
{
  "result": { /* inserted available appointments */ }
}
```

- **Component to send:** Admin or scheduler component sending available slots for a car or service.

3. Scheduled Appointments

- **Route:** `POST /scheduledappointment`
- **Description:** Fetch all scheduled appointments for a user.
- **Body Parameters (JSON):**

```
{
  "uuid": "user-unique-uuid"
}
```

- **Response:**

```
{  
  "result": [ /* array of booked appointments */ ]  
}
```

- **Component to send:** User dashboard component to list their upcoming appointments.
-

4. Reschedule Appointment

- **Route:** `POST /rescheduleappointment`
- **Description:** Change the date/time/slot of an existing appointment.
- **Body Parameters (JSON):**

```
{  
  "uuid": "user-unique-uuid",  
  "date": "YYYY-MM-DD",  
  "time": "HH:MM:SS",  
  "appointment_id": 2  
}
```

- **Response:**

```
{  
  "result": { /* updated appointment object */ }  
}
```

- **Component to send:** User reschedule form or calendar component.
-

5. Cancel Appointment

- **Route:** `POST /cancelappointment`
- **Description:** Cancel a booked appointment and update availability.
- **Body Parameters (JSON):**

```
{
  "uuid": "user-unique-uuid",
  "appointment_id": 2
}
```

- **Response:**

```
{
  "result": {
    "deletedData": { /* cancelled appointment object */ },
    "updatedData": { /* updated available appointment object */ }
  }
}
```

- **Component to send:** User cancel button on appointment list or calendar.

6. Complete Appointment

- **Route:** `POST /completeappointment`
- **Description:** Mark an appointment as completed.
- **Body Parameters (JSON):**

```
{
  "bool": true,    // true = completed, false = not completed
  "uuid": "user-unique-uuid"
}
```

- **Response:**

```
{
  "result": { /* updated appointment object with fullfillment_state */
}
}
```

- **Component to send:** Admin dashboard or service completion action.

Route	Method	Payload (JSON)	Description	Component to Send / Use
/bookappointment	POST	{ "first_name": "string", "last_name": "string", "email": "string", "phone_number": 1234567890, "car_id": 1, "date": "YYYY-MM-DD", "time": "HH:MM:SS", "appointment_id": 1 }	Book a new appointment	Appointment form with user info, car selection, date/time, slot

/availableappointm ent	POST	{ "availbaleTimeSlots ": [{ "date": "YYYY-MM-DD", "time": "HH:MM:SS" }, ...] }	Add available time slots	Admin scheduler component sending available slots
/scheduledappoint ment	POST	{ "uuid": "user-unique-uuid" }	Fetch user's scheduled appointments	User dashboard / calendar listing appointments
/rescheduleappoin tment	POST	{ "uuid": "user-unique-uuid", "date": "YYYY-MM-DD", "time": "HH:MM:SS", "appointment_id": 2 }	Reschedule an existing appointment	User reschedule form or calendar UI
/cancelappointment t	POST	{ "uuid": "user-unique-uuid", "appointment_id": 2 }	Cancel a booked appointment and update availability	User cancel button or calendar action
/completeappointm ent	POST	{ "bool": true, "uuid": "user-unique-uuid" }	Mark an appointment as completed	Admin or service completion action

