

C Programming

Tutorial 3

1. Declare p.
 - a. p is an array of n pointers to int
 - b. p is an array of n pointers to functions that return an int.
 - c. p is an array of n pointers to functions that return pointers to int.
 - d. p is an array of n pointers to functions that return pointers to functions that return an int.
 - e. p is an array of n pointers to functions that return pointers to functions that return pointers to int.

2. How are the following statements related to each other?

```
char a[] = "read-only memory?";
```

```
char *pa = a;
```

```
char *pb = "read-only memory?";
```

```
char *pc = "read-only memory?";
```

Can you assign a new value to a[0], pa[0], pb[0], or pc[0], for example?

3. Using the following example, discuss the difference between a pointer to an array and a pointer to the first element of an array.

```
char weekday[10] = "Mon";
```

```
char week[7][10] = {"Mon", "Tue", ...};
```

```
char *p;
```

```
char (*pw)[10];
```

Which of the following are correct statements?

```
p = weekday; p++;
```

```
p = &weekday;
```

```
p = week;
```

```
p = &week;
```

```
pw = weekday;
```

```
pw = &weekday; pw++;
```

```
pw = week; pw++;
```

```
pw = &week;
```

4. What is the output of printf?

```
int array[5], i, *ip;
```

```
for(i = 0; i < 5; i++) array[i] = i;
```

```
ip = array;
```

```
printf("%d\n", *(ip + 3 * sizeof(int)));
```

5. Any thing wrong with the following functions calls?

```
int r1, r2, (*fp)(), func();
```

```
fp = func;
```

```
r1 = (*fp)();
```

```
r2 = fp();
```

6. I have an array and an integer variable: `int num_element, array[] = {0, 1, 2, 3, 4};` Can you write a statement which tells the number of elements in array? Can you write a standalone function to do this job?

7. We have the following declaration: `int a[4][4], (*b)[4], *c[4], **d;` Since an array name is usually converted to a pointer, it seems reasonable if we pass a, b, c or d to a function expecting a pointer to pointer (e.g., `int func(int **);`). Do you agree?