

# Quick start for LaTeXing with IEEEtran.cls for IEEE Computer Society Conferences

First Author, Second Author  
University of Examples, Germany  
{lastname}@example.org

Third Author  
School of Electrical and  
Computer Examples  
Georgia Institute of Examples  
Atlanta, Georgia 30332-0250  
<http://www.example.org>


**Abstract**—Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

## I. INTRODUCTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.


Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed

diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate  etus eu enim. Vestibulum pellentesque felis eu massa.

The remainder of the paper starts with a presentation of related work (Section II). It is followed by a presentation of hints on  $\LaTeX$  (??). Finally, a conclusion is drawn and outlook on future work is made (Section IV).

## II. RELATED WORK

Winery [1] is a graphical  modeling tool. The whole idea of TOSCA is explained by Binz et al. [2].

## III. LATEX HINTS

This section contains hints on writing LaTeX. It focuses on minimal examples, which can be directly adapted to the content

### A. Handling of paragraphs

One sentence per line. This rule is important for the usage of version control systems. A new line is generated with a blank line. As you would do in Word: New paragraphs are generated by pressing enter. In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines. In case you want a new paragraph, just press enter twice (!). This leads to an empty line. In word, there is the functionality to press shift and enter. This leads to a hard line break. The text starts at the beginning of a new line. In LaTeX, you can do that by using two backslashes ( $\backslash$ ).

This is rarely used.

Please do *not* use two backslashes for new paragraphs. For instance, this sentence belongs to the same paragraph, whereas the last one started a new one. A long motivation for that is provided at <http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3>.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

437 One sentence per line.
438 This rule is important for the usage of version control systems.
439 A new line is generated with a blank line.
440 As you would do in Word:
441 New paragraphs are generated by pressing enter.
442 In LaTeX, this does not lead to a new paragraph as LaTeX joins
    subsequent lines.
443 In case you want a new paragraph, just press enter twice (!).
444 This leads to an empty line.
445 In word, there is the functionality to press shift and enter.
446 This leads to a hard line break.
447 The text starts at the beginning of a new line.
448 In LaTeX, you can do that by using two backslashes
    (\textbackslash\textbackslash).\\
449 This is rarely used.
450
451 Please do \textit{not} use two backslashes for new paragraphs.
452 For instance, this sentence belongs to the same paragraph,
    whereas the last one started a new one.
453 A long motivation for that is provided at
    \url{http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3}.

```

#### B. Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

---

This is a small note.

---

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

461 \begin{mindflow}
462 This is a small note.
463 \end{mindflow}

```

#### C. Hyphenation

L<sup>A</sup>T<sub>E</sub>X automatically hyphenates words. When using microtype, there should be less hyphenations than in other settings. It might be necessary to tweak the hyphenations nevertheless. Here are some hints:

In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also write applica\allowbreak{tion-specific (result: application-specific), but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word. For instance, application=specific gets application=specific. This is enabled by an additional configuration of the babel package.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

474 In case you write \enquote{application-specific}, then the word
    will only be hyphenated at the dash.
475 You can also write \verb!applica\allowbreak{tion-specific!
    (result: applica\allowbreak{tion-specific), but this is
    much more effort.
476
477 You can now write words containing hyphens which are hyphenated
    at other places in the word.
478 For instance, \verb!application=specific! gets
    application=specific.
479 This is enabled by an additional configuration of the babel
    package.

```

#### D. Typesetting Units

Numbers can written plain text (such as 100), by using the siunitx package like that: 100  $\frac{\text{km}}{\text{h}}$ , or by using plain L<sup>A</sup>T<sub>E</sub>X (and math mode): 100  $\frac{\text{km}}{\text{h}}$ .

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

485 Numbers can written plain text (such as 100), by using the
    siunitx package like that:
486 \SI{100}{\km\per\hour},
487 or by using plain \LaTeX{} (and math mode):
488 \$100 \frac{\mathit{km}}{h}$.

```

5 % of 10 kg

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

492 \SI{5}{\percent} of \SI{10}{kg}

```

Numbers are automatically grouped: 123 456.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

496 Numbers are automatically grouped: \num{123456}.

```

#### E. Surrounding Text by Quotes

Please use the “enquote command” to quote something. Quoting with “quote” or “quote” also works.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

502 Please use the \enquote{enquote command} to quote something.
503 Quoting with "quote" or ``quote'' also works.

```

#### F. Cleveref examples

Cleveref demonstration: Cref at beginning of sentence, cref in all other cases.

Figure 1 shows a simple fact, although Figure 1 could also show something else.

Figure 2 shows a simple fact, although Figure 2 could also show something else.

Section III-F shows a simple fact, although Section III-F could also show something else.




Figure 1. Example figure for cref demo

Heading1	Heading2
One	Two
Thee	Four

Figure 2. Example table for cref demo

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

534 \Cref{fig:ex:cref} shows a simple fact, although
      \cref{fig:ex:cref} could also show something else.
535
536 \Cref{tab:ex:cref} shows a simple fact, although
      \cref{tab:ex:cref} could also show something else.
537
538 \Cref{sec:ex:cref} shows a simple fact, although
      \cref{sec:ex:cref} could also show something else.
```

### G. Figures

Figure 3 shows something interesting.



Figure 3. Simple Figure. Based on Scharrer [3].

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

544 \Cref{fig:label} shows something interesting.
545
546 \begin{figure}
547   \centering
548   \includegraphics[width=.8\linewidth]{example-image-golden}
549   \caption[Simple Figure]{Simple Figure. Based on \cit{mwe}.}
550   \label{fig:label}
551 \end{figure}
```

One can span a figure across multiple columns by using `\begin{figure*}`. See Figure 4 as an example.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

559 \begin{figure*}
560   \centering
561   % note that \textwidth is used instead of \linewidth
562   % This ensures that the graphics width is 60% of the "page"
      (text block), and not just 60% of the current text column
563   % See https://tex.stackexchange.com/a/17085/9075 for details
564   \includegraphics[width=.6\textwidth]{example-image-16x9}
565   \caption{16x9 Figure}
566   \label{fig:16x9}
567 \end{figure*}
```

### H. Sub Figures

An example of two sub figures is shown in Figure 5.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

576 \begin{figure*}[!b]
577   \centering
578   \subfloat[Case
      I]{\includegraphics[width=.4\linewidth]{example-image-a}}%
579   \label{fig:first_case}}
580   \hfil
581   \subfloat[Case
      II]{\includegraphics[width=.4\linewidth]{example-image-b}}%
582   \label{fig:second_case}}
583   \caption[Example figure with two sub figures.]
584   \label{fig:two_sub_figures}
585 \end{figure*}
```

Note that often IEEE papers with subfigures do not employ subfigure captions (using the optional argument to `\subfloat[]`), but instead will reference/describe all of them (a), (b), etc., within the main caption. Be aware that for `subfig.sty` to generate the (a), (b), etc., subfigure labels, the optional argument to `\subfloat` must be present. If a subcaption is not desired, just leave its contents blank, e.g., `\subfloat[]`. An example is shown in Figure 6.




Figure 4. 16x9 Figure




Figure 5. Example figure with two sub figures.




Figure 6. Example figure with two sub figures. IEEE style. (a) The first case. (b) The second case.

Figure 7. Simple Table

Heading1	Heading2
One Thee	Two Four

Figure 8. Table with diagonal line

Diag Column Head I	Diag Column Head II	Second	Third
		foo	bar

## I. Tables

Note that IEEE does not support `\begin{table}`, one has to use `\begin{figure}`.

### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

615 \begin{figure}
616 \caption{Simple Table}
617 \label{tab:simple}
618 \centering
619 \begin{tabular}{ll}
620 \toprule
621 Heading1 & Heading2 \\
622 \midrule
623 One & Two \\
624 Thee & Four \\
625 \bottomrule
626 \end{tabular}
627 \end{figure}

```

### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

631 % Source: https://tex.stackexchange.com/a/468994/9075
632 \begin{figure}
633 \caption{Table with diagonal line}
634 \label{tab:diag}
635 \begin{center}
636 \begin{tabular}{|l|c|c|}
637 \hline
638 \diagbox[width=10em]{Diag\Column Head I}{Diag Column\Head II} &
        Second & Third \\
639 \hline
640 & foo & bar \\
641 \hline
642 \end{tabular}
643 \end{center}
644 \end{figure}

```

## J. Source Code

Listing 1 shows source code written in XML. Line 2 contains a comment.

```

1 <listing name="example">
2 <!-- comment -->
3 <content>not interesting</content>
4 </listing>

```

Listing 1. Example XML Listing

```

1 <listing name="example">
2 Floating
3 </listing>

```

Listing 2. Example XML listing – placed as floating figure

```

1 {
2 key: "value"
3 }

```

Listing 3. Example JSON listing – placed as floating figure

### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

651 \Cref{lst:XML} shows source code written in XML.
652 \Cref{line:comment} contains a comment.
653
654 \begin{lstlisting}[
655 language=XML,
656 caption={Example XML Listing},
657 label={lst:XML}]
658 <listing name="example">
659 <!-- comment --> (* \label{line:comment} *)
660 <content>not interesting</content>
661 </listing>
662 \end{lstlisting}

```

One can also add `float` as paramter to have the listing floating. Listing 2 shows the floating listing.

### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

669 \begin{lstlisting}[
670 % one can adjust spacing here if required
671 % aboveskip=2.5\baselineskip,
672 % belowskip=-.8\baselineskip,
673 float,
674 language=XML,
675 caption={Example XML listing -- placed as floating figure},
676 label={lst:flXML}]
677 <listing name="example">
678 Floating
679 </listing>
680 \end{lstlisting}

```

One can also typeset JSON as shown in Listing 3.

### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

686 \begin{lstlisting}[
687 float,
688 language=json,
689 caption={Example JSON listing -- placed as floating figure},
690 label={lst:json}]
691 {
692 key: "value"
693 }
694 \end{lstlisting}

```

Java is also possible as shown in Listing 4.

```

1 public class Hello {
2     public static void main (String[] args) {
3         System.out.println("Hello World!");
4     }
5 }

```

Listing 4. Example Java listing

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

700 \begin{lstlisting}[
701     caption={Example Java listing},
702     label=lst:java,
703     language=Java,
704     float]
705 public class Hello {
706     public static void main (String[] args) {
707         System.out.println("Hello World!");
708     }
709 }
710 \end{lstlisting}

```

### K. Itemization

One can list items as follows:

- Item One
- Item Two

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

718 \begin{itemize}
719 \item Item One
720 \item Item Two
721 \end{itemize}

```

With the package paralist, one can create itemizations with lesser spacing:

- Item One
- Item Two

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

727 \begin{compactitem}
728 \item Item One
729 \item Item Two
730 \end{compactitem}

```

One can enumerate items as follows:

- 1) Item One
- 2) Item Two

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

736 \begin{enumerate}
737 \item Item One
738 \item Item Two
739 \end{enumerate}

```

With the package paralist, one can create enumerations with lesser spacing:

- 1) Item One
- 2) Item Two

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

745 \begin{compactenum}
746 \item Item One
747 \item Item Two
748 \end{compactenum}

```

With paralist, one can even have all items typset after each other and have them clean in the tex document:

1) All these items... 2) ...appear in one line 3) This is enabled by the paralist package.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

754 \begin{inparaenum}
755 \item All these items...
756 \item ...appear in one line
757 \item This is enabled by the paralist package.
758 \end{inparaenum}

```

### L. Other Features

The words “workflow” and “dwarflake” can be copied from the PDF and pasted to a text file.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

764 The words \enquote{workflow} and \enquote{dwarflake} can be
copied from the PDF and pasted to a text file.

```

The symbol for powerset is now correct:  $\wp$  and not a Weierstrass p ( $\wp$ ).

$\wp(1, 2, 3)$

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

768 The symbol for powerset is now correct:  $\wp$  and not a
Weierstrass p ( $\wp$ ).
769
770  $\wp(\{1, 2, 3\})$ 

```

Brackets work as designed: `<test>` One can also input backquotes in verbatim text: ``test``.

#### Corresponding L<sup>A</sup>T<sub>E</sub>X code of paper-conference.tex

```

774 Brackets work as designed:
775 <test>
776 One can also input backquotes in verbatim text: \verb`test`.

```

## IV. CONCLUSION AND OUTLOOK

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean

faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

#### ACKNOWLEDGMENT

Identification of funding sources and other support, and thanks to individuals and groups that assisted in the research and the preparation of the work should be included in an acknowledgment section, which is placed just before the reference section in your document [4].

In the bibliography, use `\textsuperscript` for “st”, “nd”, ...: E.g., “The 2<sup>nd</sup> conference on examples”. When you use JabRef, you can use the clean up command to achieve that. See <https://help.jabref.org/en/CleanupEntries> for an overview of the cleanup functionality.

#### REFERENCES

- [1] O. Kopp *et al.*, “Winery – A Modeling Tool for TOSCA-based Cloud Applications,” in *Proceedings of 11<sup>th</sup> International Conference on Service-Oriented Computing (ICSOC’13)*, ser. LNCS, vol. 8274. Springer Berlin Heidelberg, 2013, pp. 700–704.
- [2] T. Binz, G. Breiter, F. Leymann, and T. Spatzier, “Portable Cloud Services Using TOSCA,” *IEEE Internet Computing*, vol. 16, no. 03, pp. 80–85, May 2012.
- [3] M. Scharrer, *The mwe Package*, 2017. [Online]. Available: <http://texdoc.net/mwe>
- [4] B. Veytsman, “Latex class for the association for computing machinery – acknowledgement information,” Aug. 2021. [Online]. Available: <https://github.com/borisveytsman/acmart/blob/1704c8bf7eee92a1515ff755f5118b6a22bb1f8e/samples/samples.dtx#L709>

All links were last followed on October 5, 2020.