

brilliant-CV

Documentation on Template Functions

Build Date: 2024-07-14

Version: 2.0.0

cvEntry

Add an entry to the CV.

Parameters

```
cvEntry(  
  title: str,  
  society: str,  
  date: str,  
  location: str,  
  description: array,  
  logo: image,  
  tags: array,  
  metadata: array,  
  awesomeColors: array  
) -> content
```

title `str`

The title of the entry.

Default: `"Title"`

society `str`

The society of the entr (company, university, etc.).

Default: `"Society"`

date `str`

The date of the entry.

Default: `"Date"`

location `str`

The location of the entry.

Default: `"Location"`

description array

The description of the entry. It can be a string or an array of strings.

Default: "Description"

logo image

The logo of the society. If empty, no logo will be displayed.

Default: ""

tags array

The tags of the entry.

Default: ()

metadata array

(optional) the metadata read from the TOML file.

Default: metadata

awesomeColors array

(optional) the awesome colors of the CV.

Default: awesomeColors

cvHonor

Add a Honor to the CV.

Parameters

```
cvHonor(  
  date: str,  
  title: str,  
  issuer: str,  
  url: str,  
  location: str,  
  awesomeColors: array,  
  metadata: array  
) -> content
```

date str

The date of the honor.

Default: "1990"

title `str`

The title of the honor.

Default: "Title"

issuer `str`

The issuer of the honor.

Default: ""

url `str`

The URL of the honor.

Default: ""

location `str`

The location of the honor.

Default: ""

awesomeColors `array`

(optional) The awesome colors of the CV.

Default: awesomeColors

metadata `array`

(optional) The metadata read from the TOML file.

Default: metadata

cvPublication

Add the publications to the CV by reading a bib file.

Parameters

```
cvPublication(  
  bib: bibliography ,  
  keyList: list ,  
  refStyle: str ,  
  refFull: bool  
) -> content
```

bib `bibliography`

The bibliography object with the path to the bib file.

Default: `" "`

keyList `list`

The list of keys to include in the publication list.

Default: `list()`

refStyle `str`

The reference style of the publication list.

Default: `"apa"`

refFull `bool`

Whether to show the full reference or not.

Default: `true`

cvSection

Add the title of a section.

NOTE: If the language is non-Latin, the title highlight will not be sliced.

Parameters

```
cvSection(  
  title: str,  
  highlighted: bool,  
  letters: int,  
  metadata: array,  
  awesomeColors: array  
) -> content
```

title `str`

The title of the section.

highlighted `bool`

Whether the first n letters will be highlighted in accent color.

Default: `true`

letters `int`

The number of first letters of the title to highlight.

Default: `3`

metadata `array`

(optional) the metadata read from the TOML file.

Default: `metadata`

awesomeColors `array`

(optional) the awesome colors of the CV.

Default: `awesomeColors`

cvSkill

Add a skill to the CV.

Parameters

```
cvSkill(  
  type: str,  
  info  
) -> content
```

type `str`

The type of the skill. It is displayed on the left side.

- `info (str | content)`: The information about the skill. It is displayed on the right side. Items can be separated by `#hbar()`.

Default: `"Type"`