# Temperature dependence of biomass and ecosystem function depend on species interactions. Supplementary File 3: Zooplankton figures and tables.

### Section S3.1: Zooplankton Abundance data over whole experiment

Figure S3. 1: Abundance of zooplankton (Number / 10L) over all tanks and weeks.





Figure S3. 2: Residual plot for linear model of abundance with normally distributed errors

# Normal Q-Q Plot




#### **Theoretical Quantiles**

## chisq ratio rdf p ## 97.1449726 0.8374567 116.0000000 0.8975533

Table S3. 1: Model selection results for zooplankton abundance, with 1|Tank as a random effect. Model terms are: intercept (Int), Temperature - weekly average (Tw), trophic treatment (TL), statistical estimates

	Int	$T_{ij}$	$Z_{\rm j}$	df	logLik	AICc	d	W
nbinommod1b	-47.41	1.28	NA	5	-367.00	744.53	0.00	0.49557915
nbinommod1	-48.76	1.32	+	6	-366.37	745.47	0.95	0.30895745
nbinommod1c	2.95	NA	NA	4	-369.46	747.26	2.74	0.12621312
nbinom mod 1a	3.07	NA	+	5	-368.97	748.46	3.94	0.06925027

Figure S3. 3: Total Zooplankton abundance and modeled temperature dependence from negative binomial regression



# Section S3.2: Daphnia and Copepods

Figure S3. 4: Abundance of Daphnia and Copepods (Number / 10L) over all tanks and weeks.




Table S3. 2: Daphnia abundance model selection results for Poisson regression. Model terms are: intercept (Int), trophic treatment (TL), Temperature - weekly average (Tw), and statistical estimates

	Int	$T_{ij}$	$Z_{j}$	$T_{ij}^{}*Z_{j}$	df	logLik	AICc	d	W
poismod.Db	-34.88	0.88	+	NA	4	-115.75	239.85	0.00	0.63118106
poismod.Da	-38.64	0.97	+	+	5	-115.73	241.98	2.13	0.21709779
poismod.Dd	-0.97	NA	NA	NA	2	-119.71	243.52	3.67	0.10060719
poismod.Dc	-31.32	0.77	NA	NA	3	-119.33	244.87	5.03	0.05111395

Table S3. 3: Daphnia abundance model coefficients


	Estimate	se	$\Pr(>\! z )$	LL	UL
(Intercept)	-34.88	29.57	0.24	-92.85	23.08
invTT	0.88	0.75	0.24	-0.60	2.35
trophic.level PZN	-1.14	0.40	0.00	-1.91	-0.36

Table S3. 4: Copepod abundance model selection results for Poisson regression. Model terms are: intercept (Int), trophic treatment (TL), Temperature - weekly average (Tw), temperature - expt average (Tt), interaction terms and statistical estimates

	Int	$T_{ij}$	$Z_{\rm j}$	$T_{ij}^{}*Z_{j}$	df	logLik	AICc	d	W
poismod.Cc	-87.63	2.21	NA	NA	4	-135.11	278.56	0.00	0.67753474
poismod.Cb	-87.50	2.21	+	NA	5	-135.10	280.72	2.16	0.23026158
poismod.Ca	-96.20	2.43	+	+	6	-135.04	282.83	4.27	0.07997327
poismod.Cd	-0.34	NA	NA	NA	3	-140.19	286.59	8.03	0.01223041

Table S3. 5: Copepod abundance model coefficients

	Estimate	se	$\Pr(> z )$	LL	UL
(Intercept)	-87.63	28.01	0	-142.54	-32.73
invTT	2.21	0.71	0	0.82	3.61



# Section S3.4: Zooplankton size analysis

## ##

##

##

AIC


176.0

BIC

220.7

-78.0

Figure S3. 7: Zooplankton body size (length) over all tanks and weeks.



logLik deviance df.resid

156.0

631

```
## Scaled residuals:
##
      Min
                                30
            1Q Median
                                       Max
## -3.6433 -0.5871 -0.0695 0.4866
                                   3.4986
##
## Random effects:
##
   Groups
           Name
                         Variance Std.Dev.
   Tank
             (Intercept) 0.005115 0.07152
## Residual
                         0.072303 0.26889
## Number of obs: 641, groups: Tank, 18
##
## Fixed effects:
##
                                         Estimate Std. Error t value
## (Intercept)
                                        -0.215915
                                                    4.955668 -0.044
                                         0.001749
## invTT
                                                    0.125677
                                                               0.014
## taxonCopepod
                                        -1.389227
                                                    4.673827
                                                              -0.297
## trophic.levelPZN
                                       -27.858315
                                                   11.159523
                                                              -2.496
## invTT:taxonCopepod
                                         0.023308
                                                    0.118503
                                                               0.197
## invTT:trophic.levelPZN
                                         0.707073
                                                    0.284626
                                                               2.484
## taxonCopepod:trophic.levelPZN
                                                               2.751
                                        29.244823
                                                   10.630503
## invTT:taxonCopepod:trophic.levelPZN -0.742089
                                                    0.271222 - 2.736
##
## Correlation of Fixed Effects:
##
               (Intr) invTT txnCpp tr.PZN inTT:C iTT:.P tC:.PZ
## invTT
              -1.000
## taxonCopepd -0.449 0.448
## trphc.lvPZN -0.444 0.444 0.199
## invTT:txnCp 0.448 -0.448 -1.000 -0.199
## invTT:t.PZN 0.442 -0.442 -0.198 -1.000
                                           0.198
## txnCpp:.PZN 0.197 -0.197 -0.440 -0.787 0.440
## inTT:C:.PZN -0.196  0.196  0.437  0.788 -0.437  -0.789 -1.000
```

Table S3. 8: Zooplankton body size model selection results. Model terms are: intercept (Int), Temperature - weekly average (Tw), Taxon (Tx), trophic treatment (TL), and statistical estimates

	Int	Tw	Tx	TL	Tw*Tx	Tw*TL	Tx*TL	$\operatorname{Tw} Tx\operatorname{Tl}$	df	logLik	AICc	d	W
m2b	-0.22	0.00	+	+	+	+	+	+	10	-78.01	176.37	0.00	3.199077e-01
m2a	-0.22	0.00	+	+	+	+	+	+	10	-78.01	176.37	0.00	3.199077e-01
m2g	-0.15	NA	+	+	NA	NA	+	NA	6	-82.44	177.00	0.63	2.332649 e-01
m2c	-1.36	0.03	+	+	NA	NA	+	NA	7	-82.37	178.91	2.54	8.981011e-02
m2l	-8.50	0.21	+	NA	+	NA	NA	NA	6	-84.95	182.04	5.66	1.883366e-02
m2j	-8.19	0.20	+	+	+	NA	NA	NA	7	-84.79	183.75	7.38	7.994116e-03
m2h	-0.18	NA	+	NA	NA	NA	NA	NA	4	-88.14	184.33	7.96	5.968647e-03
m2e	-3.38	0.08	+	NA	NA	NA	NA	NA	5	-87.65	185.40	9.03	3.502201 e-03
m2m	-1.33	0.03	+	+	NA	+	NA	NA	7	-87.07	188.33	11.96	8.110022 e-04
m2i	-0.34	NA	NA	+	NA	NA	NA	NA	4	-199.46	406.99	230.62	2.676594 e-51
m2d	-3.91	0.09	NA	+	NA	NA	NA	NA	5	-199.22	408.54	232.17	1.230711e-51
m2k	-9.62	0.24	NA	+	NA	+	NA	NA	6	-198.45	409.04	232.66	9.611447e-52
m2f	-5.03	0.12	NA	NA	NA	NA	NA	NA	4	-204.15	416.36	239.99	2.464245 e-53

Table S3. 9: Zooplankton model estimates (model 2h), rom table S3.8

	Estimate	Lower	Upper
(Intercept)	-0.18	-0.23	-0.13

	Estimate	Lower	Upper
(Intercept)	-0.61	-0.66	-0.57

Figure S3. 8: Zooplankton body size (length) and modeled effects of predation

