
Appendix A

Practices and Solutions

Table of Contents

Practices and Solutions for Lesson I	3
Practice I-1: Accessing SQL Developer Resources	3
Practice I-2: Getting Started	3
Solution I-1: Accessing SQL Developer Resources	6
Solution I-2: Getting Started	7
Practices and Solutions for Lesson 1	14
Practice 1: Introduction to PL/SQL	14
Solution 1: Introduction to PL/SQL	15
Practices and Solutions for Lesson 2	16
Practice 2: Declaring PL/SQL Variables	16
Solution 2: Declaring PL/SQL Variables	18
Practices and Solutions for Lesson 3	21
Practice 3: Writing Executable Statements	21
Solution 3: Writing Executable Statements	24
Practices and Solutions for Lesson 4	28
Practice 4: Interacting with the Oracle Server	28
Solution 4: Interacting with the Oracle Server	30
Practices and Solutions for Lesson 5	33
Practice 5: Writing Control Structures	33
Solution 5: Writing Control Structures	35
Practices and Solutions for Lesson 6	38
Practice 6: Working with Composite Data Types	38
Solution 6: Working with Composite Data Types	40
Practices and Solutions for Lesson 7	45
Practice 7-1: Using Explicit Cursors	45
Practice 7-2: Using Explicit Cursors – Optional	48
Solution 7-1: Using Explicit Cursors	49
Solution 7-2: Using Explicit Cursors – Optional	54
Practices and Solutions for Lesson 8	56
Practice 8-1: Handling Predefined Exceptions	56
Practice 8-2: Handling Standard Oracle Server Exceptions	58
Solution 8-1: Handling Predefined Exceptions	59
Solution 8-2: Handling Standard Oracle Server Exceptions	61
Practices and Solutions for Lesson 9	62
Practice 9: Creating and Using Stored Procedures	62
Solution 9: Creating and Using Stored Procedures	64

Practices and Solutions for Lesson I

In these practices, you identify information resources for SQL Developer, execute SQL statements using SQL Developer, and examine data in the class schema. Specifically, you:

- Start SQL Developer
- Create a new database connection
- Browse the schema tables
- Set a SQL Developer preference

Note: All written practices use SQL Developer as the development environment. Although it is recommended that you use SQL Developer, you can also use the SQL*Plus or JDeveloper environments that are available in this course.

Practice I-1: Accessing SQL Developer Resources

In this practice, you navigate to the SQL Developer home page and browse helpful information on the tool.

- 1) Access the SQL Developer home page.
 - a) Access the online SQL Developer Home Page, which is available at:
http://www.oracle.com/technology/products/database/sql_developer/index.html
 - b) Bookmark the page for easier access in future.
- 2) Access the SQL Developer tutorial, which is available online at <http://st-curriculum.oracle.com/tutorial/SQLDeveloper/index.htm>. Then review the following sections and associated demonstrations:
 - a) What to Do First
 - b) Working with Database Objects
 - c) Accessing Data

Practice I-2: Getting Started

- 1) Start SQL Developer.
- 2) Create a database connection by using the following information (**Hint:** Select the Save Password check box):
 - a) Connection Name: MyConnection
 - b) Username: ora41
 - c) Password: ora41
 - d) Hostname: localhost
 - e) Port: 1521

Practice I-2: Getting Started (continued)

- f) SID: orcl
- 3) Test the new connection. If the Status is Success, connect to the database using this new connection.
 - a) In the Database Connection window, click the Test button.

Note: The connection status appears in the lower-left corner of the window.
 - b) If the status is Success, click the Connect button.
- 4) Browse the structure of the EMPLOYEES table and display its data.
 - a) Expand the MyConnection connection by clicking the plus symbol next to it.
 - b) Expand the Tables icon by clicking the plus symbol next to it.
 - c) Display the structure of the EMPLOYEES table.
- 5) Use the EMPLOYEES tab to view data in the EMPLOYEES table.
- 6) Use the SQL Worksheet to select the last names and salaries of all employees whose annual salary is greater than \$10,000. Use both the Execute Statement (F9) and the Run Script (F5) icons to execute the SELECT statement. Review the results of both methods of executing the SELECT statements on the appropriate tabs.

Note: Take a few minutes to familiarize yourself with the data, or consult Appendix B, which provides the description and data for all the tables in the HR schema that you will use in this course.
- 7) From the SQL Developer menu, select Tools > Preferences. The Preferences window appears.
- 8) Select Database > Worksheet Parameters. In the “Select default path to look for scripts” text box, use the Browse button to select the /home/oracle/labs/plsf folder. This folder contains the code example scripts, lab scripts, and practice solution scripts that are used in this course. Then, in the Preferences window, click OK to save the Worksheet Parameter setting.
- 9) Familiarize yourself with the structure of the /home/oracle/labs/plsf folder.
 - a) Select File > Open. The Open window automatically selects the .../plsf folder as your starting location. This folder contains three subfolders:
 - The /code_ex folder contains the code examples found in the course materials. Each .sql script is associated with a particular page in the lesson.
 - The /labs folder contains the code that is used in certain lesson practices. You are instructed to run the required script in the appropriate practice.
 - The /soln folder contains the solutions for each practice. Each .sql script is numbered with the associated practice_exercise reference.

Practice I-2: Getting Started (continued)


- b) You can also use the Files tab to navigate through folders to open the script files.
- c) Using the Open window, and the Files tab, navigate through the folders and open a script file without executing the code.
- d) Close the SQL Worksheet.

Solution I-1: Accessing SQL Developer Resources

1) Access the SQL Developer home page.

- a) Access the online SQL Developer Home Page, which is available at:
http://www.oracle.com/technology/products/database/sql_developer/index.html

The SQL Developer home page is displayed as follows:



b) Bookmark the page for easier access in future.


2) Access the SQL Developer tutorial, which is available online at <http://st-curriculum.oracle.com/tutorial/SQLDeveloper/index.htm>. Then review the following sections and associated demos:

- a) What to Do First
- b) Working with Database Objects
- c) Accessing Data

Solution I-2: Getting Started

- 1) Start SQL Developer.


Click the SQL Developer icon on your desktop.



- 2) Create a database connection by using the following information (**Hint:** Select the Save Password check box):
 - a) Connection Name: MyConnection
 - b) Username: ora41
 - c) Password: ora41
 - d) Hostname: localhost
 - e) Port: 1521
 - f) SID: orcl

Right-click the Connections node on the Connections tabbed page and select New Database Connection from the shortcut menu. Result: The New/Select Database Connection window appears.


Use the preceding information to create the new database connection. In addition, select the Save Password check box. For example:

The image shows the "New/Select Database Connection" window in SQL Developer. The "Connection Name" field is set to "MyConnection". The "Username" field is set to "ora41". The "Password" field is masked with "*****". The "Save Password" checkbox is checked. The "Oracle" tab is selected. The "Role" dropdown is set to "default". The "Connection Type" dropdown is set to "Basic". The "OS Authentication", "Kerberos Authentication", and "Proxy Connection" checkboxes are unchecked. The "Hostname" field is set to "localhost". The "Port" field is set to "1521". The "SID" radio button is selected, and the "SID" field is set to "orcl". The "Service name" radio button is unselected, and the "Service name" field is empty.

Solution I-2: Getting Started (continued)

- 3) Test the new connection. If the Status is Success, connect to the database using this new connection.
 - a) In the Database Connection window, click the Test button.

Note: The connection status appears in the lower-left corner of the window.
 - b) If the status is Success, click the Connect button.



Note: To display the properties of an existing connection, right-click the connection name on the Connections tab and select Properties from the shortcut menu.


- 4) Browse the structure of the EMPLOYEES table and display its data.
 - a) Expand the MyConnection connection by clicking the plus symbol next to it.
 - b) Expand Tables by clicking the plus symbol next to it.
 - c) Display the structure of the EMPLOYEES table.

Drill down on the EMPLOYEES table by clicking the plus symbol next to it.

Click the EMPLOYEES table.

Result: The Columns tab displays the columns in the EMPLOYEES table as follows:

Solution I-2: Getting Started (continued)



- 5) Use the EMPLOYEES tab to view the data in the EMPLOYEES table.

To display employees' data, click the Data tab.

Result: The **EMPLOYEES** table data is displayed as follows:

The screenshot shows the 'Data' tab for the 'EMPLOYEES' table. The data is displayed in a table with 13 rows and 7 columns: EMPLOYEE_ID, FIRST_NAME, LAST_NAME, EMAIL, PHONE_NUMBER, and HIRE_DATE. The data is as follows:

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE
1	100	Steven	King	SKING	515.123.4567	17-JUN-
2	101	Neena	Kochhar	NKOCH...	515.123.4568	21-SEP-
3	102	Lex	De Haan	LDEHAAN	515.123.4569	13-JAN-
4	103	Alexander	Hunold	AHUNOLD	590.423.4567	03-JAN-
5	104	Bruce	Ernst	BERNST	590.423.4568	21-MAY
6	105	David	Austin	DAUSTIN	590.423.4569	25-JUN-
7	106	Valli	Pataballa	VPATABAL	590.423.4560	05-FEB-
8	107	Diana	Lorentz	DLOREN...	590.423.5567	07-FEB-
9	108	Nancy	Greenberg	NGREENBE	515.124.4569	17-AUG
10	109	Daniel	Faviet	DFAVIET	515.124.4169	16-AUG
11	110	John	Chen	JCHEN	515.124.4269	28-SEP-
12	111	Ismael	Sciarra	ISCIARRA	515.124.4369	30-SEP-
13	112	Jose Manuel	Urman	JMURMAN	515.124.4469	07-MAR

Solution I-2: Getting Started (continued)

- 6) Use the SQL Worksheet to select the last names and salaries of all employees whose annual salary is greater than \$10,000. Use both the Execute Statement (F9) and Run Script (F5) icons to execute the SELECT statement. Review the results of both methods of executing the SELECT statements on the appropriate tabs.


Note: Take a few minutes to familiarize yourself with the data, or consult Appendix B, which provides the description and data for all the tables in the HR schema that you will use in this course.

To display the SQL Worksheet, click the MyConnection tab.

Note: This tab was opened previously when you drilled down on your database connection.

Enter the appropriate SELECT statement. Press F9 to execute the query and F5 to execute the query using the Run Script method.

For example, when you press F9, the results appear similar to the following:



The screenshot shows the SQL Worksheet interface with the 'MyConnection' tab selected. The query editor contains the following SQL statement:


```
select last_name, salary
from employees
where salary > 10000;
```

The execution time is 0.015465 seconds. The results are displayed in a table with the following columns: LAST_NAME and SALARY.


	LAST_NAME	SALARY
1	King	24000
2	Kochhar	17000
3	De Haan	17000
4	Greenberg	12000
5	Raphaely	11000
6	Russell	14000
7	Partners	13500

Solution I-2: Getting Started (continued)

- 7) From the SQL Developer menu, select Tools > Preferences. The Preferences window appears.



- 8) Select Database > Worksheet Parameters. In the “Select default path to look for scripts” text box, use the Browse button to select the /home/oracle/labs/plsf folder.




This folder contains the code example scripts, lab scripts, and practice solution scripts that are used in this course.

Click Open to select the folder.


Solution I-2: Getting Started (continued)

Then, in the Preferences window, click OK to save the Worksheet Parameter setting.



9) Familiarize yourself with the structure of the `/home/oracle/labs/plsf` folder.

a) Select File > Open. The Open window automatically selects the `.../plsf` folder as your starting location. This folder contains three subfolders:




- The `/code_ex` folder contains the code examples found in the course materials. Each `.sql` script is associated with a particular page in the lesson.
- The `/labs` folder contains the code that is used in certain lesson practices. You are instructed to run the required script in the appropriate practice.

Solution I-2: Getting Started (continued)

- The /soln folder contains the solutions for each practice. Each .sql script is numbered with the associated practice_exercise reference.

b) You can also use the Files tab to navigate through folders to open script files.



- c) Using the Open window, and the Files tab, navigate through the folders and open a script file without executing the code.
- d) Close the SQL Worksheet.

To close any SQL Worksheet tab, click X on the tab, as shown here:



Practices and Solutions for Lesson 1

The /home/oracle/labs folder is the working directory where you save the scripts that you create.

The solutions for all the practices are in the /home/oracle/labs/plsf/soln folder.

Practice 1: Introduction to PL/SQL

1) Which of the following PL/SQL blocks execute successfully?

a) BEGIN
END;

b) DECLARE
v_amount INTEGER(10);
END;

c) DECLARE
BEGIN
END;

d) DECLARE
v_amount INTEGER(10);
BEGIN
DBMS_OUTPUT.PUT_LINE(amount);
END;

2) Create and execute a simple anonymous block that outputs “Hello World.” Execute and save this script as lab_01_02_soln.sql.

Solution 1: Introduction to PL/SQL

1) Which of the following PL/SQL blocks execute successfully?

- a) BEGIN
END;
- b) DECLARE
v_amount INTEGER(10);
END;
- c) DECLARE
BEGIN
END;
- d) DECLARE
v_amount INTEGER(10);
BEGIN
DBMS_OUTPUT.PUT_LINE(amount);
END;

The block in a does not execute. It has no executable statements.

The block in b does not have the mandatory executable section that starts with the **BEGIN keyword.**

The block in c has all the necessary parts, but no executable statements.


The block in d executes successfully.

2) Create and execute a simple anonymous block that outputs “Hello World.” Execute and save this script as lab_01_02_soln.sql.

Enter the following code in the workspace, and then press F5.

```
SET SERVEROUTPUT ON
BEGIN
DBMS_OUTPUT.PUT_LINE(' Hello World ');
END;
```

You should see the following output on the Script Output tab:



Click the Save button. Select the folder in which you want to save the file. Enter lab_01_02_soln.sql as the file name and click Save.

Practice 2: Declaring PL/SQL Variables

In this practice, you declare PL/SQL variables.

1) Identify valid and invalid identifiers:

- a) today
- b) last_name
- c) today's_date
- d) Number_of_days_in_February_this_year
- e) Isleap\$year
- f) #number
- g) NUMBER#
- h) number1to7

2) Identify valid and invalid variable declaration and initialization:

- a) number_of_copies PLS_INTEGER;
- b) PRINTER_NAME constant VARCHAR2(10);
- c) deliver_to VARCHAR2(10):=Johnson;
- d) by_when DATE:=CURRENT_DATE+1;

3) Examine the following anonymous block, and then select a statement from the following that is true.

```
DECLARE
  v_fname VARCHAR2(20);
  v_lname VARCHAR2(15) DEFAULT 'fernandez';
BEGIN
  DBMS_OUTPUT.PUT_LINE(v_fname || ' ' || v_lname);
END;
```

- a) The block executes successfully and prints “fernandez.”
- b) The block produces an error because the fname variable is used without initializing.
- c) The block executes successfully and prints “null fernandez.”
- d) The block produces an error because you cannot use the DEFAULT keyword to initialize a variable of type VARCHAR2.
- e) The block produces an error because the v_fname variable is not declared.

Practice 2: Declaring PL/SQL Variables (continued)

- 4) Modify an existing anonymous block and save it as a new script.
- Open the `lab_01_02_soln.sql` script, which you created in Practice 1.
 - In this PL/SQL block, declare the following variables:
 - `v_today` of type `DATE`. Initialize `today` with `SYSDATE`.
 - `v_tomorrow` of type `today`. Use the `%TYPE` attribute to declare this variable.
 - In the executable section:
 - Initialize the `v_tomorrow` variable with an expression, which calculates tomorrow's date (add one to the value in `today`)
 - Print the value of `v_today` and `tomorrow` after printing "Hello World"
 - Save your script as `lab_02_04_soln.sql`, and then execute.
- The sample output is as follows (the values of `v_today` and `v_tomorrow` will be different to reflect your current today's and tomorrow's date):

```
anonymous block completed
Hello World
TODAY IS : 05-JUN-09
TOMORROW IS : 06-JUN-09
```

- 5) Edit the `lab_02_04_soln.sql` script.
- Add code to create two bind variables, named `b_basic_percent` and `b_pf_percent`. Both bind variables are of type `NUMBER`.
 - In the executable section of the PL/SQL block, assign the values 45 and 12 to `b_basic_percent` and `b_pf_percent`, respectively.
 - Terminate the PL/SQL block with `"/` and display the value of the bind variables by using the `PRINT` command.
 - Execute and save your script as `lab_02_05_soln.sql`. The sample output is as follows:

```
anonymous block completed
b_basic_percent
--
45

b_pf_percent
--
12
```

Solution 2: Declaring PL/SQL Variables

1) Identify valid and invalid identifiers:

- | | |
|---|--|
| a) today | Valid |
| b) last_name | Valid |
| c) today's_date | Invalid – character “'” not allowed |
| d) Number_of_days_in_February_this_year | Invalid – Too long |
| e) Isleap\$year | Valid |
| f) #number | Invalid – Cannot start with “#” |
| g) NUMBER# | Valid |
| h) number1to7 | Valid |

2) Identify valid and invalid variable declaration and initialization:

- | | | |
|---------------------|------------------------|----------------|
| a) number_of_copies | PLS_INTEGER; | Valid |
| b) PRINTER_NAME | constant VARCHAR2(10); | Invalid |
| c) deliver_to | VARCHAR2(10):=Johnson; | Invalid |
| d) by_when | DATE:= CURRENT_DATE+1; | Valid |

*The declaration in **b** is invalid because constant variables must be initialized during declaration.*

*The declaration in **c** is invalid because string literals should be enclosed within single quotation marks.*

3) Examine the following anonymous block, and then select a statement from the following that is true.

```
DECLARE
    v_fname VARCHAR2(20);
    v_lname VARCHAR2(15) DEFAULT 'fernandez';
BEGIN
    DBMS_OUTPUT.PUT_LINE(v_fname || ' ' || v_lname);
END;
```

- a) The block executes successfully and prints “fernandez.”
- b) The block produces an error because the fname variable is used without initializing.
- c) The block executes successfully and prints “null fernandez.”
- d) The block produces an error because you cannot use the DEFAULT keyword to initialize a variable of type VARCHAR2.
- e) The block produces an error because the v_fname variable is not declared.
- a. The block will execute successfully and print “fernandez.”**

Solution 2: Declaring PL/SQL Variables (continued)

4) Modify an existing anonymous block and save it as a new script.

a) Open the lab_01_02_soln.sql script, which you created in Practice 1.

b) In the PL/SQL block, declare the following variables:

1. Variable v_today of type DATE. Initialize today with SYSDATE.

```
DECLARE  
    v_today DATE:=SYSDATE;
```

2. Variable v_tomorrow of type today. Use the %TYPE attribute to declare this variable.

```
v_tomorrow v_today%TYPE;
```


c) In the executable section:

1. Initialize the v_tomorrow variable with an expression, which calculates tomorrow's date (add one to the value in v_today)
2. Print the value of v_today and v_tomorrow after printing "Hello World"

```
BEGIN  
    v_tomorrow:=v_today +1;  
    DBMS_OUTPUT.PUT_LINE(' Hello World ');  
    DBMS_OUTPUT.PUT_LINE('TODAY IS : ' || v_today);  
    DBMS_OUTPUT.PUT_LINE('TOMORROW IS : ' || v_tomorrow);  
END;
```

d) Save your script as lab_02_04_soln.sql, and then execute.

The sample output is as follows (the values of v_today and v_tomorrow will be different to reflect your current today's and tomorrow's date):



```
Results | Script Output | Explain  
anonymous block completed  
Hello World  
TODAY IS : 05-JUN-09  
TOMORROW IS : 06-JUN-09
```

Solution 2: Declaring PL/SQL Variables (continued)

5) Edit the lab_02_04_soln.sql script.

- a) Add the code to create two bind variables, named b_basic_percent and b_pf_percent. Both bind variables are of type NUMBER.

```
VARIABLE b_basic_percent NUMBER  
VARIABLE b_pf_percent NUMBER
```

- b) In the executable section of the PL/SQL block, assign the values 45 and 12 to b_basic_percent and b_pf_percent, respectively.

```
:b_basic_percent:=45;  
:b_pf_percent:=12;
```


- c) Terminate the PL/SQL block with “/” and display the value of the bind variables by using the PRINT command.

```
/  
PRINT b_basic_percent  
PRINT b_pf_percent
```

OR

```
PRINT
```

- d) Execute and save your script as lab_02_05_soln.sql. The sample output is as follows:



```
Results  Script Output  Expl  
anonymous block completed  
b_basic_percent  
--  
45  
  
b_pf_percent  
--  
12
```

Practices and Solutions for Lesson 3

Practice 3: Writing Executable Statements

In this practice, you examine and write executable statements.

```
DECLARE
  v_weight      NUMBER(3) := 600;
  v_message     VARCHAR2(255) := 'Product 10012';
BEGIN
  DECLARE
    v_weight      NUMBER(3) := 1;
    v_message     VARCHAR2(255) := 'Product 11001';
    v_new_locn    VARCHAR2(50) := 'Europe';
  BEGIN
    v_weight := v_weight + 1;
    v_new_locn := 'Western ' || v_new_locn;
1 →
    END;
    v_weight := v_weight + 1;
    v_message := v_message || ' is in stock';
    v_new_locn := 'Western ' || v_new_locn;
2 →
  END;
/
```

- 1) Evaluate the preceding PL/SQL block and determine the data type and value of each of the following variables, according to the rules of scoping.
 - a) The value of `v_weight` at position 1 is:
 - b) The value of `v_new_locn` at position 1 is:
 - c) The value of `v_weight` at position 2 is:
 - d) The value of `v_message` at position 2 is:
 - e) The value of `v_new_locn` at position 2 is:

Practice 3: Writing Executable Statements (continued)

```
DECLARE
    v_customer    VARCHAR2(50) := 'Womansport';
    v_credit_rating VARCHAR2(50) := 'EXCELLENT';
BEGIN
    DECLARE
        v_customer    NUMBER(7) := 201;
        v_name VARCHAR2(25) := 'Unisports';
    BEGIN
        v_credit_rating := 'GOOD';
        ...
    END;
    ...
END;
```

- 2) In the preceding PL/SQL block, determine the values and data types for each of the following cases:
 - a) The value of `v_customer` in the nested block is:
 - b) The value of `v_name` in the nested block is:
 - c) The value of `v_credit_rating` in the nested block is:
 - d) The value of `v_customer` in the main block is:
 - e) The value of `v_name` in the main block is:
 - f) The value of `v_credit_rating` in the main block is:
- 3) Use the same session that you used to execute the practices in the lesson titled “Declaring PL/SQL Variables.” If you have opened a new session, execute `lab_02_05_soln.sql`. Then, edit `lab_02_05_soln.sql` as follows:
 - a) Use single-line comment syntax to comment the lines that create the bind variables, and turn on `SERVEROUTPUT`.
 - b) Use multiple-line comments in the executable section to comment the lines that assign values to the bind variables.
 - c) In the declaration section:
 1. Declare and initialize two temporary variables to replace the commented out bind variables
 2. Declare two additional variables: `v_fname` of type `VARCHAR2` and size 15, and `v_emp_sal` of type `NUMBER` and size 10

Practice 3: Writing Executable Statements (continued)

- d) Include the following SQL statement in the executable section:

```
SELECT first_name, salary INTO v_fname, v_emp_sal  
FROM employees WHERE employee_id=110;
```

- e) Change the line that prints “Hello World” to print “Hello” and the first name.
Then, comment the lines that display the dates and print the bind variables.
- f) Calculate the contribution of the employee towards provident fund (PF).
PF is 12% of the basic salary, and the basic salary is 45% of the salary. Use local variables for the calculation. Try to use only one expression to calculate the PF.
Print the employee’s salary and his or her contribution toward PF.
- g) Execute and save your script as lab_03_03_soln.sql. The sample output is as follows:

```
anonymous block completed  
Hello John  
YOUR SALARY IS : 8200  
YOUR CONTRIBUTION TOWARDS PF:  
442.8
```

Solution 3: Writing Executable Statements

In this practice, you examine and write executable statements.

```
DECLARE
  v_weight      NUMBER(3) := 600;
  v_message     VARCHAR2(255) := 'Product 10012';
BEGIN
  DECLARE
    v_weight      NUMBER(3) := 1;
    v_message     VARCHAR2(255) := 'Product 11001';
    v_new_locn    VARCHAR2(50) := 'Europe';
  BEGIN
    v_weight := v_weight + 1;
    v_new_locn := 'Western ' || v_new_locn;
1  →  END;
    v_weight := v_weight + 1;
    v_message := v_message || ' is in stock';
    v_new_locn := 'Western ' || v_new_locn;
2  →  END;
  /
```

1) Evaluate the preceding PL/SQL block and determine the data type and value of each of the following variables, according to the rules of scoping.

a) The value of `v_weight` at position 1 is:

2

The data type is NUMBER.

b) The value of `v_new_locn` at position 1 is:

Western Europe

The data type is VARCHAR2.

c) The value of `v_weight` at position 2 is:

601

The data type is NUMBER.

d) The value of `v_message` at position 2 is:

Product 10012 is in stock

The data type is VARCHAR2.

e) The value of `v_new_locn` at position 2 is:

Illegal because `v_new_locn` is not visible outside the subblock

Solution 3: Writing Executable Statements (continued)

```
DECLARE
    v_customer    VARCHAR2(50) := 'Womansport';
    v_credit_rating VARCHAR2(50) := 'EXCELLENT';
BEGIN
    DECLARE
        v_customer    NUMBER(7) := 201;
        v_name VARCHAR2(25) := 'Unisports';
    BEGIN
        v_credit_rating := 'GOOD';
        ...
    END;
    ...
END;
```

2) In the preceding PL/SQL block, determine the values and data types for each of the following cases:

a) The value of `v_customer` in the nested block is:

201

The data type is NUMBER.

b) The value of `v_name` in the nested block is:

Unisports

The data type is VARCHAR2.

c) The value of `v_credit_rating` in the nested block is:

GOOD

The data type is VARCHAR2.

d) The value of `v_customer` in the main block is:

Womansport

The data type is VARCHAR2.

e) The value of `v_name` in the main block is:

Null. name is not visible in the main block and you would see an error.

f) The value of `v_credit_rating` in the main block is:

EXCELLENT

The data type is VARCHAR2.

3) Use the same session that you used to execute the practices in the lesson titled “Declaring PL/SQL Variables.” If you have opened a new session, execute `lab_02_05_soln.sql`. Then, edit `lab_02_05_soln.sql` as follows:

a) Use single-line comment syntax to comment the lines that create the bind variables, and turn on `SERVEROUTPUT`.

```
-- VARIABLE b_basic_percent NUMBER
-- VARIABLE b_pf_percent NUMBER
SET SERVEROUTPUT ON
```

Solution 3: Writing Executable Statements (continued)

- b) Use multiple-line comments in the executable section to comment the lines that assign values to the bind variables.

```
/*:b_basic_percent:=45;
:b_pf_percent:=12;*/
```

- c) In the declaration section:

1. Declare and initialize two temporary variables to replace the commented out bind variables
2. Declare two additional variables: v_fname of type VARCHAR2 and size 15, and v_emp_sal of type NUMBER and size 10

```
DECLARE
  v_basic_percent NUMBER:=45;
  v_pf_percent NUMBER:=12;
  v_fname VARCHAR2(15);
  v_emp_sal NUMBER(10);
```

- d) Include the following SQL statement in the executable section:

```
SELECT first_name, salary INTO v_fname, v_emp_sal
FROM employees WHERE employee_id=110;
```

- e) Change the line that prints “Hello World” to print “Hello” and the first name. Then, comment the lines that display the dates and print the bind variables.

```
DBMS_OUTPUT.PUT_LINE(' Hello '|| v_fname);
/*  DBMS_OUTPUT.PUT_LINE('TODAY IS : '|| v_today);
DBMS_OUTPUT.PUT_LINE('TOMORROW IS : '|| v_tomorrow);*/
...
...


/
--PRINT b_basic_percent
--PRINT b_basic_percent
```

- f) Calculate the contribution of the employee towards provident fund (PF). PF is 12% of the basic salary, and the basic salary is 45% of the salary. Use local variables for the calculation. Try to use only one expression to calculate the PF. Print the employee’s salary and his or her contribution toward PF.

```
DBMS_OUTPUT.PUT_LINE('YOUR SALARY IS : '||v_emp_sal);
DBMS_OUTPUT.PUT_LINE('YOUR CONTRIBUTION TOWARDS PF:
'||v_emp_sal*v_basic_percent/100*v_pf_percent/100);
END;
```

Solution 3: Writing Executable Statements (continued)

- g) Execute and save your script as lab_03_03_soln.sql. The sample output is as follows:

A screenshot of the SQL Developer 'Script Output' window. The window has a title bar with 'Results', 'Script Output', and 'Explain' tabs. Below the tabs are icons for edit, save, and print. The main area displays the output of an SQL script in a monospaced font.

```
anonymous block completed
Hello John
YOUR SALARY IS : 8200
YOUR CONTRIBUTION TOWARDS PF:
442.8
```

Practice 4: Interacting with the Oracle Server

In this practice, you use PL/SQL code to interact with the Oracle Server.

- 1) Create a PL/SQL block that selects the maximum department ID in the `departments` table and stores it in the `v_max_deptno` variable. Display the maximum department ID.
 - a) Declare a variable `v_max_deptno` of type `NUMBER` in the declarative section.
 - b) Start the executable section with the `BEGIN` keyword and include a `SELECT` statement to retrieve the maximum `department_id` from the `departments` table.
 - c) Display `v_max_deptno` and end the executable block.
 - d) Execute and save your script as `lab_04_01_soln.sql`. The sample output is as follows:

```
anonymous block completed
The maximum department_id is : 270
```

- 2) Modify the PL/SQL block that you created in step 1 to insert a new department into the `departments` table.
 - a) Load the `lab_04_01_soln.sql` script. Declare two variables:
`v_dept_name` of type `departments.department_name` and
`v_dept_id` of type `NUMBER`
Assign 'Education' to `v_dept_name` in the declarative section.
 - b) You have already retrieved the current maximum department number from the `departments` table. Add 10 to it and assign the result to `v_dept_id`.
 - c) Include an `INSERT` statement to insert data into the `department_name`, `department_id`, and `location_id` columns of the `departments` table. Use values in `dept_name` and `dept_id` for `department_name` and `department_id`, respectively, and use `NULL` for `location_id`.
 - d) Use the SQL attribute `SQL%ROWCOUNT` to display the number of rows that are affected.
 - e) Execute a `SELECT` statement to check whether the new department is inserted. You can terminate the PL/SQL block with `"/` and include the `SELECT` statement in your script.
 - f) Execute and save your script as `lab_04_02_soln.sql`. The sample output is as follows:

Practice 4: Interacting with the Oracle Server (continued)

anonymous block completed The maximum department_id is : 270 SQL%ROWCOUNT gives 1			
DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID

280	Education		
1 rows selected			

- 3) In step 2, you set `location_id` to `NULL`. Create a PL/SQL block that updates the `location_id` to 3000 for the new department.

Note: If you successfully completed step 2, continue with step 3a. If not, first execute the solution script `/soln/sol_04_02.sql`.

- Start the executable block with the `BEGIN` keyword. Include the `UPDATE` statement to set the `location_id` to 3000 for the new department (`dept_id = 280`).
- End the executable block with the `END` keyword. Terminate the PL/SQL block with `/` and include a `SELECT` statement to display the department that you updated.
- Include a `DELETE` statement to delete the department that you added.
- Execute and save your script as `lab_04_03_soln.sql`. The sample output is as follows:

anonymous block completed			
DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID

280	Education		3000
1 rows selected			
1 rows deleted			

Solution 4: Interacting with the Oracle Server

In this practice, you use PL/SQL code to interact with the Oracle Server.

- 1) Create a PL/SQL block that selects the maximum department ID in the `departments` table and stores it in the `v_max_deptno` variable. Display the maximum department ID.
 - a) Declare a variable `v_max_deptno` of type `NUMBER` in the declarative section.

```
DECLARE
    v_max_deptno NUMBER;
```

- b) Start the executable section with the `BEGIN` keyword and include a `SELECT` statement to retrieve the maximum `department_id` from the `departments` table.

```
BEGIN
    SELECT MAX(department_id) INTO v_max_deptno FROM
        departments;
```

- c) Display `v_max_deptno` and end the executable block.

```
DBMS_OUTPUT.PUT_LINE('The maximum department_id is : ' ||
    v_max_deptno);
END;
```

- d) Execute and save your script as `lab_04_01_soln.sql`. The sample output is as follows:

```
anonymous block completed
The maximum department_id is : 270
```

- 2) Modify the PL/SQL block that you created in step 1 to insert a new department into the `departments` table.
 - a) Load the `lab_04_01_soln.sql` script. Declare two variables:
`v_dept_name` of type `departments.department_name` and
`v_dept_id` of type `NUMBER`
Assign 'Education' to `v_dept_name` in the declarative section.

```
v_dept_name departments.department_name%TYPE:= 'Education';
v_dept_id NUMBER;
```

Solution 4: Interacting with the Oracle Server (continued)

- b) You have already retrieved the current maximum department number from the `departments` table. Add 10 to it and assign the result to `v_dept_id`.

```
v_dept_id := 10 + v_max_deptno;
```

- c) Include an `INSERT` statement to insert data into the `department_name`, `department_id`, and `location_id` columns of the `departments` table. Use values in `dept_name` and `dept_id` for `department_name` and `department_id`, respectively, and use `NULL` for `location_id`.

```
...  
INSERT INTO departments (department_id, department_name,  
location_id)  
VALUES (v_dept_id, v_dept_name, NULL);
```

- d) Use the SQL attribute `SQL%ROWCOUNT` to display the number of rows that are affected.

```
DBMS_OUTPUT.PUT_LINE (' SQL%ROWCOUNT gives ' || SQL%ROWCOUNT);  
...
```

- e) Execute a `SELECT` statement to check whether the new department is inserted. You can terminate the PL/SQL block with `/` and include the `SELECT` statement in your script.

```
...  
/  
SELECT * FROM departments WHERE department_id= 280;
```

- f) Execute and save your script as `lab_04_02_soln.sql`. The sample output is as follows:

anonymous block completed			
The maximum department_id is : 270			
SQL%ROWCOUNT gives 1			
DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID
-----	-----	-----	-----
280	Education		
1 rows selected			

Solution 4: Interacting with the Oracle Server (continued)

- 3) In step 2, you set `location_id` to `NULL`. Create a PL/SQL block that updates the `location_id` to 3000 for the new department.

Note: If you successfully completed step 2, continue with step 3a. If not, first execute the solution script `/soln/sol_04_02.sql`.

- a) Start the executable block with the `BEGIN` keyword. Include the `UPDATE` statement to set `location_id` to 3000 for the new department (`dept_id=280`).

```
BEGIN
UPDATE departments SET location_id=3000 WHERE
department_id=280;
```

- b) End the executable block with the `END` keyword. Terminate the PL/SQL block with `/` and include a `SELECT` statement to display the department that you updated.

```
END;
/
SELECT * FROM departments WHERE department_id=280;
```

- c) Include a `DELETE` statement to delete the department that you added.

```
DELETE FROM departments WHERE department_id=280;
```

- d) Execute and save your script as `lab_04_03_soln.sql`. The sample output is as follows:

anonymous block completed			
DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID

280	Education		3000
1 rows selected			
1 rows deleted			


Practices and Solutions for Lesson 5

Practice 5: Writing Control Structures

In this practice, you create PL/SQL blocks that incorporate loops and conditional control structures. This practice tests your understanding of various `IF` statements and `LOOP` constructs.

- 1) Execute the command in the `lab_05_01.sql` file to create the `messages` table. Write a PL/SQL block to insert numbers into the `messages` table.
 - a) Insert the numbers 1 through 10, excluding 6 and 8.
 - b) Commit before the end of the block.
 - c) Execute a `SELECT` statement to verify that your PL/SQL block worked.


Result: You should see the following output:



- 2) Execute the `lab_05_02.sql` script. This script creates an `emp` table that is a replica of the `employees` table. It alters the `emp` table to add a new column, `stars`, of `VARCHAR2` data type and size 50. Create a PL/SQL block that inserts an asterisk in the `stars` column for every \$1000 of an employee's salary. Save your script as `lab_05_02_soln.sql`.
 - a) In the declarative section of the block, declare a variable `v_empno` of type `emp.employee_id` and initialize it to 176. Declare a variable `v_asterisk` of type `emp.stars` and initialize it to `NULL`. Create a variable `v_sal` of type `emp.salary`.
 - b) In the executable section, write logic to append an asterisk (*) to the string for every \$1,000 of the salary. For example, if the employee earns \$8,000, the string

Practice 5: Writing Control Structures (continued)

- of asterisks should contain eight asterisks. If the employee earns \$12,500, the string of asterisks should contain 13 asterisks.
- c) Update the `stars` column for the employee with the string of asterisks. Commit before the end of the block.
 - d) Display the row from the `emp` table to verify whether your PL/SQL block has executed successfully.
 - e) Execute and save your script as `lab_05_02_soln.sql`. The output is as follows:



```
anonymous block completed
EMPLOYEE_ID      SALARY      STARS
-----
176              8600      *****
1 rows selected
```

Solution 5: Writing Control Structures


- 1) Execute the command in the lab_05_01.sql file to create the messages table.
Write a PL/SQL block to insert numbers into the messages table.
 - a) Insert the numbers 1 through 10, excluding 6 and 8.
 - b) Commit before the end of the block.

```
BEGIN
FOR i in 1..10 LOOP
  IF i = 6 or i = 8 THEN
    null;
  ELSE
    INSERT INTO messages(results)
    VALUES (i);
  END IF;
END LOOP;
COMMIT;
END;
/
```

- c) Execute a SELECT statement to verify that your PL/SQL block worked.

```
SELECT * FROM messages;
```

Result: You should see the following output:



Solution 5: Writing Control Structures (continued)

- 2) Execute the `lab_05_02.sql` script. This script creates an `emp` table that is a replica of the `employees` table. It alters the `emp` table to add a new column, `stars`, of `VARCHAR2` data type and size 50. Create a PL/SQL block that inserts an asterisk in the `stars` column for every \$1000 of the employee's salary. Save your script as `lab_05_02_soln.sql`.

- a) In the declarative section of the block, declare a variable `v_empno` of type `emp.employee_id` and initialize it to 176. Declare a variable `v_asterisk` of type `emp.stars` and initialize it to `NULL`. Create a variable `v_sal` of type `emp.salary`.

```
DECLARE
    v_empno          emp.employee_id%TYPE := 176;
    v_asterisk        emp.stars%TYPE := NULL;
    v_sal             emp.salary%TYPE;
```

- b) In the executable section, write logic to append an asterisk (*) to the string for every \$1,000 of the salary. For example, if the employee earns \$8,000, the string of asterisks should contain eight asterisks. If the employee earns \$12,500, the string of asterisks should contain 13 asterisks.

```
BEGIN
    SELECT NVL(ROUND(salary/1000), 0) INTO v_sal
    FROM emp WHERE employee_id = v_empno;

    FOR i IN 1..v_sal
        LOOP
            v_asterisk := v_asterisk || '*';
        END LOOP;
```

- c) Update the `stars` column for the employee with the string of asterisks. Commit before the end of the block.


```
UPDATE emp SET stars = v_asterisk
WHERE employee_id = v_empno;
COMMIT;
END;
/
```

- d) Display the row from the `emp` table to verify whether your PL/SQL block has executed successfully.

```
SELECT employee_id, salary, stars
FROM emp WHERE employee_id = 176;
```

Solution 5: Writing Control Structures (continued)

- e) Execute and save your script as `lab_05_02_soln.sql`. The output is as follows:



The screenshot shows the 'Results' tab in SQL Developer. The query output is as follows:

EMPLOYEE_ID	SALARY	STARS
176	8600	*****

1 rows selected

Practices and Solutions for Lesson 6

Practice 6: Working with Composite Data Types

- 1) Write a PL/SQL block to print information about a given country.
 - a) Declare a PL/SQL record based on the structure of the `countries` table.
 - b) Declare a variable `v_countryid`. Assign CA to `v_countryid`.
 - c) In the declarative section, use the `%ROWTYPE` attribute and declare the `v_country_record` variable of type `countries`.
 - d) In the executable section, get all the information from the `countries` table by using `v_countryid`. Display selected information about the country. The sample output is as follows:

```
anonymous block completed
Country Id: CA Country Name: Canada Region: 2
```

- e) You may want to execute and test the PL/SQL block for countries with the IDs DE, UK, and US.
- 2) Create a PL/SQL block to retrieve the names of some departments from the `departments` table and print each department name on the screen, incorporating an associative array. Save the script as `lab_06_02_soln.sql`.
 - a) Declare an `INDEX BY` table `dept_table_type` of type `departments.department_name`. Declare a variable `my_dept_table` of type `dept_table_type` to temporarily store the names of the departments.
 - b) Declare two variables: `f_loop_count` and `v_deptno` of type `NUMBER`. Assign 10 to `f_loop_count` and 0 to `v_deptno`.
 - c) Using a loop, retrieve the names of 10 departments and store the names in the associative array. Start with `department_id` 10. Increase `v_deptno` by 10 for every loop iteration. The following table shows the `department_id` for which you should retrieve the `department_name`.

DEPARTMENT_ID	DEPARTMENT_NAME
10	Administration
20	Marketing
30	Purchasing
40	Human Resources
50	Shipping
60	IT
70	Public Relations
80	Sales
90	Executive
100	Finance

Practice 6: Working with Composite Data Types (continued)

- d) Using another loop, retrieve the department names from the associative array and display them.
- e) Execute and save your script as `lab_06_02_soln.sql`. The output is as follows:

```
anonymous block completed
Administration
Marketing
Purchasing
Human Resources
Shipping
IT
Public Relations
Sales
Executive
Finance
```

- 3) Modify the block that you created in Practice 2 to retrieve all information about each department from the `departments` table and display the information. Use an associative array with the `INDEX BY` table of records method.
 - a) Load the `lab_06_02_soln.sql` script.
 - b) You have declared the associative array to be of type `departments.department_name`. Modify the declaration of the associative array to temporarily store the number, name, and location of all the departments. Use the `%ROWTYPE` attribute.
 - c) Modify the `SELECT` statement to retrieve all department information currently in the `departments` table and store it in the associative array.
 - d) Using another loop, retrieve the department information from the associative array and display the information.

The sample output is as follows:

```
anonymous block completed
Department Number: 10 Department Name: Administration Manager Id: 200 Location Id: 1700
Department Number: 20 Department Name: Marketing Manager Id: 201 Location Id: 1800
Department Number: 30 Department Name: Purchasing Manager Id: 114 Location Id: 1700
Department Number: 40 Department Name: Human Resources Manager Id: 203 Location Id: 2400
Department Number: 50 Department Name: Shipping Manager Id: 121 Location Id: 1500
Department Number: 60 Department Name: IT Manager Id: 103 Location Id: 1400
Department Number: 70 Department Name: Public Relations Manager Id: 204 Location Id: 2700
Department Number: 80 Department Name: Sales Manager Id: 145 Location Id: 2500
Department Number: 90 Department Name: Executive Manager Id: 100 Location Id: 1700
Department Number: 100 Department Name: Finance Manager Id: 108 Location Id: 1700
```

Solution 6: Working with Composite Data Types

- 1) Write a PL/SQL block to print information about a given country.
 - a) Declare a PL/SQL record based on the structure of the `countries` table.
 - b) Declare a variable `v_countryid`. Assign CA to `v_countryid`.

```
SET SERVEROUTPUT ON

SET VERIFY OFF
DECLARE
    v_countryid varchar2(20) := 'CA';
```

- c) In the declarative section, use the `%ROWTYPE` attribute and declare the `v_country_record` variable of type `countries`.

```
v_country_record countries%ROWTYPE;
```

- d) In the executable section, get all the information from the `countries` table by using `v_countryid`. Display selected information about the country. The sample output is as follows:

```
BEGIN
    SELECT *
    INTO    v_country_record
    FROM    countries
    WHERE   country_id = UPPER(v_countryid);

    DBMS_OUTPUT.PUT_LINE ('Country Id: ' ||
        v_country_record.country_id ||
        ' Country Name: ' || v_country_record.country_name
        || ' Region: ' || v_country_record.region_id);

END;
```

```
anonymous block completed
Country Id: CA Country Name: Canada Region: 2
```

- e) You may want to execute and test the PL/SQL block for countries with the IDs DE, UK, and US.

Solution 6: Working with Composite Data Types (continued)

- 2) Create a PL/SQL block to retrieve the names of some departments from the `departments` table and print each department name on the screen, incorporating an associative array. Save the script as `lab_06_02_soln.sql`.

- a) Declare an `INDEX BY` table `dept_table_type` of type `departments.department_name`. Declare a variable `my_dept_table` of type `dept_table_type` to temporarily store the names of the departments.

```
SET SERVEROUTPUT ON

DECLARE
    TYPE dept_table_type is table of
        departments.department_name%TYPE
    INDEX BY PLS_INTEGER;
    my_dept_table    dept_table_type;
```

- b) Declare two variables: `f_loop_count` and `v_deptno` of type `NUMBER`. Assign 10 to `f_loop_count` and 0 to `v_deptno`.

```
loop_count NUMBER (2) :=10;
deptno      NUMBER (4) :=0;
```

- c) Using a loop, retrieve the names of 10 departments and store the names in the associative array. Start with `department_id` 10. Increase `v_deptno` by 10 for every iteration of the loop. The following table shows the `department_id` for which you should retrieve the `department_name` and store in the associative array.

DEPARTMENT_ID	DEPARTMENT_NAME
10	Administration
20	Marketing
30	Purchasing
40	Human Resources
50	Shipping
60	IT
70	Public Relations
80	Sales
90	Executive
100	Finance

Solution 6: Working with Composite Data Types (continued)

```
BEGIN
  FOR i IN 1..f_loop_count
  LOOP
    v_deptno:=v_deptno+10;
    SELECT department_name
    INTO my_dept_table(i)
    FROM departments
    WHERE department_id = v_deptno;
  END LOOP;
```

- d) Using another loop, retrieve the department names from the associative array and display them.

```
FOR i IN 1..f_loop_count
  LOOP
    DBMS_OUTPUT.PUT_LINE (my_dept_table(i));
  END LOOP;
END;
```

- e) Execute and save your script as lab_06_02_soln.sql. The output is as follows:

```
anonymous block completed
Administration
Marketing
Purchasing
Human Resources
Shipping
IT
Public Relations
Sales
Executive
Finance
```

- 3) Modify the block that you created in Practice 2 to retrieve all information about each department from the `departments` table and display the information. Use an associative array with the `INDEX BY table of records` method.
- Load the lab_06_02_soln.sql script.
 - You have declared the associative array to be of the `departments.department_name` type. Modify the declaration of the associative array to temporarily store the number, name, and location of all the departments. Use the `%ROWTYPE` attribute.

Solution 6: Working with Composite Data Types (continued)

```
SET SERVEROUTPUT ON

DECLARE
    TYPE dept_table_type is table of departments%ROWTYPE
    INDEX BY PLS_INTEGER;
    my_dept_table    dept_table_type;
    f_loop_count      NUMBER (2):=10;
    v_deptno          NUMBER (4):=0;
```

- c) Modify the SELECT statement to retrieve all department information currently in the departments table and store it in the associative array.

```
BEGIN
    FOR i IN 1..f_loop_count
    LOOP
        v_deptno := v_deptno + 10;
        SELECT *
        INTO my_dept_table(i)
        FROM departments
        WHERE department_id = v_deptno;
    END LOOP;
```

- d) Using another loop, retrieve the department information from the associative array and display the information.

```
FOR i IN 1..f_loop_count
LOOP
    DBMS_OUTPUT.PUT_LINE ('Department Number: ' ||
my_dept_table(i).department_id
    || ' Department Name: ' ||
my_dept_table(i).department_name
    || ' Manager Id: ' || my_dept_table(i).manager_id
    || ' Location Id: ' || my_dept_table(i).location_id);
END LOOP;
END;
```

Solution 6: Working with Composite Data Types (continued)

The sample output is as follows:

```
anonymous block completed
Department Number: 10 Department Name: Administration Manager Id: 200 Location Id: 1700
Department Number: 20 Department Name: Marketing Manager Id: 201 Location Id: 1800
Department Number: 30 Department Name: Purchasing Manager Id: 114 Location Id: 1700
Department Number: 40 Department Name: Human Resources Manager Id: 203 Location Id: 2400
Department Number: 50 Department Name: Shipping Manager Id: 121 Location Id: 1500
Department Number: 60 Department Name: IT Manager Id: 103 Location Id: 1400
Department Number: 70 Department Name: Public Relations Manager Id: 204 Location Id: 2700
Department Number: 80 Department Name: Sales Manager Id: 145 Location Id: 2500
Department Number: 90 Department Name: Executive Manager Id: 100 Location Id: 1700
Department Number: 100 Department Name: Finance Manager Id: 108 Location Id: 1700
```

Practices and Solutions for Lesson 7

Practice 7-1: Using Explicit Cursors

In this practice, you perform two exercises:

- First, you use an explicit cursor to process a number of rows from a table and populate another table with the results using a cursor FOR loop.
 - Second, you write a PL/SQL block that processes information with two cursors, including one that uses a parameter.
- 1) Create a PL/SQL block to perform the following:
 - a) In the declarative section, declare and initialize a variable named `v_deptno` of type `NUMBER`. Assign a valid department ID value (see table in step d for values).
 - b) Declare a cursor named `c_emp_cursor`, which retrieves the `last_name`, `salary`, and `manager_id` of employees working in the department specified in `v_deptno`.
 - c) In the executable section, use the cursor FOR loop to operate on the data retrieved. If the salary of the employee is less than 5,000 and if the manager ID is either 101 or 124, display the message “<<*last_name*>> Due for a raise.” Otherwise, display the message “<<*last_name*>> Not Due for a raise.”
 - d) Test the PL/SQL block for the following cases:

Department ID	Message
10	Whalen Due for a raise
20	Hartstein Not Due for a raise Fay Not Due for a raise
50	Weiss Not Due for a raise Fripp Not Due for a raise Kaufling Not Due for a raise Vollman Not Due for a raise. OConnell Due for a raise Grant Due for a raise
80	Russell Not Due for a raise Partners Not Due for a raise Errazuriz Not Due for a raise Cambrault Not Due for a raise . . . Livingston Not Due for a raise Johnson Not Due for a raise

Practice 7-1: Using Explicit Cursors (continued)

- 2) Next, write a PL/SQL block that declares and uses two cursors—one without a parameter and one with a parameter. The first cursor retrieves the department number and the department name from the `departments` table for all departments whose ID number is less than 100. The second cursor receives the department number as a parameter, and retrieves employee details for those who work in that department and whose `employee_id` is less than 120.
 - a) Declare a cursor `c_dept_cursor` to retrieve `department_id` and `department_name` for those departments with `department_id` less than 100. Order by `department_id`.
 - b) Declare another cursor `c_emp_cursor` that takes the department number as parameter and retrieves the following data from the `employees` table: `last_name`, `job_id`, `hire_date`, and `salary` of those employees who work in that department, with `employee_id` less than 120.
 - c) Declare variables to hold the values retrieved from each cursor. Use the `%TYPE` attribute while declaring variables.
 - d) Open `c_dept_cursor` and use a simple loop to fetch values into the variables declared. Display the department number and department name. Use the appropriate cursor attribute to exit the loop.
 - e) Open `c_emp_cursor` by passing the current department number as a parameter. Start another loop and fetch the values of `emp_cursor` into variables, and print all the details retrieved from the `employees` table.

Note

- Check whether `c_emp_cursor` is already open before opening the cursor.
 - Use the appropriate cursor attribute for the exit condition.
 - When the loop completes, print a line after you have displayed the details of each department, and close `c_emp_cursor`.
- f) End the first loop and close `c_dept_cursor`. Then end the executable section.
 - g) Execute the script. The sample output is as follows:

Practice 7-1: Using Explicit Cursors (continued)

anonymous block completed			
Department Number : 10 Department Name : Administration			

Department Number : 20 Department Name : Marketing			

Department Number : 30 Department Name : Purchasing			
Raphaely	PU_MAN	07-DEC-94	11000
Khoo	PU_CLERK	18-MAY-95	3100
Baida	PU_CLERK	24-DEC-97	2900
Tobias	PU_CLERK	24-JUL-97	2800
Himuro	PU_CLERK	15-NOV-98	2600
Colmenares	PU_CLERK	10-AUG-99	2500

Department Number : 40 Department Name : Human Resources			

Department Number : 50 Department Name : Shipping			

Department Number : 60 Department Name : IT			
Hunold	IT_PROG	03-JAN-90	9000
Ernst	IT_PROG	21-MAY-91	6000
Austin	IT_PROG	25-JUN-97	4800
Pataballa	IT_PROG	05-FEB-98	4800
Lorentz	IT_PROG	07-FEB-99	4200

Department Number : 70 Department Name : Public Relations			

Department Number : 80 Department Name : Sales			

Department Number : 90 Department Name : Executive			
King	AD_PRES	17-JUN-87	24000
Kochhar	AD_VP	21-SEP-89	17000
De Haan	AD_VP	13-JAN-93	17000

Practice 7-2: Using Explicit Cursors – Optional

If you have time, complete the following optional practice. Here, create a PL/SQL block that uses an explicit cursor to determine the top *n* salaries of employees.

- 1) Run the `lab_07-2.sql` script to create the `top_salaries` table for storing the salaries of the employees.
- 2) In the declarative section, declare the `v_num` variable of the `NUMBER` type that holds a number *n*, representing the number of top *n* earners from the `employees` table. For example, to view the top five salaries, enter 5. Declare another variable `sal` of type `employees.salary`. Declare a cursor, `c_emp_cursor`, which retrieves the salaries of employees in descending order. Remember that the salaries should not be duplicated.
- 3) In the executable section, open the loop and fetch the top *n* salaries, and then insert them into the `top_salaries` table. You can use a simple loop to operate on the data. Also, try and use the `%ROWCOUNT` and `%FOUND` attributes for the exit condition.

Note: Make sure that you add an exit condition to avoid having an infinite loop.

- 4) After inserting data into the `top_salaries` table, display the rows with a `SELECT` statement. The output shown represents the five highest salaries in the `employees` table.

SALARY

24000
17000
17000
14000
13500

- 5) Test a variety of special cases such as `v_num = 0` or where `v_num` is greater than the number of employees in the `employees` table. Empty the `top_salaries` table after each test.

Solution 7-1: Using Explicit Cursors

In this practice, you perform two exercises:

- First, you use an explicit cursor to process a number of rows from a table and populate another table with the results using a cursor FOR loop.
- Second, you write a PL/SQL block that processes information with two cursors, including one that uses a parameter.

1) Create a PL/SQL block to perform the following:

- a) In the declarative section, declare and initialize a variable named `v_deptno` of the `NUMBER` type. Assign a valid department ID value (see table in step d for values).

```
DECLARE
v_deptno NUMBER := 10;
```

- b) Declare a cursor named `c_emp_cursor`, which retrieves the `last_name`, `salary`, and `manager_id` of employees working in the department specified in `v_deptno`.

```
CURSOR c_emp_cursor IS
SELECT      last_name, salary,manager_id
FROM        employees
WHERE       department_id = v_deptno;
```

- c) In the executable section, use the cursor FOR loop to operate on the data retrieved. If the salary of the employee is less than 5,000 and if the manager ID is either 101 or 124, display the message “<<*last_name*>> Due for a raise.” Otherwise, display the message “<<*last_name*>> Not Due for a raise.”

```
BEGIN
FOR emp_record IN c_emp_cursor
LOOP
    IF emp_record.salary < 5000 AND (emp_record.manager_id=101
OR emp_record.manager_id=124) THEN
        DBMS_OUTPUT.PUT_LINE (emp_record.last_name || ' Due for
a raise');
    ELSE
        DBMS_OUTPUT.PUT_LINE (emp_record.last_name || ' Not Due
for a raise');
    END IF;
END LOOP;
END;
```

- d) Test the PL/SQL block for the following cases:

Solution 7-1: Using Explicit Cursors (continued)

Department ID	Message
10	Whalen Due for a raise
20	Hartstein Not Due for a raise Fay Not Due for a raise
50	Weiss Not Due for a raise Fripp Not Due for a raise Kaufling Not Due for a raise Vollman Not Due for a raise. OConnell Due for a raise Grant Due for a raise
80	Russell Not Due for a raise Partners Not Due for a raise Errazuriz Not Due for a raise Cambrault Not Due for a raise . . . Livingston Not Due for a raise Johnson Not Due for a raise

- 2) Next, write a PL/SQL block that declares and uses two cursors—one without a parameter and one with a parameter. The first cursor retrieves the department number and the department name from the `departments` table for all departments whose ID number is less than 100. The second cursor receives the department number as a parameter, and retrieves employee details for those who work in that department and whose `employee_id` is less than 120.
- a) Declare a cursor `c_dept_cursor` to retrieve `department_id` and `department_name` for those departments with `department_id` less than 100. Order by `department_id`.

```
DECLARE
  CURSOR c_dept_cursor IS
    SELECT department_id, department_name
    FROM departments
    WHERE department_id < 100
    ORDER BY department_id;
```

Solution 7-1: Using Explicit Cursors (continued)

- b) Declare another cursor `c_emp_cursor` that takes the department number as parameter and retrieves the following data from the `employees` table: `last_name`, `job_id`, `hire_date`, and salary of those employees who work in that department, with `employee_id` less than 120.

```
CURSOR c_emp_cursor(v_deptno NUMBER) IS
    SELECT last_name, job_id, hire_date, salary
    FROM   employees
    WHERE  department_id = v_deptno
    AND    employee_id < 120;
```

- c) Declare variables to hold the values retrieved from each cursor. Use the `%TYPE` attribute while declaring variables.

```
v_current_deptno departments.department_id%TYPE;
v_current_dname  departments.department_name%TYPE;
v_ename employees.last_name%TYPE;
v_job employees.job_id%TYPE;
v_hiredate employees.hire_date%TYPE;
v_sal employees.salary%TYPE;
```

- d) Open `c_dept_cursor` and use a simple loop to fetch values into the variables declared. Display the department number and department name. Use the appropriate cursor attribute to exit the loop.

```
BEGIN
    OPEN c_dept_cursor;
    LOOP
        FETCH c_dept_cursor INTO v_current_deptno,
                                v_current_dname;
        EXIT WHEN c_dept_cursor%NOTFOUND;
        DBMS_OUTPUT.PUT_LINE ('Department Number : ' ||
                                v_current_deptno || ' Department Name : ' ||
                                v_current_dname);
    END LOOP;
```

Solution 7-1: Using Explicit Cursors (continued)

- e) Open `c_emp_cursor` by passing the current department number as a parameter. Start another loop and fetch the values of `emp_cursor` into variables, and print all the details retrieved from the employees table.

Note

- Check whether `c_emp_cursor` is already open before opening the cursor.
- Use the appropriate cursor attribute for the exit condition.
- When the loop completes, print a line after you have displayed the details of each department, and close `c_emp_cursor`.

```
IF c_emp_cursor%ISOPEN THEN
    CLOSE c_emp_cursor;
END IF;
OPEN c_emp_cursor (v_current_deptno);
LOOP
    FETCH c_emp_cursor INTO v_ename,v_job,v_hiredate,v_sal;
    EXIT WHEN c_emp_cursor%NOTFOUND;
    DBMS_OUTPUT.PUT_LINE (v_ename || ' ' || v_job
                          || ' ' || v_hiredate || ' ' ||
v_sal);
    END LOOP;
    DBMS_OUTPUT.PUT_LINE('-----
-----');
    CLOSE c_emp_cursor;
```

- f) End the first loop and close `c_dept_cursor`. Then end the executable section.

```
END LOOP;
CLOSE c_dept_cursor;
END;
```

- g) Execute the script. The sample output is as follows:

Solution 7-1: Using Explicit Cursors (continued)

anonymous block completed			
Department Number : 10 Department Name : Administration			

Department Number : 20 Department Name : Marketing			

Department Number : 30 Department Name : Purchasing			
Raphaely	PU_MAN	07-DEC-94	11000
Khoo	PU_CLERK	18-MAY-95	3100
Baida	PU_CLERK	24-DEC-97	2900
Tobias	PU_CLERK	24-JUL-97	2800
Himuro	PU_CLERK	15-NOV-98	2600
Colmenares	PU_CLERK	10-AUG-99	2500

Department Number : 40 Department Name : Human Resources			

Department Number : 50 Department Name : Shipping			

Department Number : 60 Department Name : IT			
Hunold	IT_PROG	03-JAN-90	9000
Ernst	IT_PROG	21-MAY-91	6000
Austin	IT_PROG	25-JUN-97	4800
Pataballa	IT_PROG	05-FEB-98	4800
Lorentz	IT_PROG	07-FEB-99	4200

Department Number : 70 Department Name : Public Relations			

Department Number : 80 Department Name : Sales			

Department Number : 90 Department Name : Executive			
King	AD_PRES	17-JUN-87	24000
Kochhar	AD_VP	21-SEP-89	17000
De Haan	AD_VP	13-JAN-93	17000

Solution 7-2: Using Explicit Cursors – Optional

If you have time, complete the following optional exercise. Here, create a PL/SQL block that uses an explicit cursor to determine the top *n* salaries of employees.

- 1) Execute the `lab_07-02.sql` script to create a new table, `top_salaries`, for storing the salaries of the employees.
- 2) In the declarative section, declare a variable `v_num` of type `NUMBER` that holds a number *n*, representing the number of top *n* earners from the `employees` table. For example, to view the top five salaries, enter 5. Declare another variable `sal` of type `employees.salary`. Declare a cursor, `c_emp_cursor`, which retrieves the salaries of employees in descending order. Remember that the salaries should not be duplicated.

```
DECLARE
    v_num          NUMBER(3) := 5;
    v_sal          employees.salary%TYPE;
    CURSOR c_emp_cursor IS
        SELECT      salary
        FROM        employees
        ORDER BY    salary DESC;
```

- 3) In the executable section, open the loop and fetch the top *n* salaries, and then insert them into the `top_salaries` table. You can use a simple loop to operate on the data. Also, try and use the `%ROWCOUNT` and `%FOUND` attributes for the exit condition.
Note: Make sure that you add an exit condition to avoid having an infinite loop.

```
BEGIN
    OPEN c_emp_cursor;
    FETCH c_emp_cursor INTO v_sal;
    WHILE c_emp_cursor%ROWCOUNT <= v_num AND c_emp_cursor%FOUND
    LOOP
        INSERT INTO top_salaries (salary)
            VALUES (v_sal);
        FETCH c_emp_cursor INTO v_sal;
    END LOOP;
    CLOSE c_emp_cursor;
END;
```

Solution 7-2: Using Explicit Cursors – Optional (continued)

- 4) After inserting data into the `top_salaries` table, display the rows with a `SELECT` statement. The output shown represents the five highest salaries in the `employees` table.

```
/
SELECT * FROM top_salaries;
```

The sample output is as follows:

SALARY
24000
17000
17000
14000
13500

- 5) Test a variety of special cases such as `v_num = 0` or where `v_num` is greater than the number of employees in the `employees` table. Empty the `top_salaries` table after each test.

Practice 8-1: Handling Predefined Exceptions

In this practice, you write a PL/SQL block that applies a predefined exception in order to process only one record at a time. The PL/SQL block selects the name of the employee with a given salary value.

- 1) Execute the command in the `lab_05_01.sql` file to re-create the `messages` table.
- 2) In the declarative section, declare two variables: `v_ename` of type `employees.last_name` and `v_emp_sal` of type `employees.salary`. Initialize the latter to 6000.
- 3) In the executable section, retrieve the last names of employees whose salaries are equal to the value in `v_emp_sal`. If the salary entered returns only one row, insert into the `messages` table the employee's name and the salary amount.
Note: Do not use explicit cursors.
- 4) If the salary entered does not return any rows, handle the exception with an appropriate exception handler and insert into the `messages` table the message "No employee with a salary of *<salary>*."
- 5) If the salary entered returns multiple rows, handle the exception with an appropriate exception handler and insert into the `messages` table the message "More than one employee with a salary of *<salary>*."
- 6) Handle any other exception with an appropriate exception handler and insert into the `messages` table the message "Some other error occurred."
- 7) Display the rows from the `messages` table to check whether the PL/SQL block has executed successfully. The output is as follows:

<pre>RESULTS ----- More than one employee with a salary of 6000 1 rows selected</pre>
--

- 8) Change the initialized value of `v_emp_sal` to 2000 and re-execute. Output is as follows:

Practice 8-1: Handling Predefined Exceptions (continued)

RESULTS

More than one employee with a salary of 6000

No employee with a salary of 2000

2 rows selected

Practice 8-2: Handling Standard Oracle Server Exceptions

In this practice, you write a PL/SQL block that declares an exception for the Oracle Server error `ORA-02292` (`integrity constraint violated - child record found`). The block tests for the exception and outputs the error message.

- 1) In the declarative section, declare an exception `e_childrecord_exists`. Associate the declared exception with the standard Oracle Server error `-02292`.
- 2) In the executable section, display “Deleting department 40....” Include a `DELETE` statement to delete the department with the `department_id` 40.
- 3) Include an exception section to handle the `e_childrecord_exists` exception and display the appropriate message.

The sample output is as follows:

<pre>anonymous block completed Deleting department 40..... Cannot delete this department. There are employees in this department (child records exist.)</pre>	
---	--

Solution 8-1: Handling Predefined Exceptions

In this practice, you write a PL/SQL block that applies a predefined exception in order to process only one record at a time. The PL/SQL block selects the name of the employee with a given salary value.

- 1) Execute the command in the `lab_05_01.sql` file to recreate the `messages` table.
- 2) In the declarative section, declare two variables: `v_ename` of type `employees.last_name` and `v_emp_sal` of type `employees.salary`. Initialize the latter to 6000.

```
DECLARE
    v_ename      employees.last_name%TYPE;
    v_emp_sal    employees.salary%TYPE := 6000;
```

- 3) In the executable section, retrieve the last names of employees whose salaries are equal to the value in `v_emp_sal`. If the salary entered returns only one row, insert into the `messages` table the employee's name and the salary amount.
Note: Do not use explicit cursors.

```
BEGIN
    SELECT last_name
    INTO    v_ename
    FROM    employees
    WHERE   salary = v_emp_sal;
    INSERT INTO messages (results)
    VALUES (v_ename || ' - ' || v_emp_sal);
```

- 4) If the salary entered does not return any rows, handle the exception with an appropriate exception handler and insert into the `messages` table the message "No employee with a salary of <salary>."

```
EXCEPTION
    WHEN no_data_found THEN
        INSERT INTO messages (results)
        VALUES ('No employee with a salary of ' ||
                TO_CHAR(v_emp_sal));
```

Solution 8-1: Handling Predefined Exceptions (continued)

- 5) If the salary entered returns multiple rows, handle the exception with an appropriate exception handler and insert into the messages table the message “More than one employee with a salary of <salary>.”

```
WHEN too_many_rows THEN
    INSERT INTO messages (results)
    VALUES ('More than one employee with a salary of ' ||
            TO_CHAR(v_emp_sal));
```

- 6) Handle any other exception with an appropriate exception handler and insert into the messages table the message “Some other error occurred.”

```
WHEN others THEN
    INSERT INTO messages (results)
    VALUES ('Some other error occurred.');
```

```
END;
```

- 7) Display the rows from the messages table to check whether the PL/SQL block has executed successfully.

```
/
SELECT * FROM messages;
```

The output is as follows:

```
RESULTS
-----
More than one employee with a salary of 6000

1 rows selected
```

- 8) Change the initialized value of v_emp_sal to 2000 and re-execute. The output is as follows:

```
RESULTS
-----
More than one employee with a salary of 6000
No employee with a salary of 2000

2 rows selected
```

Solution 8-2: Handling Standard Oracle Server Exceptions

In this practice, you write a PL/SQL block that declares an exception for the Oracle Server error ORA-02292 (integrity constraint violated – child record found). The block tests for the exception and outputs the error message.

- 1) In the declarative section, declare an exception `e_childrecord_exists`. Associate the declared exception with the standard Oracle Server error `-02292`.

```
SET SERVEROUTPUT ON
DECLARE
    e_childrecord_exists EXCEPTION;
    PRAGMA EXCEPTION_INIT(e_childrecord_exists, -02292);
```

- 2) In the executable section, display “Deleting department 40....” Include a DELETE statement to delete the department with `department_id 40`.

```
BEGIN
    DBMS_OUTPUT.PUT_LINE(' Deleting department 40.....');
    delete from departments where department_id=40;
```

- 3) Include an exception section to handle the `e_childrecord_exists` exception and display the appropriate message.

```
EXCEPTION
    WHEN e_childrecord_exists THEN
        DBMS_OUTPUT.PUT_LINE(' Cannot delete this department. There
are employees in this department (child records exist.) ');
END;
```

The sample output is as follows:

anonymous block completed	
Deleting department 40.....	
Cannot delete this department. There are employees in this department (child records exist.)	

Practices and Solutions for Lesson 9

Practice 9: Creating and Using Stored Procedures


In this practice, you modify existing scripts to create and use stored procedures.

- 1) Load the `sol_02_04.sql` script from the `/home/oracle/plsf/soln/` folder.
 - a) Modify the script to convert the anonymous block to a procedure called `greet`. (**Hint:** Also remove the `SET SERVEROUTPUT ON` command.)
 - b) Execute the script to create the procedure. The output results should be as follows:



- c) Save this script as `lab_09_01_soln.sql`.
 - d) Click the Clear button to clear the workspace.
 - e) Create and execute an anonymous block to invoke the `greet` procedure. (**Hint:** Ensure that you enable `SERVEROUTPUT` at the beginning of the block.)

The output should be similar to the following:




- 2) Modify the `lab_09_01_soln.sql` script as follows:
 - a) Drop the `greet` procedure by issuing the following command:

```
DROP PROCEDURE greet;
```


- b) Modify the procedure to accept an argument of type `VARCHAR2`. Call the argument `p_name`.
 - c) Print `Hello <name>` (that is, the contents of the argument) instead of printing `Hello World`.
 - d) Save your script as `lab_09_02_soln.sql`.
 - e) Execute the script to create the procedure. The output results should be as follows:

Practice 9: Creating and Using Stored Procedures (continued)



- f) Create and execute an anonymous block to invoke the `greet` procedure with a parameter value. The block should also produce the output.

The sample output should be similar to the following:




Solution 9: Creating and Using Stored Procedures

In this practice, you modify existing scripts to create and use stored procedures.

- 1) Load the `sol_02_04.sql` script from the `/home/oracle/plsf/soln/` folder.
 - a) Modify the script to convert the anonymous block to a procedure called `greet`.
(**Hint:** Also remove the `SET SERVEROUTPUT ON` command.)

```
CREATE PROCEDURE greet IS
    V_today DATE:=SYSDATE;
    V_tomorrow today%TYPE;
    ...
```

- b) Execute the script to create the procedure. The output results should be as follows:




- c) Save this script as `lab_09_01_soln.sql`.
 - d) Click the Clear button to clear the workspace.
 - e) Create and execute an anonymous block to invoke the `greet` procedure. (**Hint:** Ensure that you enable `SERVEROUTPUT` at the beginning of the block.)

```
SET SERVEROUTPUT ON

BEGIN
    greet;
END;
```

The output should be similar to the following:



Solution 9: Creating and Using Stored Procedures (continued)

2) Modify the lab_09_01_soln.sql script as follows:

a) Drop the greet procedure by issuing the following command:

```
DROP PROCEDURE greet;
```

b) Modify the procedure to accept an argument of type VARCHAR2. Call the argument p_name.


```
CREATE PROCEDURE greet(p_name VARCHAR2) IS  
    V_today DATE:=SYSDATE;  
    V_tomorrow today%TYPE;
```

c) Print Hello <name> instead of printing Hello World.

```
BEGIN  
    V_tomorrow:=v_today +1;  
    DBMS_OUTPUT.PUT_LINE(' Hello ' || p_name);  
    ...
```

d) Save your script as lab_09_02_soln.sql.

e) Execute the script to create the procedure. The output results should be as follows:



f) Create and execute an anonymous block to invoke the greet procedure with a parameter value. The block should also produce the output.

```
SET SERVEROUTPUT ON;  
BEGIN  
    greet('Nancy');  
END;
```

The sample output should be similar to the following:

