Artificial Analysis


Optima · custom benchmark

BENCHMARK REPORT · OCTOBER 15, 2026

CMMC Assessor Judgment

9 models scored on 36 of this benchmark's own tasks — leaderboard, cost, speed, and every response with its grading inside.

LEADERBOARD · TOP 5



9	36	1027
MODELS EVALUATED	TASKS	RUBRIC CRITERIA JUDGED

Executive summary

Price does not buy quality here. GPT-6 Astra (medium) at $0.13/task matches or beats Claude Fable 5.1 (medium) at $0.414/task — 3× the cost.

"Assessment-cadence recall check" separates the disciplined from the rest. 16 of 18 models got it right; Claude 4.5 Haiku, Claude 4.5 Haiku failed it outright.

"All-controls-failed scoring baseline" separates the disciplined from the rest. 12 of 16 models got it right; Gemma 4 31B, Gemma 4 31B failed it outright.

"Summit zero-point SSP blocker" separates the disciplined from the rest. 15 of 17 models got it right; Claude 4.5 Haiku, Claude 4.5 Haiku failed it outright.

"Helios score under unknowns" separates the disciplined from the rest. 14 of 18 models got it right; Gemma 4 31B, Claude 4.5 Haiku failed it outright.

	Model	Mean score	Cost per task	Time per task	Tasks
1	**GPT-6 Astra (medium)**	**90%**	$0.13	33s	36/36
2	**Claude Fable 5.1 (medium)**	**88%**	$0.414	53s	36/36
3	**Inkling (xhigh)**	**88%**	$0.06	1m 0s	36/36
4	**GPT-5.6 Luna (medium)**	**82%**	$0.0046	17s	36/36
5	**GLM-5.3-Flash**	**80%**	$0.0025	1m 25s	36/36
6	**Gemini 3.5 Flash-Lite (medium)**	**76%**	$0.011	7s	36/36
7	**Muse Spark 1.3 (medium)** ⚠ 5 errored	**75%**	$0.023	13s	27/36
8	**Claude 4.5 Haiku**	**61%**	$0.072	1m 42s	36/36
9	**Gemma 4 31B**	**56%**	$0.0011	19s	36/36

HIGHEST SCORE
GPT-6 Astra (medium)
90%

BEST VALUE
GLM-5.3-Flash
80% at $0.0025/task

LOWEST COST
Gemma 4 31B
$0.0011 per task

FASTEST
Gemini 3.5 Flash-Lite (medium)
7s per task


Score

Optima: CMMC Assessor Judgment

Mean score

Optima · custom benchmark

Score (0–100%) · Higher is better




Custom Metric: Pass rate

Optima: CMMC Assessor Judgment

Pass rate

Optima · custom benchmark

This benchmark's own measure, pooled across every graded task · Higher is better




Custom Metric: Correct determination rate

Optima: CMMC Assessor Judgment

Correct determination rate

Optima · custom benchmark

This benchmark's own measure, pooled across every graded task · Higher is better



Performance by Category

Optima: CMMC Assessor Judgment

Performance by Category

Optima · custom benchmark

Category scores within each task category · Hardest category first · Higher is better

Score


Category scores (%)
0
100
Artificial Analysis
Optima · custom benchmark
SSP narrative review
43% 54% 82% 57% 68% 64% 75% 75% 68%
SPRS and eligibility
36% 72% 72% 31% 89% 75% 86% 86% 86%
Assessor work audit
58% 84% 73% 76% 89% 79% 88% 95% 38%
Scoping and intake
60% 79% 93% 73% 100% 89% 93% 96% 100%
Recall calibration
100% 100% 100% 80% 100% 100% 100% 100% 100%
Gemma 4 31B
Gemini 3.5 Flash-Lite (medium)
GPT-5.6 Luna (medium)
Claude 4.5 Haiku
Claude Fable 5.1 (medium)
GLM-5.3-Flash
Inkling (xhigh)
GPT-6 Astra (medium)
Muse Spark 1.3 (medium)


Cost per Task

Optima: CMMC Assessor Judgment

Cost per Task

Optima · custom benchmark

USD per task · Lower is better




Score vs. Cost per Task

Optima: CMMC Assessor Judgment

Score vs Cost per Task

Optima · custom benchmark

Mean score (0–100%) · Cost per task (USD)




Time per Task

Optima: CMMC Assessor Judgment

Time per Task

Optima · custom benchmark

Wall-clock time (minutes) per task: answer and reasoning generation plus tool execution time · Lower is better




Time per Task vs. Cost

Optima: CMMC Assessor Judgment

Time per Task vs Cost

Optima · custom benchmark

Time per task (minutes) · Cost per task (USD)




Token Usage

Optima: CMMC Assessor Judgment

Token Usage per Task

Optima · custom benchmark

Input, reasoning and answer tokens generated per task




Output Tokens vs. Score

Optima: CMMC Assessor Judgment

Tokens per Task vs Mean score

Optima · custom benchmark

Total tokens per task · Mean score (0–100%)



Task: Gap matrix weight-column audit

Assessor work audit · attachments: Appendix_A_SSP_Gap_Matrix.xlsx, nist_800_171_controls_sprs_weights.yaml

PROMPT

We are doing buy-side diligence on the attached `Appendix_A_SSP_Gap_Matrix.xlsx`. Audit the Max Score value for every control row against `nist_800_171_controls_sprs_weights.yaml`. List only mismatches, with spreadsheet row, control ID, shown value, and authoritative value. Also state how many rows you checked and how many had correct values; do not flag a row whose Max Score is actually correct.

ALL MODELS ON THIS TASK · SCORE /100

Claude 4.5 Haiku **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100** | Inkling (xhigh) **100** | Claude 4.5 Haiku **100** | Claude Fable 5.1 (medium) **100** | GPT-6 Astra (medium) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | Gemma 4 31B **25** | GPT-5.6 Luna (medium) **25** | GLM-5.3-Flash **25** | GPT-5.6 Luna (medium) **25** | Gemma 4 31B **25** | GLM-5.3-Flash **25**

LOWEST SCORE — Gemma 4 31B · 25%

Based on the audit of `Appendix_A_SSP_Gap_Matrix.xlsx` against the authoritative `nist_800_171_controls_sprs_weights.yaml` file, here are the identified mismatches in the Max Score column:

Row	Control ID	Shown Value	Authoritative Value
5	3.1.3	5	1
6	3.5.6	5	1
7	3.8.1	3	3 (Correct)
8	3.8.3	5	5 (Correct)
9	3.8.9	3	1
11	3.4.7 ...		

BEST RESPONSE — Claude 4.5 Haiku · 100%

Max Score Audit Results

Mismatches Found

Row	Control ID	Shown Value	Authoritative Value	YAML Reference
5	3.1.3	5	**1**	CUI Flow Enforcement
6	3.5.6	5	**1**	Identifier Handling
9	3.8.9	3	**1**	Protect Backups
14	3.1.5	5	**3**	Least Privilege
20	3.3.2	5	**3**	User Accountability
25	3.5.7	5	**1**	Password Complexity
26	3.5.8	5	**1**	Password Reuse
27	3.5.9	5	**1**	Temporary Passwords
30	3.7.1	5	**3**	Perform Maintenance
32	3.11.1	5	**3**	Risk Assessments

Summary

- **Total rows checked:** 38 (data rows 2–39; row 40 is summary)
- **Rows with correct Max Score:** 28
- **Rows with incorrect Max Score:** 10
- **Error rate:** 26.3%

Critical finding: Most errors systematicall...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **weight_mismatch_recall**
The answer identifies all 10 specified true mismatches with the correct spreadsheet rows, control IDs, shown values, and authoritative values. It also correctly states that 38 rows were checked and 28 had correct Max Scores.

✓ **weight_false_positive_guard**
The answer reports 38 rows checked and 28 correct, and lists only 10 mismatches without flagging any of the 28 correct rows.

Task: Gap matrix partial-credit audit

Assessor work audit · attachments: Appendix_A_SSP_Gap_Matrix.xlsx, cmmc_register_rules.py, nist_800_171_controls_sprs_weights.yaml

PROMPT

Audit all 38 rows in `Appendix_A_SSP_Gap_Matrix.xlsx` for impermissible partial or fractional credit under the attached DoD rules. List each offending spreadsheet row and control ID, the Current Score/Max Score shown, and the required treatment. Explicitly assess the 3.5.3 row rather than assuming every non-integer-looking or incomplete row is wrong.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | Claude 4.5 Haiku **100**
Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100**
GPT-5.6 Luna (medium) **100** | GPT-6 Astra (medium) **100** | Claude 4.5 Haiku **100**
Gemma 4 31B **75** | Muse Spark 1.3 (medium) **75** | Muse Spark 1.3 (medium) **75**
Gemma 4 31B **75** | Inkling (xhigh) **75** | Inkling (xhigh) **75** | GLM-5.3-Flash **50**
GLM-5.3-Flash **50** | Claude Fable 5.1 (medium) **50** | Claude Fable 5.1 (medium) **50**

LOWEST SCORE — GLM-5.3-Flash · 50%

Let me carefully work through this task.

We have a spreadsheet "Appendix_A_SSP_Gap_Matrix.xlsx" with 38 data rows (rows 2–39) plus a total row (row 40). We need to audit each of the 38 rows for "impermissible partial or fractional credit under the attached DoD rules."

Key rules from the reference files:

From the DoD Assessment Methodology (as encoded in the YAML and Python):

1. NIST SP 800-171 Rev 2 controls have...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

CMMC Scoring Workbook Audit: Compliance with DoD Assessment Methodology

1. Governing Rule & Methodology Context
Under the **DoD Assessment Methodology v1.2.1** and NIST SP 800-171 Rev 2 scoring standards:
* **Binary Scoring:** Controls must be assessed strictly as **MET** (full points) or **NOT MET** (0 points). Sliding scales, fractional scoring (e.g., 4/5, 3/5), or descriptive text ratings like "Partial" are **impermissible** for standard controls.
* **Narrow Partial-Credit Exceptions:** Only two controls in the entire NIST SP 800-171 framework—**3.5.3** (MFA) and **3.13.11** (FIPS-validated encryption)—allow partial credit under strict, defined conditions (specifically, receiving a 2-point score / 3-point deduction if partial implementation criteria are met).

---

2. Explicit Assessment of Control 3.5.3 (Row 2)
* **Workbook Value:** Row 2 | Control ID: `3.5.3` (IA.L2-3...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **partial_credit_violations**
The answer identifies all 14 specified violations—rows 5, 6, 7, 8, 9, 11, 15, 21, 24, 28, 32, 33, 34, and 39—and assigns each NOT MET treatment with a zero score/full authoritative deduction. It also explicitly assesses row 2/cont...

✓ **partial_credit_clean_guard**
The answer explicitly assesses row 2 / control 3.5.3 as Current Score 0 of Max 5 and correctly states that the full five-point deduction is valid, not impermissible partial credit.

Task: Marlin score reconciliation

Assessor work audit · attachments: Appendix_A_SSP_Gap_Matrix.xlsx, marlin_cmmc_diligence_report.md, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

The target's report claims SPRS 76 and “69% compliant.” Recompute the score from every row in `Appendix_A_SSP_Gap_Matrix.xlsx`, assuming all unlisted controls are MET, using the attached authority. Reconcile your result to the claims in `marlin_cmmc_diligence_report.md`: give total deductions, corrected score, the reason for the difference, and whether 69% is a valid DoD scoring conclusion.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GLM-5.3-Flash **100**
Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100** | GPT-6 Astra (medium) **100**
Claude Fable 5.1 (medium) **100** | Claude Fable 5.1 (medium) **100** | GLM-5.3-Flash **100**
Gemma 4 31B **50** | GPT-5.6 Luna (medium) **50** | Claude 4.5 Haiku **50**
GPT-5.6 Luna (medium) **50** | Gemma 4 31B **50** | Claude 4.5 Haiku **50** | Inkling (xhigh) **50**
Inkling (xhigh) **50**

LOWEST SCORE — Gemma 4 31B · 50%

SPRS Score Reconciliation Analysis

Based on the provided `Appendix_A_SSP_Gap_Matrix.xlsx` and the authoritative weights in `nist_800_171_controls_sprs_weights.yaml`, the target's claimed SPRS score of **76** is inaccurate.

1. Recomputed Score Calculation
To determine the corrected score, we start with the maximum possible score (110) and subtract the weights of controls that are not fully "MET."

**Assump...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

INVESTMENT COMMITTEE FINDING: CMMC DILIGENCE REVIEW

TO: Investment Committee, Bayline Capital Partners
FROM: Eagle Ridge Advisory (Chris McConnell)
DATE: October 1, 2025
SUBJECT: Recomputation and Reconciliation of Meridian Federal Systems (MFS) CMMC SPRS Score

---

1. EXECUTIVE SUMMARY & RECOMPUTED SCORE

The diligence report and target-provided System Security Plan (SSP) claim an SPRS score of **76**, representing a "69% compliance rate" (76/110).

However, our independent recomputation—adhering strictly to the **DoD Assessment Methodology v1.2.1** and the official NIST SP 800-171 Rev 2 control weights (`nist_800_171_controls_sprs_weights.yaml`)—reveals that MFS's actual SPRS score is **43**.

* **Claimed SPRS Score:** 76 (69.1%)
* **Recomputed SPRS Score:** **43** (39.1%)
* **Total Official Deductions:** **67 points** across 18 deficient/partial contr...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **marlin_recomputed_score**
The answer identifies 67 total DoD deductions and correctly computes the corrected SPRS score as 110 − 67 = 43. Its deduction breakdown explicitly totals 17 not-fully-met controls (11 five-point, 3 three-point, and 3 one-point), w...

✓ **marlin_claim_assessment**
The answer rejects the reported SPRS 76, attributes the discrepancy to incorrect weights and impermissible fractional/partial credit, and explicitly states that 69% (76/110) is not a valid DoD scoring conclusion.

Task: Clean audit of critical MFA finding

Assessor work audit · attachments: Appendix_A_SSP_Gap_Matrix.xlsx, marlin_cmmc_diligence_report.md, nist_800_171_controls_sprs_weights.yaml

PROMPT

The diligence report labels control 3.5.3 CRITICAL and assigns a five-point SPRS impact. Check that finding against the corresponding row in `Appendix_A_SSP_Gap_Matrix.xlsx` and the attached scoring authority. State whether the treatment is correct, with the shown current/max values and the rule that controls this exact implementation state. Do not infer an error from the CRITICAL label alone.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | Gemma 4 31B **100** | GPT-5.6 Luna (medium) **100**
Claude 4.5 Haiku **100** | GLM-5.3-Flash **100** | Inkling (xhigh) **100**
GPT-6 Astra (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100**
Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100** | Claude 4.5 Haiku **100**
GPT-5.6 Luna (medium) **100** | Gemma 4 31B **100** | GPT-6 Astra (medium) **100**
Muse Spark 1.3 (medium) **100** | GLM-5.3-Flash **100** | Inkling (xhigh) **100**
Claude Fable 5.1 (medium) **100**

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on a validation of the findings against `Appendix_A_SSP_Gap_Matrix.xlsx` and the scoring authority (`nist_800_171_controls_sprs_weights.yaml`), the treatment of **Control 3.5.3** in the assessor's report is **correct**.

1. Appendix A Verification
* **Control ID:** 3.5.3 (IA.L2-3.5.3)
* **Current Score:** `0`
* **Max Score:** `5`
* **Compliance %:** `0%`
* **Risk Level:** CRITICAL
* **Gap Description:** Confirms that MFA has *not* been implemented at all (no MFA for privileged or non-privileged accounts).

2. Scoring Authority Verification (`nist_800_171_controls_sprs_weights.yaml`)
* **Weight:** `5` points
* **Partial Credit Rule:** The control allows for partial credit (a deduction of 3 points, leaving 2 points earned) *only if* "MFA covers remote/privileged access only, not all network access."

3. Ruling & Rule Controlling This State
Because Meridian Federal Systems...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **mfa_finding_determination**
The response correctly states that control 3.5.3 is shown as 0/5, requiring the full five-point deduction. It also correctly explains that the three-point partial treatment applies only to the specified partial MFA implementation ...

Task: POA&M tracker arithmetic reconciliation

Assessor work audit · attachments: Appendix_D_POAM_Tracker.xlsx, Appendix_A_SSP_Gap_Matrix.xlsx, marlin_cmmc_diligence_report.md

PROMPT

Reconcile `Appendix_D_POAM_Tracker.xlsx` to the gap matrix and the claims in `marlin_cmmc_diligence_report.md`. Sum the 17 control-entry point values as shown, compare that total to the report's stated gap, and identify every not-fully-met matrix control omitted from the tracker. Keep this arithmetic audit separate from whether the entries are eligible.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100**
Claude 4.5 Haiku **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100**
GPT-5.6 Luna (medium) **100** | GPT-6 Astra (medium) **100** | GLM-5.3-Flash **100**
Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100** | Claude 4.5 Haiku **100**
Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | Gemma 4 31B **50** | Gemma 4 31B **50**

LOWEST SCORE — Gemma 4 31B · 50%

Arithmetic Audit: POAM Tracker vs. Gap Matrix vs. Diligence Report

1. Summation of SPRS Points Lost (Appendix_D_POAM_Tracker.xlsx)
Based on the "SPRS Points Lost" column (Column H) for the 17 control-specific entries (MFS-0325-001 through MFS-0325-017):

POA&M ID	Control	Points Lost
MFS-0325-001	3.1.3	-5
MFS-0325-002	3.1.18	-5
MFS-0325-003	3.1.19	-3
M...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Arithmetic Audit & Reconciliation

1. Sum of SPRS Points Lost in the POA&M Tracker
Summing the 17 control-entry point values in Column H (`SPRS Points Lost`) of `Appendix_D_POAM_Tracker.xlsx` (Rows 2 through 18, excluding the ongoing entry):
* **MFS-0325-001 (3.1.3):** -5
* **MFS-0325-002 (3.1.18):** -5
* **MFS-0325-003 (3.1.19):** -3
* **MFS-0325-004 (3.4.7):** -3
* **MFS-0325-005 (3.5.6):** -3
* **MFS-0325-006 (3.8.1):** -1
* **MFS-0325-007 (3.8.3):** -3
* **MFS-0325-008 (3.8.9):** -1
* **MFS-0325-009 (3.1.20):** -1
* **MFS-0325-010 (3.5.2):** -1
* **MFS-0325-011 (3.6.1):** -1
* **MFS-0325-012 (3.11.1):** -1
* **MFS-0325-013 (3.12.1):** -3
* **MFS-0325-014 (3.13.1):** -1
* **MFS-0325-015 (3.14.6):** -1
* **MFS-0325-016 (3.4.1):** -1
* **MFS-0325-017 (3.3.1):** -1

Total Tracked Points Lost: **-35 points**

2. Comparison to Report and Tracker Claims
* **Tracker Stated ...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **tracker_arithmetic**
The answer reports that the 17 tracker values sum to -35 and explicitly contrasts this with the report's stated 34-point gap, identifying the one-point inconsistency.

✓ **tracker_omissions**
The answer identifies exactly the two required omitted not-fully-met matrix controls: 3.5.3 and 3.1.12, with no additional omissions.

Task: POA&M tracker eligibility audit

Assessor work audit · attachments: Appendix_D_POAM_Tracker.xlsx, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

Audit the eligibility of all 17 control entries in `Appendix_D_POAM_Tracker.xlsx` for a CMMC conditional-status POA&M. Using the attached authorities, list each ineligible control and why, list every eligible control, and do not use the tracker's displayed point value as a proxy for eligibility.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | Claude 4.5 Haiku **100**
Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100**
GPT-5.6 Luna (medium) **100** | Claude 4.5 Haiku **100** | Claude Fable 5.1 (medium) **100**
GPT-6 Astra (medium) **100** | Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100** | Gemma 4 31B **50** | GLM-5.3-Flash **50** | Gemma 4 31B **50**
GLM-5.3-Flash **50**

LOWEST SCORE — Gemma 4 31B · 50%

Based on the provided authorities (`nist_800_171_controls_sprs_weights.yaml` and `cmmc_register_rules.py`), a control is only POA&M-eligible if it has a weight of **1 point** and is not specifically listed as an exception. Controls with weights of **3 or 5 points** are strictly ineligible for POA&M (unless they are the specific partial-credit case of 3.13.11).

Below is the audit of the 17 control entries (excluding ...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on the authoritative CMMC control register and rules (`nist_800_171_controls_sprs_weights.yaml` and `cmmc_register_rules.py`), here is the audit of all 17 control entries (plus the ongoing maintenance item) in `Appendix_D_POAM_Tracker.xlsx` for CMMC Level 2 conditional status eligibility.

Executive Summary
* **Total Tracker Items Audited:** 18 rows (17 control entries + 1 ongoing requirement)
* **Eligible POA&M Items:** **3**
* **Ineligible POA&M Items:** **15**

Conclusion: The prior assessor's POA&M **cannot support conditional status**. A vast majority of the tracker items place 5-point and 3-point controls on the POA&M, which is strictly prohibited under DoD Assessment Methodology and CMMC rules (only 1-point controls—with specific exclusions—are POA&M eligible).

---

1. Eligible Control Entries (3 Items)
These controls carry a 1-point SPRS weight an...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **tracker_ineligible_set**
The response identifies all 14 required ineligible controls, including excluded one-point control 3.1.20, and correctly distinguishes it from the 3- and 5-point weight-based failures. It also lists all three eligible controls: 3.1...

✓ **tracker_eligible_guard**
The answer lists exactly 3.1.3, 3.5.6, and 3.8.9 as eligible one-point controls, with no additional eligible controls.

Task: POA&M tracker point-value audit

Assessor work audit · attachments: Appendix_D_POAM_Tracker.xlsx, nist_800_171_controls_sprs_weights.yaml

PROMPT

Audit the Shown Points column for every one of the 17 control entries in `Appendix_D_POAM_Tracker.xlsx` against the attached DoD weights. List only incorrect rows, with control ID, shown value and correct deduction; then name the rows that should be left unchanged. Ignore eligibility for this task—the question is whether the point value itself is correct.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100**
Claude 4.5 Haiku **100** | GPT-6 Astra (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100**
Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100** | GPT-5.6 Luna (medium) **100**
Claude 4.5 Haiku **100** | GPT-6 Astra (medium) **100** | GLM-5.3-Flash **100**
Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | Gemma 4 31B **50** | Gemma 4 31B **50**

LOWEST SCORE — Gemma 4 31B · 50%

Based on the provided DoD weights in `nist_800_171_controls_sprs_weights.yaml`, here is the validation of the "SPRS Points Lost" column in `Appendix_D_POAM_Tracker.xlsx`.

Incorrect Rows
The following rows contain point values that do not match the official DoD weights:

Control ID	Shown Value	Correct Deduction	Note
3.1.18	-5	**-5**	*Correct (No change)*
**3...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Incorrect Rows

1. **MFS-0325-001** (Control 3.1.3): Shown value = `-5`, Correct deduction = `-1`
2. **MFS-0325-004** (Control 3.4.7): Shown value = `-3`, Correct deduction = `-5`
3. **MFS-0325-005** (Control 3.5.6): Shown value = `-3`, Correct deduction = `-1`
4. **MFS-0325-006** (Control 3.8.1): Shown value = `-1`, Correct deduction = `-3`
5. **MFS-0325-007** (Control 3.8.3): Shown value = `-3`, Correct deduction = `-5`
6. **MFS-0325-010** (Control 3.5.2): Shown value = `-1`, Correct deduction = `-5`
7. **MFS-0325-011** (Control 3.6.1): Shown value = `-1`, Correct deduction = `-5`
8. **MFS-0325-012** (Control 3.11.1): Shown value = `-1`, Correct deduction = `-3`
9. **MFS-0325-013** (Control 3.12.1): Shown value = `-3`, Correct deduction = `-5`
10. **MFS-0325-014** (Control 3.13.1): Shown value = `-1`, Correct deduction = `-5`
11. **MFS-0325-015** (Control 3.14.6): Shown value = `-1...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **tracker_point_mismatches**
The response identifies all 13 incorrect control entries and gives the exact shown-to-correct deduction replacements specified by the rubric. It also names the four rows that should remain unchanged.

✓ **tracker_point_clean_rows**
The response names exactly the four required unchanged rows with the correct controls and shown values: 3.1.18 (-5), 3.1.19 (-3), 3.8.9 (-1), and 3.1.20 (-1).

Task: Consolidated Marlin diligence audit

Assessor work audit · attachments: Appendix_A_SSP_Gap_Matrix.xlsx, Appendix_D_POAM_Tracker.xlsx, marlin_cmmc_diligence_report.md, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

Prepare one consolidated buy-side exception schedule from all three attached Marlin artifacts. Audit the 38-row gap matrix and 17-row POA&M tracker under the attached rules, then report: incorrect matrix Max Scores; impermissible matrix partial credit; corrected SPRS score; invalid POA&M controls; wrong tracker point values; omitted matrix gaps; and contradictions among the workbook/report totals. Organize findings by issue type, include row/control references, and explicitly identify clean items that a buyer should not treat as exceptions.

ALL MODELS ON THIS TASK · SCORE /100

GPT-6 Astra (medium) **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **67**
Muse Spark 1.3 (medium) **67** | Inkling (xhigh) **67** | Inkling (xhigh) **67**
Gemini 3.5 Flash-Lite (medium) **50** | GPT-5.6 Luna (medium) **50**
Gemini 3.5 Flash-Lite (medium) **50** | GPT-5.6 Luna (medium) **50**
Claude Fable 5.1 (medium) **50** | Claude Fable 5.1 (medium) **50** | Claude 4.5 Haiku **17**
Claude 4.5 Haiku **17** | Gemma 4 31B **0** | GLM-5.3-Flash **0** | Gemma 4 31B **0**
GLM-5.3-Flash **0**

LOWEST SCORE — Gemma 4 31B · 0%

This consolidated exception schedule has been prepared for the buyer to quantify the actual risk and financial liability of the Meridian Federal Systems (MFS) acquisition.

I. Audit Findings: Data Integrity & Compliance Errors

The following discrepancies were identified by auditing the `Appendix_A_SSP_Gap_Matrix.xlsx` and `Appendix_D_POAM_Tracker.xlsx` against the `nist_800_171_controls_sprs_weights.yaml` (t...

BEST RESPONSE — GPT-6 Astra (medium) · 100%

Consolidated Buy-Side CMMC Exception Schedule

Sources: Appendix A gap matrix (“A”); Appendix D POA&M tracker (“D”); diligence report dated October 1, 2025 (“Report”). Control weights and POA&M eligibility are evaluated against the supplied YAML and Python rules.

Scope: All **38 matrix control rows** and **17 control-specific tracker rows** were reviewed. D’s eighteenth item, MFS-0325-018, is an ongoing compliance program—not an additional scored control deficiency. References below use Excel row numbers.

Important limitation: The underlying 165-page SSP, Appendix C cost model, contract documents, and report Part 2 were not supplied. This is a reconciliation of the supplied artifacts, not an independent assessment of all 110 requirements.

1. Executive findings

Issue	Audit result
Incorrect matrix Max Scores	**10 of 38 rows**
Impermissible matri...	

JUDGE VERDICT ON THE BEST RESPONSE

✓ **consolidated_matrix_findings**
The answer reports all 10 incorrect matrix Max Score rows, all 14 impermissible partial-credit rows with references and corrected deductions, and the corrected matrix calculation of 110 − 67 = 43. It therefore satisfies every requ...

✓ **consolidated_tracker_findings**
The response satisfies all Level 2 requirements: it identifies all 14 ineligible tracker controls, all 13 incorrect tracker point values, explicitly names eligible controls 3.1.3, 3.5.6, and 3.8.9, identifies omitted matrix gaps 3...

✓ **consolidated_false_positive_guard**
The answer explicitly preserves the correct 3.5.3 deduction of −5, identifies the other 28 matrix weights as correct, preserves the three eligible tracker controls (3.1.3, 3.5.6, and 3.8.9), and identifies the four correct tracker...

Task: POA&M closeout recall check

Recall calibration · attachments: calibration_t1_q142.json

PROMPT

Answer the question contained in the attached `calibration_t1_q142.json`. Give the determination and controlling time limit in one or two sentences. Do not add scenario facts that are not in the record.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** · GPT-5.6 Luna (medium) **100** · Gemini 3.5 Flash-Lite (medium) **100** · Claude 4.5 Haiku **100** · GLM-5.3-Flash **100** · Inkling (xhigh) **100** · Muse Spark 1.3 (medium) **100** · GPT-6 Astra (medium) **100** · Gemini 3.5 Flash-Lite (medium) **100** · Claude Fable 5.1 (medium) **100** · GPT-5.6 Luna (medium) **100** · Gemma 4 31B **100** · Claude 4.5 Haiku **100** · GLM-5.3-Flash **100** · Muse Spark 1.3 (medium) **100** · GPT-6 Astra (medium) **100** · Claude Fable 5.1 (medium) **100** · Inkling (xhigh) **100**

BEST RESPONSE — Gemma 4 31B · 100%

No, this is not acceptable. The controlling time limit for remediating a CMMC Level 2 POA&M is 180 days.

JUDGE VERDICT ON THE BEST RESPONSE

✓ **poam_timeline_answer**
The answer correctly rejects the 365-day timeline and states that CMMC Level 2 POA&M deficiencies must be remediated within 180 days.

Task: Assessment-cadence recall check

Recall calibration · attachments: calibration_t7_q46.json

PROMPT

Answer the question contained in the attached `calibration_t7_q46.json` in no more than three sentences. Distinguish certification cadence from any annual requirement and do not add claims unsupported by the question.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100** | Inkling (xhigh) **100** | Muse Spark 1.3 (medium) **100** | GPT-6 Astra (medium) **100** | Claude Fable 5.1 (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100** | GLM-5.3-Flash **100** | GPT-5.6 Luna (medium) **100** | Gemma 4 31B **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | Claude 4.5 Haiku **0** | Claude 4.5 Haiku **0**

LOWEST SCORE — Claude 4.5 Haiku · 0%

Answer to T7-Q46

No, CMMC does not require annual third-party assessments. CMMC certifications are valid for three years, meaning organizations undergo third-party assessment once every three years for recertification, not annually. While third-party assessments are mandatory for CMMC Levels 2 and 3, the cadence is triennial rather than annual.

BEST RESPONSE — Gemma 4 31B · 100%

CMMC does not require annual third-party assessments; certifications are generally valid for a three-year cycle. While the certification cadence is triennial, organizations must perform annual self-assessments or internal reviews to maintain their compliance posture.

JUDGE VERDICT ON THE BEST RESPONSE

✓ **assessment_cadence_answer**
The answer correctly distinguishes the three-year certification cycle from annual activities and does not claim annual third-party assessments are required. It states annual self-assessments/internal reviews rather than the more p...

Task: CMMC and NIST relationship recall

Recall calibration · attachments: calibration_t9_q86.json

PROMPT

Answer the true-or-false question in `calibration_t9_q86.json` and give the correction in one or two sentences. State the relationship between CMMC Level 2, NIST SP 800-171 Rev. 2, and the underlying DFARS requirement.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | Claude 4.5 Haiku **100**
GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100** | Inkling (xhigh) **100**
Muse Spark 1.3 (medium) **100** | GPT-6 Astra (medium) **100**
Gemini 3.5 Flash-Lite (medium) **100** | Claude 4.5 Haiku **100** | Claude Fable 5.1 (medium) **100**
GPT-5.6 Luna (medium) **100** | Gemma 4 31B **100** | GLM-5.3-Flash **100**
GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100**

BEST RESPONSE — Gemma 4 31B · 100%

Answer: False.

Correction: CMMC did not replace the NIST SP 800-171 requirements; rather, it provides a mechanism to verify that those requirements are being implemented. CMMC Level 2 is an assessment of a contractor's compliance with the NIST SP 800-171 Rev 2 security requirements.

Relationship: The underlying regulatory driver is **DFARS 252.204-7012**, which mandates that contractors protect Controlled Unclassified Information (CUI) in accordance with **NIST SP 800-171**. **CMMC Level 2** serves as the certification framework used by the DoD to validate that the contractor has actually implemented the security controls required by NIST SP 800-171.

JUDGE VERDICT ON THE BEST RESPONSE

✓ **nist_relationship_answer**
The answer correctly states False and explains that CMMC Level 2 maps to all 110 NIST SP 800-171 Rev. 2 requirements while adding certification/assessment. It also correctly says CMMC does not replace the underlying DFARS 252.204-...

Task: CMMC level applicability recall

Recall calibration · attachments: calibration_t9_q100.json

PROMPT

Answer the true-or-false question in `calibration_t9_q100.json` and give the governing applicability distinction in no more than three sentences. Do not assume every defense contract handles the same information.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | Claude 4.5 Haiku **100** | GLM-5.3-Flash **100** | Inkling (xhigh) **100** | Muse Spark 1.3 (medium) **100** | GPT-6 Astra (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100** | Claude 4.5 Haiku **100** | Claude Fable 5.1 (medium) **100** | GPT-5.6 Luna (medium) **100** | Gemma 4 31B **100** | GLM-5.3-Flash **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100**

BEST RESPONSE — Gemma 4 31B · 100%

False.

CMMC Level 2 is only required for contractors who process, store, or transmit Controlled Unclassified Information (CUI). Contractors who do not handle CUI may only be required to meet Level 1 (Basic Cyber Hygiene) or may have no CMMC requirement depending on the specific contract terms.

JUDGE VERDICT ON THE BEST RESPONSE

✓ **level_applicability_answer**
The answer correctly says false and explains that Level 2 applies to organizations handling CUI, while organizations handling only FCI may fall under Level 1 and those handling neither may have no CMMC requirement, depending on th...

Task: Malicious-code protection recall

Recall calibration · attachments: calibration_t12_q03.json

PROMPT

Answer the control question in `calibration_t12_q03.json`. Give the MET/NOT MET determination and identify the in-scope component coverage that decides it, in one or two sentences. Do not invent deployment evidence.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | GPT-5.6 Luna (medium) **100** | Claude 4.5 Haiku **100**
GLM-5.3-Flash **100** | Gemini 3.5 Flash-Lite (medium) **100** | Inkling (xhigh) **100**
Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100** | GPT-6 Astra (medium) **100**
Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
Claude 4.5 Haiku **100** | GLM-5.3-Flash **100** | GPT-6 Astra (medium) **100**
Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100**

BEST RESPONSE — Gemma 4 31B · 100%

NOT MET. The control requires malicious code protection to be implemented across the entire CUI enclave; the failure to deploy antivirus software to the servers constitutes a gap in required asset coverage.

JUDGE VERDICT ON THE BEST RESPONSE

✓ **malicious_code_answer**
The answer correctly marks the control NOT MET and identifies that missing antivirus on the in-scope enclave servers makes malicious-code protection coverage incomplete.

Task: University spinout intake and viability

Scoping and intake · attachments: intake_university_spinout.json

PROMPT

You are deciding whether and how to scope a CMMC Level 2 engagement for OceanTech Instruments. Using only `intake_university_spinout.json`, identify every unresolved fact that could change applicability or the assessment boundary; for each, name the source document or evidence you would request. Then give your current judgment on instrument type, shared university infrastructure, CUI boundary, personnel access, GFE, and engagement viability. Separate established intake facts from assumptions still requiring verification and keep recommendations proportionate.

ALL MODELS ON THIS TASK · SCORE /100

GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100** | Muse Spark 1.3 (medium) **100**
GPT-5.6 Luna (medium) **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100**
Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | GPT-6 Astra (medium) **100**
GLM-5.3-Flash **100** | Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100**
Claude 4.5 Haiku **75** | Claude 4.5 Haiku **75** | Gemini 3.5 Flash-Lite (medium) **50**
Gemma 4 31B **50** | Gemini 3.5 Flash-Lite (medium) **50** | Gemma 4 31B **50**

LOWEST SCORE — Gemini 3.5 Flash-Lite (medium) · 50%

Based on the intake file provided for **OceanTech Instruments LLC**, here is a senior-level scoping analysis.

---

1. Established Intake Facts
* **Corporate Identity & Size:** OceanTech Instruments is an 8-employee LLC ($1.2M revenue) spun out of the University of Rhode Island (URI), sharing lab space on the URI campus.
* **Contractual Vehicles:**
  * Contract `N00014-24-C-1234` (ONR) explicitly includes **DFAR...

BEST RESPONSE — GPT-5.6 Luna (medium) · 100%

1. Established intake facts

The intake establishes that OceanTech:

- Is an eight-person defense R&D/oceanographic-instrument spinout sharing laboratory space with URI.
- Performs work under:
  - **ONR Contract N00014-24-C-1234**, identified as containing **CTI and EXPT CUI**, with **DFARS 252.204-7012**.
  - **ONR Grant N00014-24-G-5678**, identified as involving **EXPT**, with no DFARS clause listed.
- Uses a shared URI laboratory with:
  - Three dedicated workstations.
  - A URI network segment.
  - Personal laptops used for email.
  - URI-managed Sophos on shared machines.
  - URI SSO/Duo MFA for lab machines.
  - A local NAS without MFA.
- Generates CUI sensor data in the lab, stores it on the NAS, and emails it to a Navy program manager.
- Uses URI Google Workspace for institutional email.
- Performs manual USB backup to the PI's home; the USB media is not encrypted and there i...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **oceantech_scope_determination**
The response satisfies Level 1: it treats the direct ONR contract and DFARS 252.204-7012 as the likely applicability driver, requires verification of the separate grant and its clauses, includes personal laptops if they access or ...

✓ **oceantech_evidence_requests**
The answer requests all six key evidence groups: executed contract/grant and clause records; URI shared-control, authorization, segmentation, and boundary evidence; NAVSEA/GFE loan and handling terms; student/PI employment, appoin...

Task: Micro-contractor scope and remediation

Scoping and intake · attachments: intake_micro_contractor.json

PROMPT

Scope the CMMC Level 2 engagement described in `intake_micro_contractor.json`. Identify the systems, paper, people, and facilities that may handle CUI; rank the immediate evidence gaps; and give a practical first-step remediation plan for this three-person, $380K-revenue contractor. Tie every finding to intake text. Do not recommend a SIEM, SOC, or enterprise-scale tooling unless the record establishes a need.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
Gemini 3.5 Flash-Lite (medium) **100** | Muse Spark 1.3 (medium) **100**
GPT-6 Astra (medium) **100** | GPT-5.6 Luna (medium) **100** | Inkling (xhigh) **100**
Claude Fable 5.1 (medium) **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100**
Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100** | Gemma 4 31B **50**
Claude 4.5 Haiku **50** | GLM-5.3-Flash **50** | Gemma 4 31B **50** | Claude 4.5 Haiku **50**
GLM-5.3-Flash **50**

LOWEST SCORE — Gemma 4 31B · 50%

This is a high-risk profile. While the company is tiny, the presence of **DFARS 252.204-7012** and **CTI (Controlled Technical Information)** means they are legally obligated to meet NIST SP 800-171 standards.

Given the $380K revenue, we cannot recommend expensive managed services. We must focus on "low-cost, high-impact" hygiene to move them toward CMMC Level 2 compliance.

1. Scoping: CUI Boundary
The "CUI Bou...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on the intake file for **Precision Coatings Inc.**, here is a practical, resource-realistic CMMC Level 2 scoping assessment and remediation plan tailored for a 3-person, $380K-revenue operation.

---

1. CUI Scope Identification
To scope the assessment, we must trace where Controlled Technical Information (CTI/CUI) flows through the business, tied directly to the intake data:

* **Systems (The CUI Asset Boundary):**
  * *Shop office desktop* and *Jane's laptop* (where specs are received, viewed, and stored).
  * *Shop floor PC* (even if just running the CNC machine, if it connects to the network or touches CUI files, it is in scope).
  * *Microsoft 365 Business Basic tenant* (cloud environment housing the email and PDF specs).
* **Paper Media:** Printed PDF specs carried to the shop floor and stored in the shop cabinet.
* **People:** Jane (receives/manages CU...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **precision_scope_judgment**
The response scopes the desktop and Jane's laptop, conditionally flags the CNC PC pending verification of whether CUI is transferred directly, and includes Microsoft 365/cloud services. It identifies printed specifications and the...

✓ **precision_proportionate_advice**
The answer is proportionate to a three-person, $380K contractor and explicitly avoids SIEM, SOC, and enterprise-scale tooling. It prioritizes native M365 MFA, basic backup, a simple incident-response procedure and contacts, and pr...

Task: Cloud-only subcontractor boundary

Scoping and intake · attachments: intake_cloud_only.json

PROMPT

Review `intake_cloud_only.json` for Meridian Analytics and produce a boundary and evidence determination for a Level 2 engagement. State why CMMC applies, which services/endpoints are in or out of scope, what shared-responsibility evidence is needed, the highest-priority identity evidence, and how physical protection requirements should be tailored to the remote workforce. Distinguish established facts from items to verify.

ALL MODELS ON THIS TASK · SCORE /100

GPT-5.6 Luna (medium) **100** | Muse Spark 1.3 (medium) **100** | GPT-5.6 Luna (medium) **100**
Inkling (xhigh) **100** | Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100** | Gemini 3.5 Flash-Lite (medium) **50**
Gemma 4 31B **50** | GLM-5.3-Flash **50** | Claude 4.5 Haiku **50**
Gemini 3.5 Flash-Lite (medium) **50** | GLM-5.3-Flash **50** | GPT-6 Astra (medium) **50**
Gemma 4 31B **50** | GPT-6 Astra (medium) **50** | Claude 4.5 Haiku **50**

LOWEST SCORE — Gemini 3.5 Flash-Lite (medium) · 50%

Based on the intake file for **Meridian Analytics LLC**, here is the CMMC Level 2 scoping and evidence determination for a cloud-first, 100% remote subcontractor.

---

1. Why CMMC Applies
CMMC Level 2 (NIST SP 800-171) applies to Meridian Analytics because:
* **Contractual Mandate:** They hold a DoD subcontract (via Northrop Grumman) under Air Force contract FA8750-25-C-0199 containing **DFARS 252.204-7012**.
* ...

BEST RESPONSE — GPT-5.6 Luna (medium) · 100%

1. Preliminary determination

Established from intake

Meridian:

- Is a DoD subcontractor to Northrop Grumman.
- Receives and processes CTI and OPSEC-related CUI under contract FA8750-25-C-0199.
- Has a DFARS 252.204-7012 flow-down.
- Receives CUI through SFTP, stores it in AWS S3, processes it in EC2, and delivers results through encrypted SharePoint.
- Uses company-furnished laptops to access the environment.
- Uses AWS GovCloud, Microsoft 365 E5, Okta, Intune, CrowdStrike, and related backup and security services.
- Has no GFE and no physical office.

CMMC applicability

CMMC is applicable because Meridian handles DoD CUI as a subcontractor and has a DFARS 252.204-7012 flow-down. The CUI categories identified are CTI and OPSEC. A Level 2 engagement is therefore the appropriate planning assumption because the environment appears to involve the full CUI protection requiremen...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **meridian_scope_determination**
The answer correctly states that applicability comes through the Northrop Grumman subcontract DFARS 252.204-7012 flow-down and includes AWS GovCloud, M365/SharePoint, Okta, the SFTP path, and managed/admin endpoints in the boundar...

✓ **meridian_evidence_priorities**
The response requests AWS GovCloud and Microsoft 365 authorization, shared-responsibility, and inherited-control evidence; explicitly treats SFTP credentials and related identity controls as a high-priority IA evidence area; calls...

Task: Mixed ITAR and CUI domain scoping

Scoping and intake · attachments: intake_itar_cui_mixed.json

PROMPT

Prepare the scoping memo for Hawkeye Defense Systems from `intake_itar_cui_mixed.json`. Separate the CUI Basic, CUI//ITAR, and classified domains; state the likely CMMC treatment of each; address data transfer, incident reporting, and personnel access for citizens, permanent residents, and foreign nationals. Focus recommendations on documentation and evidence appropriate to the mature posture described.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100** | Claude 4.5 Haiku **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100** | GPT-5.6 Luna (medium) **100** | Inkling (xhigh) **100** | GPT-6 Astra (medium) **100** | Claude Fable 5.1 (medium) **100** | GLM-5.3-Flash **100** | Inkling (xhigh) **100** | Claude 4.5 Haiku **100** | Claude Fable 5.1 (medium) **100** | Gemma 4 31B **67** | Gemma 4 31B **67**

LOWEST SCORE — Gemma 4 31B · 67%

Scoping Memo: Hawkeye Defense Systems Inc.

Date: October 26, 2023
Client: Hawkeye Defense Systems Inc.
Subject: Boundary Definition and Compliance Strategy for CMMC, ITAR, and Classified Environments

---

1. Executive Summary
Hawkeye Defense Systems operates a sophisticated, multi-tiered security posture. The environment is characterized by a "defense-in-depth" approach, utilizing physical and...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

CMMC, Export Control, and Classified Environment Scoping Memo

To: Executive Leadership, Hawkeye Defense Systems Inc.
From: Defense Cybersecurity & Compliance Advisory
Date: October 24, 2023
Subject: Comprehensive Scoping & Boundary Analysis (CUI, ITAR, and Classified Environments)

---

1. Executive Summary
Hawkeye Defense Systems Inc. maintains a mature security and IT posture for a 45-person defense contractor ($18M revenue). However, handling concurrent streams of Controlled Unclassified Information (CUI), International Traffic in Arms Regulations (ITAR) technical data, and classified information introduces complex boundary overlap.

This memo outlines the regulatory treatment of your three distinct security domains, evaluates architectural risk (specifically regarding data transfer), clarifies incident reporting pathways, and highlights documentation prio...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **hawkeye_domain_determination**
The memo clearly separates the main network as CUI Basic, the air-gapped lab as a distinct CUI//ITAR domain with its own scope treatment and SSP/evidence recommendations, and the classified SCIF laptops as outside CMMC scope while...

✓ **hawkeye_reporting_and_access**
The answer distinguishes DFARS 252.204-7012/DC3 cyber-incident reporting from DDTC export-control reporting, permits LPRs to be treated as U.S. persons for CUI Basic access while restricting them from ITAR data in this posture, an...

✓ **hawkeye_usb_focus**
The memo identifies the approved USB sneakernet as the key transfer interface and recommends a documented, auditable workflow. It specifically calls for authorization/control procedures, encrypted media and cryptographic verificat...

Task: Tidewater award-instrument determination

Scoping and intake · attachments: tidewater_award_intake.md

PROMPT

Tidewater's team says the BAA-derived ONR award in `tidewater_award_intake.md` is a grant, but the executed award is missing. Give the provisional instrument/applicability determination, explain what can and cannot be inferred from the award number, list the exact documents and clause checks needed, and state the provisional CMMC scope pending verification. Do not scope solely on the team's label.

ALL MODELS ON THIS TASK · SCORE /100

GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100** | Muse Spark 1.3 (medium) **100**
Inkling (xhigh) **100** | GPT-5.6 Luna (medium) **100** | GPT-6 Astra (medium) **100**
Claude Fable 5.1 (medium) **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100**
GLM-5.3-Flash **100** | Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100**
Gemini 3.5 Flash-Lite (medium) **50** | Gemma 4 31B **50** | Claude 4.5 Haiku **50**
Gemini 3.5 Flash-Lite (medium) **50** | Gemma 4 31B **50** | Claude 4.5 Haiku **50**

LOWEST SCORE — Gemini 3.5 Flash-Lite (medium) · 50%

Based on the intake note for **Tidewater Biologics LLC** (`tidewater_award_intake.md`), here is the pre-engagement go/no-go applicability review:

1. What Can and Cannot Be Inferred from the Award Number (`N0001426C0417`)
* **What CANNOT be inferred:** We cannot rely on the team's assumption that this is a grant simply because it originated from a Broad Agency Announcement (BAA). BAAs can result in various proc...

BEST RESPONSE — GPT-5.6 Luna (medium) · 100%

Provisional determination

Treat the award as a **DoD procurement contract, not a grant, pending review of the executed instrument**.

The PIID `N0001426C0417` is conventionally parsed as:

- `N00014` — Department of the Navy/Office of Naval Research activity identifier
- `26` — fiscal year 2026
- `C` — **contract**
- `0417` — serial number

That format is inconsistent with the team's statement that the award is a grant. A BAA is only the solicitation vehicle; a BAA-derived award can result in a contract, grant, cooperative agreement, or another instrument. The apparent `C` contract indicator is therefore a strong warning not to rely on the team's label.

This remains **provisional** until the executed award and its modifications are reviewed.

What the award number does and does not establish

It can support an initial inference that:

- The award is likely a Navy/ONR procurem...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **tidewater_instrument_determination**
The answer correctly treats the N00014-26-C-0417 C-form as a strong provisional indicator of a DoD procurement contract, while requiring the executed award and authoritative records to confirm the instrument and terms. It explicit...

✓ **tidewater_clause_requests**
The answer explicitly requests the executed award and complete clause schedule, including all relevant sections, incorporated clauses, and modifications. It also verifies DFARS 252.204-7012, 252.204-7019, 252.204-7020, and 252.204...

Task: Tidewater personnel-access viability

Scoping and intake · attachments: tidewater_engagement_profile.md

PROMPT

Decide whether Tidewater's engagement remains viable given the non-US permanent resident described in `tidewater_engagement_profile.md`. State the current CUI-access determination, the controls that enforce it, the export-control follow-up you would log, and whether the staffing fact is itself a disqualifier. Separate what the profile establishes from what still needs evidence.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
Claude 4.5 Haiku **100** | GLM-5.3-Flash **100** | Gemini 3.5 Flash-Lite (medium) **100**
GPT-6 Astra (medium) **100** | GPT-5.6 Luna (medium) **100** | Muse Spark 1.3 (medium) **100**
Inkling (xhigh) **100** | Gemma 4 31B **100** | Claude Fable 5.1 (medium) **100**
Claude 4.5 Haiku **100** | GPT-6 Astra (medium) **100** | GLM-5.3-Flash **100**
Claude Fable 5.1 (medium) **100** | Muse Spark 1.3 (medium) **100** | Inkling (xhigh) **100**

BEST RESPONSE — Gemma 4 31B · 100%

Viability Decision: Viable

The presence of a non-US person (Permanent Resident) on staff is not a disqualifier for this engagement, provided the boundary and access controls are strictly maintained.

Current CUI-Access Determination
Ines Marchetti is currently determined to have **no access to CUI**. Access is restricted to a single individual (Dr. Priya Raman).

Controls Enforcing the Determination
The profile identifies two layers of control currently in place to prevent unauthorized access:
1. **Administrative Control:** A written policy restricting CUI access.
2. **Technical Control:** Google Workspace organizational unit (OU) restrictions (rather than network-level segmentation).

Export-Control Follow-up
The following items must be logged for verification to ensure the "no access" determination is sustainable:
* **Verification of "Deemed Export" Risk:** Confirm...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **tidewater_personnel_viability**
The answer states that permanent-resident status is not itself disqualifying, identifies Dr. Priya Raman as the sole authorized CUI user, describes policy and Google Workspace OU controls, and concludes the engagement remains viab...

✓ **tidewater_access_followup**
The answer logs export-control and BAA-specific follow-up, requests the written policy and evidence of Google Workspace OU configuration and access enforcement, and explicitly distinguishes the controls from network-level segmenta...

Task: Tidewater deliverable-as-evidence review

Scoping and intake · attachments: tidewater_predelivery_register.yaml, nist_800_171_controls_sprs_weights.yaml

PROMPT

The attached `tidewater_predelivery_register.yaml` records the pre-delivery status of control 3.12.2, but the engagement itself produced a POA&M. Make the delivery-time determination for 3.12.2, calculate the resulting SPRS movement, and check adjacent controls 3.12.1, 3.12.3, and 3.12.4 for whether the same reclassification follows. Explain which delivered artifact is evidence and do not assume every CA-family gap closes with it.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100** | Muse Spark 1.3 (medium) **100** | GPT-6 Astra (medium) **100** | Claude Fable 5.1 (medium) **100** | GPT-6 Astra (medium) **100** | Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | Gemma 4 31B **50** | GPT-5.6 Luna (medium) **50** | GLM-5.3-Flash **50** | Claude 4.5 Haiku **50** | GPT-5.6 Luna (medium) **50** | Gemma 4 31B **50** | Claude 4.5 Haiku **50** | GLM-5.3-Flash **50**

LOWEST SCORE — Gemma 4 31B · 50%

Quality Control Analysis: Control 3.12.2 and CA Family

1. Delivery-Time Determination for 3.12.2
* **Pre-delivery Status:** `NOT_MET` (Weight: 3)
* **Delivery-time Status:** **MET**
* **Reasoning:** The `review_note` in the register explicitly states: *"A POA&M was produced as a deliverable during this engagement."* Control 3.12.2 specifically requires the organization to develop a plan of action to c...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on quality control review of the Tidewater Biologics LLC CMMC register against NIST SP 800-171 Rev 2 and DoD Assessment Methodology weights, here is the final delivery-time determination and analysis for the CA family:

1. Delivery-Time Determination for Control 3.12.2
* **Pre-delivery Status:** `NOT_MET` (Deduction: -3 points)
* **Delivery Status:** **`MET`**
* **Delivered Artifact as Evidence:** The engagement successfully produced the **Plan of Action and Milestones (POA&M)** document as a direct deliverable. Because NIST SP 800-171 control 3.12.2 requires the organization to *"Develop and implement a plan of action for security controls that are not met,"* the delivery of this completed POA&M artifact directly satisfies the control requirement.

2. SPRS Score Movement
* Control **3.12.2** carries a DoD assessment weight of **3 points**.
* Moving its status from `NOT_ME...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **delivery_reclassification**
The answer correctly reclassifies control 3.12.2 from NOT_MET to MET based on the delivered POA&M artifact and identifies the resulting 3-point SPRS recovery, equivalent to movement from -153 to -150. It also appropriately avoids ...

✓ **adjacent_control_guard**
The answer correctly retains 3.12.1 and 3.12.3 as NOT_MET and 3.12.4 as PARTIAL pending a final SSP, while explicitly performing the required adjacent-control check. It does not incorrectly mark adjacent controls MET merely becaus...

Task: All-controls-failed scoring baseline

SPRS and eligibility · attachments: all_110_control_register.json, nist_800_171_controls_sprs_weights.yaml

PROMPT

Using `all_110_control_register.json` and `nist_800_171_controls_sprs_weights.yaml`, calculate the SPRS result when every control is NOT MET. Show bucket counts/subtotals, identify every control excluded from a conditional-status POA&M, and give the eligible-control count.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100**
Claude 4.5 Haiku **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
GPT-6 Astra (medium) **100** | Claude Fable 5.1 (medium) **100** | GLM-5.3-Flash **100**
Claude 4.5 Haiku **100** | GPT-6 Astra (medium) **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **50** | Inkling (xhigh) **50** | Gemma 4 31B **0** | Gemma 4 31B **0**

LOWEST SCORE — Gemma 4 31B · 0%

SPRS Score Calculation: Worst Case Scenario

Scenario: All 110 controls are marked as **NOT MET**.

1. Bucket Counts and Subtotals
Based on the weights defined in `nist_800_171_controls_sprs_weights.yaml`, the total point deduction is calculated by summing the weights of all controls that are not met.

Weight Bucket	Control Count	Calculation	Subtotal
5-Point ...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on the DoD Assessment Methodology v1.2.1 and the provided reference files (`all_110_control_register.json` and `nist_800_171_controls_sprs_weights.yaml`), here is the complete SPRS scoring breakdown for the **worst-case scenario (all 110 controls NOT MET)**:

---

1. SPRS Score Calculation & Bucket Subtotals
The starting maximum score is **110**. When a control is marked **NOT MET**, its full weight is deducted from the maximum score.

* **5-Point Bucket:** 44 controls × -5 = **-220 points**
* **3-Point Bucket:** 14 controls × -3 = **-42 points**
* **1-Point Bucket:** 51 controls × -1 = **-51 points**
* **0-Point Bucket:** 1 control (3.12.4) × 0 = **0 points**

* **Total Deductions:** 220 + 42 + 51 = **313 points**
* **Final SPRS Result:** $110 - 313 =$ **`-203`**

---

2. POA&M Eligibility & Excluded Controls
Under DoD guidelines, certain controls are ineligible for Plan o...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **worst_case_score_and_eligibility**
The answer correctly reports the bucket calculation 44×5 + 14×3 + 51×1 + 1×0 = 313, yielding a score of -203 from a starting score of 110. It gives 46 eligible controls and identifies the excluded controls, including all five- and...

Task: Northstar partial-credit split

SPRS and eligibility · attachments: northstar_control_register.json, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

Apply the attached authorities to `northstar_control_register.json`. State the score and deductions for each non-MET control, identify which item may be placed on a conditional-status POA&M, and decide whether conditional status is reachable now.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | Gemma 4 31B **100** | GPT-5.6 Luna (medium) **100**
Claude 4.5 Haiku **100** | GPT-6 Astra (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100**
GPT-5.6 Luna (medium) **100** | Gemma 4 31B **100** | Muse Spark 1.3 (medium) **100**
Claude Fable 5.1 (medium) **100** | GPT-6 Astra (medium) **100** | Claude 4.5 Haiku **100**
Muse Spark 1.3 (medium) **100** | Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100** | GLM-5.3-Flash **50** | GLM-5.3-Flash **50**

LOWEST SCORE — GLM-5.3-Flash · 50%

CMMC / SPRS Score Determination — Northstar Dynamics LLC

Assessment date: 2026-04-30 · **Standard:** NIST SP 800-171 Rev 2 · **Authorities applied:** DoD Assessment Methodology v1.2.1 §5d–e (weights via `nist_800_171_controls_sprs_weights.yaml`), 32 CFR Part 170 §170.21 and business constants via `cmmc_register_rules.py`.

---

1. Score: **104 / 110** (SPRS net score)

| Verification step | Result |
|---|--...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on `northstar_control_register.json` and the DoD Assessment Methodology rules encoded in `nist_800_171_controls_sprs_weights.yaml` and `cmmc_register_rules.py`, here is the defensible CMMC score, deduction breakdown, and status determination for Northstar Dynamics LLC.

---

1. SPRS Score & Deduction Breakdown

* **Maximum Possible Score:** 110
* **Total Controls Assessed:** 110 (108 MET, 2 PARTIAL)

Deductions by Control:
1. **Control 3.5.3 (Multifactor Authentication):**
  * **Status:** `PARTIAL` (*MFA covers privileged accounts and remote access, but is not enforced for all non-privileged network access.*)
  * **Weight:** 5 points
  * **Partial Credit Rule:** -3 points deduction
  * **Deduction:** **-3 points**

2. **Control 3.13.11 (CUI Encryption):**
  * **Status:** `PARTIAL` (*CUI is encrypted at rest and in transit, but the deployed cryptographic modules are no...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **northstar_core_determination**
The answer reports a score of 104, deducting 3 points for each of the two PARTIAL controls. It correctly identifies 3.13.11 as POA&M-eligible, 3.5.3 as ineligible, and concludes that conditional status is not reachable because 3.5...

Task: Summit zero-point SSP blocker

SPRS and eligibility · attachments: summit_assessment_records.json, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

For SR-2026-041 in `summit_assessment_records.json`, calculate the SPRS score and make the conditional-status determination under the attached rules. Explain why the sole open control matters.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | Gemma 4 31B **100** | GPT-5.6 Luna (medium) **100**
GLM-5.3-Flash **100** | GPT-6 Astra (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100**
GPT-5.6 Luna (medium) **100** | Claude Fable 5.1 (medium) **100** | Gemma 4 31B **100**
GLM-5.3-Flash **100** | GPT-6 Astra (medium) **100** | Inkling (xhigh) **100**
Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100**
Claude 4.5 Haiku **0** | Claude 4.5 Haiku **0**

LOWEST SCORE — Claude 4.5 Haiku · 0%

SR-2026-041 SPRS Score Assessment

Numeric SPRS Score: **109 of 110 points (99%)**

Scoring Breakdown

Control Category	Count	Weight	Contribution	Status
Five-point controls (3.1–3.14)	44	5	220 points	✓ All MET
Three-point controls (3.1–3.14)	14	3	42 points	✓ All MET
One-point controls (3.1–3.14)	51	1	51 points	✓ All MET
**Zero-point cont...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on the records in `summit_assessment_records.json` and the weighting rules in `nist_800_171_controls_sprs_weights.yaml`, here is the review for certification status of record **SR-2026-041**:

1. SPRS Score Calculation
* **Starting Maximum Score:** 110
* **Unmet Controls:** Control `3.12.4` ("System Security Plan") is marked as `NOT MET`. All other 109 controls are `MET`.
* **Deduction:** Control `3.12.4` has a weight of **0** (per the DoD Assessment Methodology, it is an SSP control that does not affect the numeric score).
* **Final Calculated SPRS Score:** `110 - 0 = 110`

---

2. Certification Status & Why the Sole Open Control Matters
* **Status:** **Non-Compliant / Certification Denied** (despite the numeric score of 110).
* **Why Control 3.12.4 Matters:**
  * **Foundation of Compliance:** Control `3.12.4` requires a complete and accurate **System Security Plan (SSP)*...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **sr041_core_determination**
The answer correctly reports an SPRS score of 110, identifies 3.12.4 as the sole NOT MET, zero-point control, and explains that its non-POA&M-eligible status blocks certification despite the full numerical score.

Task: Summit 3.1.4 weight override

SPRS and eligibility · attachments: summit_assessment_records.json, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

For SR-2026-042 in `summit_assessment_records.json`, calculate the SPRS score and decide whether its sole open control is POA&M eligible. Cite the control-specific authority.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
GLM-5.3-Flash **100** | Claude 4.5 Haiku **100** | GPT-6 Astra (medium) **100**
GPT-5.6 Luna (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100** | Gemma 4 31B **100**
GLM-5.3-Flash **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100**
GPT-6 Astra (medium) **100** | Claude 4.5 Haiku **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100**

BEST RESPONSE — Gemma 4 31B · 100%

For record **SR-2026-042**, the SPRS score calculation and POA&M eligibility analysis are as follows:

1. SPRS Score Calculation
The maximum possible score is **110**. The record indicates that all controls are "MET" except for one.

* **Open Control:** 3.1.4
* **Weight of Control 3.1.4:** 1 point (per `nist_800_171_controls_sprs_weights.yaml`)
* **Calculation:** $110 - 1 = 109$

Final SPRS Score: 109

2. POA&M Eligibility Analysis
The sole open control is **3.1.4 (Separation of Duties)**.

* **Status:** NOT MET
* **Eligibility:** **Eligible**
* **Authority:** According to `nist_800_171_controls_sprs_weights.yaml`, control 3.1.4 has `poam_eligible: true`. This is further supported by the logic in `cmmc_register_rules.py`, which determines that 1-point controls are eligible unless specifically excluded (and 3.1.4 is not listed in the `POAM_EXCLUDED_ONE_POINT` set).

JUDGE VERDICT ON THE BEST RESPONSE

✓ **sr042_core_determination**
The answer deducts one point for control 3.1.4, reports an SPRS score of 109, and identifies 3.1.4 as POA&M eligible, matching Level 1.

Task: Acme unknowns and conditional status

SPRS and eligibility · attachments: acme_gap_assessment.json, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

Review `acme_gap_assessment.json` using the attached rules. Calculate the as-recorded and SPRS-posting scores, explain every INSUFFICIENT INFO treatment, partition open controls into POA&M-eligible items and blockers with subtotals, and decide whether conditional status is reachable.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100** | GPT-6 Astra (medium) **100**
Inkling (xhigh) **100** | Inkling (xhigh) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **50**
Claude Fable 5.1 (medium) **50** | GLM-5.3-Flash **50** | Claude Fable 5.1 (medium) **50**
Gemma 4 31B **0** | Claude 4.5 Haiku **0** | Gemma 4 31B **0** | Claude 4.5 Haiku **0**

LOWEST SCORE — Gemma 4 31B · 0%

1. Score Calculation

As-Recorded Score: 73 (Stated in `acme_gap_assessment.json`)

SPRS-Posting Score Calculation:
The SPRS score is calculated by subtracting the weights of all non-MET controls from the maximum possible score (110).

Control ID	Status	Weight	Deduction	Notes
3.1.6	NOT MET	1	-1	
3.1.7	NOT MET	1	-1	
3.1.8	NOT MET	...		

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on `acme_gap_assessment.json`, the authoritative weights in `nist_800_171_controls_sprs_weights.yaml`, and the business rules in `cmmc_register_rules.py`, here is the complete score and conditional-status sign-off evaluation for **Acme Biomaterials**.

---

1. Score Calculation

* **Maximum Possible SPRS Score:** `110`
* **As-Recorded Score (Client Stated):** `73`
  * *Rationale:* The client's stated score reflects deductions only for explicit `NOT MET` and `PARTIAL` controls (totaling 37 points of deductions: $110 - 37 = 73$), while treating unverified items as passing.
* **Official SPRS-Posting Score:** `59`
  * *Rationale:* Under DoD assessment methodology, controls marked `INSUFFICIENT INFO` cannot be credited as met and must be treated as `NOT MET` (full weight deducted).
  * **Total Deductions:** `51 points`
    * 1-point controls (`NOT MET`): 3.1.6, 3.1.7, 3.1.8, 3....

JUDGE VERDICT ON THE BEST RESPONSE

✓ **acme_core_determination**
The answer reports the required as-recorded score of 73 and SPRS-posting score of 63 (47 deductions), identifies POA&M-eligible controls 3.1.6–3.1.9 and 3.13.11 PARTIAL totaling 7 points, and identifies all required blockers total...

Task: Helios score under unknowns

SPRS and eligibility · attachments: helios_assessment_package.json, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

From `helios_assessment_package.json`, report status counts, calculate the as-recorded and conservative SPRS-posting scores, and identify the controls and points represented by INSUFFICIENT INFO.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100**
Muse Spark 1.3 (medium) **100** | Gemini 3.5 Flash-Lite (medium) **100**
GPT-6 Astra (medium) **100** | GPT-5.6 Luna (medium) **100** | Claude Fable 5.1 (medium) **100**
GLM-5.3-Flash **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100**
Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | Gemma 4 31B **0**
Claude 4.5 Haiku **0** | Gemma 4 31B **0** | Claude 4.5 Haiku **0**

LOWEST SCORE — Gemma 4 31B · 0%

Validation Report: Helios BioSystems Assessment Package

1. Status Counts
Based on the `gap_assessment` section of `helios_assessment_package.json`:
* **MET**: 64
* **NOT MET**: 27
* **PARTIAL**: 2
* **INSUFFICIENT INFO**: 17
* **Total Controls**: 110

---

2. SPRS Score Calculations
Calculations are based on the weights defined in `nist_800_171_controls_sprs_weights.yaml`.

**A. As-Recorded S...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on the validation of `helios_assessment_package.json` against the NIST SP 800-171 Rev 2 control weights and rules, here is the SPRS posting validation report:

1. Control Status Counts (Total: 110 Controls)
* **MET:** 72
* **NOT MET:** 27
* **PARTIAL:** 2 *(3.5.3, 3.13.11)*
* **INSUFFICIENT INFO:** 9

---

2. As-Recorded SPRS Score
* **Score:** **67** (Matches stated score)
* **Calculation Breakdown (Max Score: 110):**
  * **24 1-point NOT MET controls:** -24
  * **1 3-point NOT MET control (3.7.1):** -3
  * **2 5-point NOT MET controls (3.1.18, 3.6.1):** -10
  * **2 PARTIAL controls (3.5.3, 3.13.11 @ 3 pts deduction each):** -6
  * **Total Deductions:** 43 points
  * **Result:** $110 - 43 = \mathbf{67}$

---

3. Conservative SPRS-Posting Score
In an official DoD SPRS posting, unverified controls (`INSUFFICIENT INFO`) cannot be assumed MET and must be treate...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **helios_scoring_core**
The answer reports the exact status counts (71 MET, 28 NOT MET, 9 INSUFFICIENT INFO, 2 PARTIAL), gives 43 total as-recorded deductions for a score of 67, identifies all nine INSUFFICIENT INFO controls with their weights totaling 3...

Task: Helios POA&M chain determination

SPRS and eligibility · attachments: helios_assessment_package.json, cmmc_register_rules.py

PROMPT

Audit all POA&M entries in `helios_assessment_package.json`. Give count and points, identify invalid entries or say none, calculate post-POA&M scores under recorded and conservative unknown treatment, decide what is needed for conditional status, and check the final date against 180 days.

ALL MODELS ON THIS TASK · SCORE /100

Claude Fable 5.1 (medium) **50** | Claude Fable 5.1 (medium) **50** | Gemma 4 31B **0**
Gemini 3.5 Flash-Lite (medium) **0** | GPT-5.6 Luna (medium) **0** | Claude 4.5 Haiku **0**
GLM-5.3-Flash **0** | Gemini 3.5 Flash-Lite (medium) **0** | GPT-5.6 Luna (medium) **0**
Gemma 4 31B **0** | Muse Spark 1.3 (medium) **0** | GPT-6 Astra (medium) **0**
GLM-5.3-Flash **0** | GPT-6 Astra (medium) **0** | Claude 4.5 Haiku **0**
Muse Spark 1.3 (medium) **0** | Inkling (xhigh) **0** | Inkling (xhigh) **0**

LOWEST SCORE — Gemma 4 31B · 0%

POA&M Audit Analysis

1. POA&M Entries Audit
* **Total Count:** 20 entries.
* **Points Analysis:**
  * **5-Point Controls:** 0 entries (Correct; 5pt are ineligible).
  * **3-Point Controls:** 11 entries (3.1.8, 3.1.9, 3.1.10, 3.1.11, 3.2.3, 3.3.3, 3.3.4, 3.3.6, 3.3.7, 3.3.8, 3.13.3).
  * **1-Point Controls:** 8 entries (3.4.3, 3.4.4, 3.6.3, 3.8.4, 3.8.5, 3.8.6, 3.8.9, 3.11.3).
  * **Specia...

BEST RESPONSE — Claude Fable 5.1 (medium) · 50%

Helios BioSystems — POA&M Audit

1. POA&M inventory

20 entries, 22 points (19 one-point controls × 1 + 3.13.11 PARTIAL at 3). This lands exactly on `POAM_MAX_DEDUCTION_POINTS = 22` — the cap is fully consumed with zero headroom.

POA&M	Control	Weight	Deduction	Eligible?
001–004	3.1.8, 3.1.9, 3.1.10, 3.1.11	1	4	Yes
005	3.2.3	1	1	Yes
006–010	3.3.3, 3.3.4, 3.3.6, 3.3.7, 3.3.8	1	5	Yes
011–012	3.4.3, 3.4.4	1	2	Yes
013	3.6.3	1	1	Yes (see flag)
014–017	3.8.4, 3.8.5, 3.8.6, 3.8.9	1	4	Yes
018	3.11.3	1	1	Yes
019	3.13.3	1	1	Yes (not one of the 6 exceptions)
020	3.13.11 PARTIAL	5 (3 partial)	3	Yes — `POAM_SPECIAL_PARTIAL`
		Total	**22**	

2. Invalid entries

None. No entry references a 3/5-point control, an excluded 1-point contro...

JUDGE VERDICT ON THE BEST RESPONSE

✗ **helios_poam_core**
The response correctly identifies all 20 valid entries totaling 22 points, and correctly calculates post-POA&M scores of 89 recorded and 52 conservative. It also identifies the need to resolve all nine unknowns. However, it does n...

Task: Harbor POA&M validity audit

SPRS and eligibility · attachments: harbor_poam_tracker.json, cmmc_register_rules.py, nist_800_171_controls_sprs_weights.yaml

PROMPT

Audit every entry in `harbor_poam_tracker.json` for conditional-status eligibility and timing. State valid/invalid with reasons, calculate the 180-day deadline, and distinguish timing defects from eligibility defects.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | Claude 4.5 Haiku **100**
GLM-5.3-Flash **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-6 Astra (medium) **100**
GPT-5.6 Luna (medium) **100** | Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100**
GLM-5.3-Flash **100** | Inkling (xhigh) **100** | GPT-6 Astra (medium) **100**
Muse Spark 1.3 (medium) **100** | Claude 4.5 Haiku **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100** | Gemma 4 31B **0** | Gemma 4 31B **0**

LOWEST SCORE — Gemma 4 31B · 0%

Based on the provided reference files, here is the audit of the `harbor_poam_tracker.json` file.

Audit Summary Table

POAM ID	Control	Status	Eligibility	Deadline (180 Days)	Completion Date	Timing Valid?	Overall Status
POAM-001	3.1.8	NOT MET	**Valid**	2026-11-27	2026-07-15	Yes	**VALID**
POAM-002	3.3.1	N...

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Based on the CMMC Assessment Methodology and the provided reference files (`harbor_poam_tracker.json`, `cmmc_register_rules.py`, and `nist_800_171_controls_sprs_weights.yaml`), here is the validation audit for each entry in the POA&M tracker.

---

1. 180-Day Closeout Deadline Calculation
* **Conditional Status Date:** June 1, 2026 (`2026-06-01`)
* **Maximum POA&M Window:** 180 days
* **Exact Deadline Date:** **November 28, 2026** *(June has 29 days remaining after June 1; July 31, Aug 31, Sep 30, Oct 31, and 28 days in November)*.

All completion dates in the tracker fall on or before **November 28, 2026**, meaning **no entries have timing defects**. All failures are strictly related to **eligibility defects**.

---

2. Entry-by-Entry Audit

POAM-001 (Control 3.1.8 — Unsuccessful Login Attempts)
* **Status:** `NOT MET`
* **Weight:** 1-point
* **POA&M Eligible:** Yes (`p...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **harbor_core_determination**
The answer matches all Level 2 requirements: it marks 3.1.8 and 3.13.11 valid, 3.3.1, 3.7.1, and 3.1.20 invalid with eligibility reasons, calculates the deadline as 2026-11-28, and states that all listed completion dates are timel...

Task: Tidewater full-register sign-off

SPRS and eligibility · attachments: tidewater_control_register.yaml, nist_800_171_controls_sprs_weights.yaml, cmmc_register_rules.py

PROMPT

Sign off `tidewater_control_register.yaml` against the attached authorities. Report counts, deductions and score; partition all open controls into eligible items and blockers with counts/points; and explain every PARTIAL, N/A and zero-point special case.

ALL MODELS ON THIS TASK · SCORE /100

Muse Spark 1.3 (medium) **100** | GPT-6 Astra (medium) **100** | GPT-6 Astra (medium) **100**
Claude Fable 5.1 (medium) **100** | Muse Spark 1.3 (medium) **100**
Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | Inkling (xhigh) **100**
Gemini 3.5 Flash-Lite (medium) **50** | GLM-5.3-Flash **50** | Gemini 3.5 Flash-Lite (medium) **50**
GLM-5.3-Flash **50** | Gemma 4 31B **0** | GPT-5.6 Luna (medium) **0** | Claude 4.5 Haiku **0**
Gemma 4 31B **0** | GPT-5.6 Luna (medium) **0** | Claude 4.5 Haiku **0**

LOWEST SCORE — Gemma 4 31B · 0%

CMMC Register Sign-Off: Tidewater Biologics LLC
Assessment Date: 2026-03-25 | **Version:** 0.5

---

1. Executive Score Summary
Metric	Value
Total Controls Evaluated	110
Controls MET	16
Controls N/A	2
Controls NOT_MET / PARTIAL	92
Gross Point Deductions	-93
Final SPRS Score	**17**

*Note: The score is calculated by subtract...

BEST RESPONSE — Muse Spark 1.3 (medium) · 100%

FINAL SIGN-OFF — `tidewater_control_register.yaml`

Client: Tidewater Biologics LLC
Assessment date: 2026-03-25 — **Version:** 0.5
Authorities:
- `nist_800_171_controls_sprs_weights.yaml` — NIST SP 800-171 Rev 2, 110 controls, Max 110, Worst -203. Single source of truth.
- `cmmc_register_rules.py` — derived sets + business rules: `POAM_MAX_DEDUCTION_POINTS=22`, `POAM_CLOSEOUT_DAYS=180`, `SPRS_PASSING_THRESHOLD=88`, `SPRS_MAX_SCORE=110`, `SPRS_WORST_POSSIBLE_SCORE=-203`
- DoD Assessment Methodology v1.2.1 Sec 5d-e

VERDICT: DO NOT SIGN — FAIL, NOT CERTIFIABLE

Register is complete at 110/110 controls, but SPRS is far below passing and contains 53 non-POA&M-able blockers including 36x 5-pt and 11x 3-pt. Cannot proceed to certification. Remediation + reassessment required.

1. Counts

Total 110:

- **MET: 15**
  - 3.1.10, 3.1.17, 3.5.1, 3.5.2, 3.5.3, 3.5.4, 3.5.5, 3.5.7...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **tidewater_core_determination**
The answer matches the required determination: 15 MET, 2 N/A, 4 PARTIAL, and 89 NOT_MET; 260 deductions for a score of -150; and an open-control partition of 40 eligible controls/42 points versus 53 blockers/218 points, including ...

Task: Six-narrative assessor-readiness review

SSP narrative review · attachments: ssp_narratives_review_set.json, ssp_narrative_rules.py

PROMPT

Review all six unlabeled controls in `ssp_narratives_review_set.json` against `ssp_narrative_rules.py`. For each control, give exactly one determination: MET and assessor-ready, NOT MET, or N/A defensible. For every rejection, identify the specific defect and quote the triggering text; for every acceptance, identify the organization-specific implementation and evidence that supports it. Do not rewrite the narratives.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
GLM-5.3-Flash **100** | Claude 4.5 Haiku **100** | Gemini 3.5 Flash-Lite (medium) **100**
GPT-5.6 Luna (medium) **100** | Muse Spark 1.3 (medium) **100** | Gemma 4 31B **100**
GLM-5.3-Flash **100** | Claude 4.5 Haiku **100** | Inkling (xhigh) **100**
Claude Fable 5.1 (medium) **100** | Muse Spark 1.3 (medium) **100**
Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100** | GPT-6 Astra (medium) **25**
GPT-6 Astra (medium) **25**

LOWEST SCORE — GPT-6 Astra (medium) · 25%

The script checks narrative quality, not complete assessment-objective coverage. A script pass alone does not make a recorded MET determination supportable. The determinations below address supportability from the supplied narratives; referenced artifacts were not provided for inspection.

3.1.1 — NOT MET
Script result: Passes the implemented checks.

Defect: The narrative addresses authorized human users...

BEST RESPONSE — Gemma 4 31B · 100%

SSP Review Determination

Control 3.1.1
* **Determination:** MET and assessor-ready.
* **Justification:** The narrative provides a specific implementation using Google Workspace Admin console with three defined access tiers and a clear approval process (Jane + CEO). It is supported by specific evidence: `E-AC-001` (OU screenshot), `E-AC-002` (review log), and `E-AC-003` (termination checklist).

Control 3.5.3
* **Determination:** MET and assessor-ready.
* **Justification:** The narrative details a specific technical implementation of MFA (FIDO2 YubiKeys for admins and TOTP for users) enforced via the Google Admin console. It is supported by specific evidence: `E-IA-001` (enforcement screenshot) and `E-IA-002` (compliance report).

Control 3.3.1
* **Determination:** NOT MET.
* **Defect:** Use of future tense for a "MET" status.
* **Triggering Text:** "We will...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **six_narrative_determinations**
The response matches all six required determinations: it accepts 3.1.1, 3.5.3, and 3.10.1 as MET and assessor-ready, rejects MET for 3.3.1 and 3.6.1 with specific defects and triggering quotations, and rejects 3.8.1's unsupported ...

✓ **narrative_defect_grounding**
The response correctly identifies the required defects: future-tense implementation for 3.3.1, NIST requirement restatement without organization-specific implementation/evidence for 3.6.1, and unsupported “Not applicable.” for 3.8...

Task: Access-control narrative client fit

SSP narrative review · attachments: multi_client_scenarios.json

PROMPT

Our template-control review needs to know whether the 3.1.1 narratives in `multi_client_scenarios.json` genuinely fit their assigned clients. For Acme Biotech, Atlas Manufacturing, and Nimbus Software, identify the named person or role, identity/access platform, network or cloud enforcement point, and review mechanism stated in that client's 3.1.1 narrative. Then determine for each whether it is client-specific or appears copied from another client's stack; cite the text that decides it.

ALL MODELS ON THIS TASK · SCORE /100

Gemma 4 31B **100** | Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100**
GLM-5.3-Flash **100** | Claude 4.5 Haiku **100** | Gemini 3.5 Flash-Lite (medium) **100**
GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100** | GPT-5.6 Luna (medium) **100**
Gemma 4 31B **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100**
Claude 4.5 Haiku **100** | GPT-6 Astra (medium) **100** | GLM-5.3-Flash **100**
Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100**

BEST RESPONSE — Gemma 4 31B · 100%

Control 3.1.1 Implementation Review

Acme Biotech
* **Named Person/Role:** Jane Smith (owner/IT admin)
* **Identity/Access Platform:** Microsoft 365 Business Premium and Entra ID
* **Network/Cloud Enforcement Point:** Netgear Nighthawk router (VLAN for guest traffic)
* **Review Mechanism:** Monthly access reviews via M365 admin portal
* **Determination:** **Client-Specific.** The narrative explicitly references the specific hardware (Netgear Nighthawk) and the specific administrative role (Jane Smith) defined in Acme's org profile.
* **Citing Text:** *"Jane Smith, as the sole IT administrator... The Netgear Nighthawk router is configured with a separate VLAN..."*

Atlas Manufacturing
* **Named Person/Role:** IT Director
* **Identity/Access Platform:** On-premises Active Directory (GPOs)
* **Network/Cloud Enforcement Point:** Palo Alto PA-440 firewa...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **client_stack_attribution**
The response correctly attributes all three narratives with the required client-specific stacks: Acme (Jane Smith, M365 Business Premium/Entra ID, Netgear), Atlas (IT Director, on-prem AD/GPO, Palo Alto/Cisco Meraki), and Nimbus (...

✓ **template_false_positive_guard**
The answer determines that all three narratives are client-specific and identifies a responsible person or role, identity/access platform, enforcement point, and review mechanism for each. It cites narrative text showing client-sp...

Task: Multi-client template contamination audit

SSP narrative review · attachments: multi_client_scenarios.json

PROMPT

Audit every one of the 15 narratives in `multi_client_scenarios.json` for cross-client template contamination. For each client and control, compare the implementation narrative to that client's stated tech stack and IT staffing. List any narrative that names another client's tools or staffing model; if none do, say so explicitly and give a compact control-by-control matrix of the client-specific anchors that support that clean conclusion. Do not grade whether the named technology itself is sufficient for CMMC—this is an attribution and fit audit.

ALL MODELS ON THIS TASK · SCORE /100

Gemini 3.5 Flash-Lite (medium) **100** | GPT-5.6 Luna (medium) **100** | GLM-5.3-Flash **100**
Claude 4.5 Haiku **100** | Gemini 3.5 Flash-Lite (medium) **100** | Muse Spark 1.3 (medium) **100**
GPT-6 Astra (medium) **100** | GPT-5.6 Luna (medium) **100** | Inkling (xhigh) **100**
Claude Fable 5.1 (medium) **100** | GPT-6 Astra (medium) **100** | GLM-5.3-Flash **100**
Claude 4.5 Haiku **100** | Muse Spark 1.3 (medium) **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100** | Gemma 4 31B **75** | Gemma 4 31B **75**

LOWEST SCORE — Gemma 4 31B · 75%

No cross-client template contamination was detected. Each narrative is strictly aligned with the specific tech stack and staffing model defined in that client's organizational profile.

Attribution & Fit Matrix

Client	Control	Tech Stack Anchors	Staffing Anchors
Acme Biotech	3.1.1	M365, Entra ID, Netgear Nighthawk	Jane Smith
	3.5.3	Entra ID MFA, Netgear N...	

BEST RESPONSE — Gemini 3.5 Flash-Lite (medium) · 100%

Cross-Client Template Contamination Audit Results

Conclusion:
None of the 15 implementation narratives contain cross-client template contamination. Every control narrative strictly references only the tools, infrastructure components, and staffing models defined in that specific client's `org_profile`.

Below is the control-by-control matrix summarizing the client-specific anchors that support this clean conclusion.

Client-Specific Anchors Matrix

Control	Acme Biotech (M365 / Netgear / Virtru / Jane Smith)	Atlas Manufacturing (On-Prem AD / Palo Alto / Meraki / IT Director + 2 Admins)	Nimbus Software (AWS GovCloud / Okta / CrowdStrike / 1 DevOps Engineer)
3.1.1 *(Access Control)*	M365 Business Premium, Entra ID, Netgear Nighthawk VLAN, Jane Smith	On-premises AD GPOs, Palo Alto PA-440 (User-ID), Cisco Meraki MS switches...	

JUDGE VERDICT ON THE BEST RESPONSE

✓ **contamination_determination**
The answer explicitly audits all three five-control sets (15 narratives), concludes that no cross-client tool or staffing contamination exists, and provides a control-by-control matrix of client-specific technology and staffing an...

✓ **fit_evidence**
The response provides specific anchors for all three clients. It cites Acme's M365, Entra, Virtru, Netgear, Defender, and Jane Smith; Atlas's Windows AD, Meraki, Palo Alto, CrowdStrike, and three-person IT function; and Nimbus's A...

Task: Helios clean-narrative validation

SSP narrative review · attachments: helios_assessment_package.json, ssp_narrative_rules.py

PROMPT

Review the five SSP narratives embedded in `helios_assessment_package.json` against `ssp_narrative_rules.py`. Give one assessor-readiness determination per control, naming the organization-specific implementation, cadence, responsible party, and evidence IDs that support acceptance, or the exact defect that requires rejection. Audit all five even if they appear consistent.

ALL MODELS ON THIS TASK · SCORE /100

GPT-5.6 Luna (medium) **50** | Claude 4.5 Haiku **50** | GPT-5.6 Luna (medium) **50**
Claude 4.5 Haiku **50** | Claude Fable 5.1 (medium) **50** | Inkling (xhigh) **50**
Claude Fable 5.1 (medium) **50** | Inkling (xhigh) **50** | Gemma 4 31B **0**
Gemini 3.5 Flash-Lite (medium) **0** | GLM-5.3-Flash **0** | Gemini 3.5 Flash-Lite (medium) **0**
GPT-6 Astra (medium) **0** | Muse Spark 1.3 (medium) **0** | Gemma 4 31B **0**
GPT-6 Astra (medium) **0** | Muse Spark 1.3 (medium) **0** | GLM-5.3-Flash **0**

LOWEST SCORE — Gemma 4 31B · 0%

SSP Narrative Validation Report: Helios BioSystems

Overall Determination: **REJECTED**
The SSP package fails the "Five-Element Test" across all narratives. While the content is technically detailed, the narratives do not use the required structural markers (**Who, What, When, How**) defined in `ssp_narrative_rules.py`.

Control 3.1.1 (MET)
* **Determination:** **REJECT**
* **Defect:** Missing n...

BEST RESPONSE — GPT-5.6 Luna (medium) · 50%

Assessor-readiness determinations

Control	Determination	Organization-specific implementation, cadence, responsible party, evidence	Defect requiring rejection
3.1.1 — MET	**Reject — not assessor-ready**	Helios uses Azure AD Conditional Access with Admin, CUI User, and Read-Only tiers. Sarah Chen administers access; CUI-tier access requires Sarah's approval and CEO sign-off. Quarterly access reviews are performed; the latest cited review was **2026-04-15**. Evidence: **E-AC-001, E-AC-002, E-AC-003**.	The narrative contains evidence IDs but fails the rules' five-element test. It does not explicitly identify **Who**, **What**, **When/Frequency**, or **How** using the required labels or equivalent patterns. The prose mentions Sarah, quarterly reviews, and the implementation, but the validator still reports: **"Missing narrative elements: who, what, ...

JUDGE VERDICT ON THE BEST RESPONSE

✗ **helios_narrative_determinations**
The response accepts only control 3.1.8 and rejects the other four, so it does not find all five narratives assessor-ready. Its asserted marker and POA&M-date defects therefore prevent the Level 1 requirement.

✓ **helios_evidence_traceability**
The response audits all five controls and provides organization-specific implementation details, cadence or remediation timing, responsible parties, and E-XX-NNN evidence IDs for each. It also identifies the specific narrative or ...

Task: Tidewater MFA narrative drafting

SSP narrative review · attachments: tidewater_engagement_profile.md, tidewater_control_register.yaml, ssp_narrative_rules.py, narrative_quality_judge_prompt.py

PROMPT

Using `tidewater_engagement_profile.md` and the current determination in `tidewater_control_register.yaml`, draft the MET SSP narrative for control 3.5.3 that Tidewater could take into assessor review. Use only facts established in the attachments; structure it as Who, What, When, How, and Evidence. Where an evidence artifact or cadence is not established, label it as a verification item rather than inventing it. Keep the implementation proportionate to this three-person Google Workspace environment.

ALL MODELS ON THIS TASK · SCORE /100

GPT-5.6 Luna (medium) **100** | GPT-6 Astra (medium) **100** | GPT-5.6 Luna (medium) **100**
Muse Spark 1.3 (medium) **100** | GPT-6 Astra (medium) **100** | Muse Spark 1.3 (medium) **100**
GLM-5.3-Flash **50** | GLM-5.3-Flash **50** | Gemini 3.5 Flash-Lite (medium) **0**
Gemma 4 31B **0** | Claude 4.5 Haiku **0** | Gemini 3.5 Flash-Lite (medium) **0**
Gemma 4 31B **0** | Claude Fable 5.1 (medium) **0** | Claude 4.5 Haiku **0**
Claude Fable 5.1 (medium) **0** | Inkling (xhigh) **0** | Inkling (xhigh) **0**

LOWEST SCORE — Gemini 3.5 Flash-Lite (medium) · 0%

NIST.L2-3.5.3 — Multifactor Authentication

| Status | MET |

Narrative:

* **Who:** Dr. Priya Raman, Chief Executive Officer and de facto IT administrator.
* **What:** Multifactor authentication (2-Step Verification) is enforced for all user accounts within the Google Workspace Enterprise Plus environment that comprise the CUI system boundary.
* **When:** Continuously enforced at every login attempt (ongoin...

BEST RESPONSE — GPT-5.6 Luna (medium) · 100%

3.5.3 — Multifactor Authentication

Status: MET

Who:
Dr. Priya Raman is the only Tidewater employee authorized to access CUI and serves as the de facto IT administrator. Jonah Whitfield and Ines Marchetti do not have CUI access.

What:
Tidewater's current control register records control 3.5.3 as **MET**. The engagement profile identifies Google Workspace as the CUI environment. The specific multifactor authentication settings, accounts covered, and authentication methods are **verification items** because they are not established in the provided records.

When:
The MET determination is current as of the assessment date of **March 25, 2026**. The frequency for reviewing multifactor authentication settings or confirming continued enforcement is **a verification item**; no review cadence is established in the provided records.

How:
Multifactor authenticati...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **mfa_narrative_fidelity**
The narrative correctly uses Dr. Priya Raman, the three-person Tidewater boundary, and Google Workspace context. It does not invent a specific MFA mechanism, review cadence, or evidence identifier; instead, it explicitly labels th...

✓ **mfa_narrative_structure**
The narrative clearly covers Who, What, When, How, and Evidence; identifies unknown MFA configuration and review cadence as verification items rather than asserting them; and remains proportionate to a three-person Google Workspac...

Task: Tidewater mobile-control N/A narrative

SSP narrative review · attachments: tidewater_engagement_profile.md, tidewater_control_register.yaml, ssp_narrative_rules.py, narrative_quality_judge_prompt.py

PROMPT

Draft an assessor-ready N/A narrative for Tidewater's control 3.1.18 using only `tidewater_engagement_profile.md` and `tidewater_control_register.yaml`. It must state the boundary basis, the dated policy, and how the exclusion is enforced; distinguish an established fact from any enforcement evidence that still must be collected. Do not merely say that phones are not used, and do not introduce enterprise tooling.

ALL MODELS ON THIS TASK · SCORE /100

GPT-6 Astra (medium) **100** | GPT-6 Astra (medium) **100** | Claude Fable 5.1 (medium) **100**
Inkling (xhigh) **100** | Claude Fable 5.1 (medium) **100** | Inkling (xhigh) **100**
GPT-5.6 Luna (medium) **50** | GLM-5.3-Flash **50** | GPT-5.6 Luna (medium) **50**
Muse Spark 1.3 (medium) **50** | Muse Spark 1.3 (medium) **50** | GLM-5.3-Flash **50**
Gemma 4 31B **0** | Gemini 3.5 Flash-Lite (medium) **0** | Claude 4.5 Haiku **0**
Gemini 3.5 Flash-Lite (medium) **0** | Gemma 4 31B **0** | Claude 4.5 Haiku **0**

LOWEST SCORE — Gemma 4 31B · 0%

Control 3.1.18 — Mobile Device Management

Status: N/A

Narrative:
Who: Dr. Priya Raman (CEO/IT Administrator)
What: Mobile phones are excluded from the CUI boundary.
When: Established via policy dated 2026-03-19.
How: Tidewater Biologics utilizes a "no-CUI-on-mobile" boundary strategy. Per the written organizational policy dated 2026-03-19, mobile phones are prohibited from storing, proce...

BEST RESPONSE — GPT-6 Astra (medium) · 100%

AC.L2-3.1.18 — Control connection of mobile devices
Status	N/A

Narrative: As of the March 25, 2026 assessment, Tidewater Biologics LLC excludes mobile phones from its CUI system boundary under the written policy dated **March 19, 2026**. The engagement profile states that no phone stores, processes, or transmits CUI; the control register records 3.1.18 as N/A on that scope basis. This determination concerns phones and does not exclude the three laptops identified in the agreed system boundary.

The documented enforcement basis is **administrative: the written prohibition on phone-based CUI handling**. Dr. Priya Raman is the only person authorized to access CUI and is the de facto IT administrator. The profile also identifies policy and Google Workspace organizational-unit restrictions on other personnel's access, but does **not** establish that those restrictio...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **mobile_na_basis**
The answer cites the written policy dated 2026-03-19, clearly states the no-phone storage/processing/transmission boundary for CUI, and identifies policy plus Google Workspace organizational-unit restrictions without asserting net...

✓ **mobile_na_readiness**
The narrative provides a specific boundary rationale, identifies the dated policy and organizational-unit restrictions, and clearly distinguishes the documented N/A determination from enforcement evidence still requiring collectio...

Task: Tidewater narrative-readiness triage

SSP narrative review · attachments: tidewater_control_register.yaml, tidewater_engagement_profile.md, ssp_narrative_rules.py, narrative_quality_judge_prompt.py

PROMPT

Before Tidewater's SSP is finalized, assess whether the current register support for controls 3.5.3, 3.1.18, and 3.1.19 is sufficient for assessor-ready narratives. For each, give MET, NOT MET, or N/A defensible based only on `tidewater_control_register.yaml` and `tidewater_engagement_profile.md`; identify what current text supports the determination and the minimum organization-specific evidence still needed. Recommendations must fit the stated three-person Google Workspace boundary.

ALL MODELS ON THIS TASK · SCORE /100

GPT-5.6 Luna (medium) **100** | GPT-5.6 Luna (medium) **100** | Inkling (xhigh) **100**
Inkling (xhigh) **100** | Gemini 3.5 Flash-Lite (medium) **50** | Gemma 4 31B **50**
Claude 4.5 Haiku **50** | Gemini 3.5 Flash-Lite (medium) **50** | GPT-6 Astra (medium) **50**
Gemma 4 31B **50** | Muse Spark 1.3 (medium) **50** | GPT-6 Astra (medium) **50**
Claude Fable 5.1 (medium) **50** | Claude 4.5 Haiku **50** | Muse Spark 1.3 (medium) **50**
Claude Fable 5.1 (medium) **50** | GLM-5.3-Flash **0** | GLM-5.3-Flash **0**

LOWEST SCORE — GLM-5.3-Flash · 0%

Triage: 3.5.3 / 3.1.18 / 3.1.19 — Tidewater Biologics

Bottom line: 3.1.18 and 3.1.19 are the defensible kind of N/A (asset-class exclusion backed by a written policy), but neither is assessor-ready until the referenced policy artifact and an enforcement mechanism are attached. 3.5.3's bare `MET` cannot be defended from the record at all — the only determination supportable from the two files today is **NOT MET...

BEST RESPONSE — GPT-5.6 Luna (medium) · 100%

Assessment of current support

Control	Defensible determination	Current support	Assessor-readiness
3.5.3	**NOT MET / unsubstantiated**	The register says **MET**, but provides no justification or evidence that MFA is enabled for privileged and nonprivileged accounts. The profile identifies Google Workspace Enterprise Plus with Assured Controls and Dr. Priya Raman as the only CUI user, but neither source confirms MFA configuration.	**Insufficient for a MET narrative.**
3.1.18	**NOT MET / unsubstantiated** unless the scope decision is expanded and documented	The register says **N/A** because phones are excluded by the 2026-03-19 policy and do not store or process CUI. That supports excluding phones, but the environment also contains three laptops, including two MacBooks and one Windows laptop, and the sources do not establish whether th...

JUDGE VERDICT ON THE BEST RESPONSE

✓ **tidewater_three_control_judgments**
The response recognizes that the register records 3.5.3 as MET and 3.1.18/3.1.19 as N/A, and it accepts the dated 2026-03-19 mobile-boundary exclusion as a defensible basis. It also correctly notes that the labels lack sufficient ...

✓ **tidewater_evidence_plan**
The answer does not invent evidence or recommend tools outside the Google Workspace/three-person boundary. For 3.5.3 it correctly requests Google Workspace MFA enforcement, enrollment/use, account inventory, and review evidence. F...

Methodology

- **Grading** — each task is scored by an LLM judge against the task's rubric; the task score is the weighted share of criteria met, and the headline number is the mean over graded tasks.
- **Mean score** — higher is better; the primary metric this report ranks on.
- **Dimension means** — higher is better.
- **Pass rate** — higher is better.
- **Category scores** — higher is better.
- **Correct determination rate** — higher is better.
- **Pass@2** — higher is better.
- **Pass²** — higher is better.
- **Errors** — 5 generations failed and are excluded from scores; affected models are flagged on the leaderboard.
- **Time per task** — modeled as output tokens over the model's median measured output speed, the same formula as the results page.
- **Reproducibility** — the benchmark, prompts, rubrics, and every response are exportable from the run page as Excel and JSONL.