

Amoyan, Rogelio A. Jr.
Torres, Bianca Marie C.
BSIS-301


Date: April 7, 2026
Score:

OUTPUT 1

A.

Descriptives	
	A
Mean	33.2
Median	21.0
Mode	18.0
Standard deviation	29.1
Variance	845
Range	127


B.



Plot A has higher spread value and the Plot B has the lower spread value

Descriptives

	A
N	46
Missing	0
Mean	33.2
Median	21.0
Mode	18.0
Standard deviation	29.1
Variance	845
Range	127
Minimum	11
Maximum	138



OUTPUT 2


a.) Write a brief description in which you outline how you would obtain a random sample of 102 West Texas water wells. Explain how random numbers would be used in the selection process.

- to get a random sample 102 west Texas walls, we assign a number to each population. After that we randomize the sample generator such as excel to select the number 102 as a unique number. It is also to ensure it has an equal chance of being selected.


b.) Is the given data nominal, ordinal, interval or ratio? Explain.

- It is interval data, because values has equal interval between number but there is no true zero

c.) Make a stem-and-leaf display



d.) Make a frequency histogram.



f.) Compute the range, mean, median and mode for the given data.

Descriptives

	A
Mean	7.58
Median	7.50
Mode	7.30
Range	1.80

g.) Compute the sample variance, sample standard deviation, and coefficient of variation for the given data. Is the sample standard deviation small relative to the mean pH?

- If CV is small, the data is consistent

h.) Compute a 75% Chebshev interval

Descriptives

	A
Mean	7.58
75% CI mean lower bound	7.53
75% CI mean upper bound	7.63

Note. The CI of the mean assumes sample means follow a t-distribution with $N - 1$ degrees of freedom

-