

## Notes:

1. Material: RoHS compliant 12AWG (.08") Aluminum
2. Break all sharp edges prior to powder coat.
3. Part is to be powder coated with Cardinal color C241-BK109. Mask all threads prior to coating.

DRAWN BY  
SINNEMA 12/9/14MATERIAL  
SEE NOTESUNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN MILLIMETERS.  
TOLERANCES ARE:

DECIMALS	ANGLES
.X $\pm .75$	X° $\pm 1^\circ$
.XX $\pm .25$	
.XXX $\pm .125$	
.XXXX $\pm .050$	

BREAK EDGES .005/.020  
FILLET RADIUS .005/.020



Sinnema Design Services

seth.sinnema@gmail.com  
Phone: (303) 250-8218  
Fax: 1-267-393-7872


TITLE

Electronics case


SIZE A	DWG NO.
-----------	---------

REV. IR
------------


SCALE 1:3	DO NOT SCALE DRAWING	SHEET 1 OF 2
--------------	----------------------	-----------------



SECTION B-B



SECTION A-A



SECTION C-C

TITLE			
Electronics case			
SIZE A	DWG NO.		REV. IR
SCALE 1:3	DO NOT SCALE DRAWING		SHEET 2 OF 2