document - heading1


demo: self-modifying interleaved markup and shell

date - heading2

```
request: date --iso-8601=ns
date --iso-8601
'[[ "$noDate" != "true" ]] && date --iso-8601'
# 2021-10-27
```

images and tables - heading2

preformatted text within paragraph







equations and commands - heading2

```
'currentBitsPerSecond=9600'
'currentBonesPerPlayer=4'
'solve' '"("$currentBitsPerSecond" == (\"currentPlayers\" * "$currentBonesPerPlayer" * "$currentIncrementFramesPerSecond" *
"$currentIncrementFrameBytesPerBone" * "$currentByte") + (\"currentPlayers\" * "$currentBonesPerPlayer" *
"$currentInstantFramesPerSecond" * "$currentInstantFrameBytesPerBone" * "$currentByte"), \"currentPlayers\")"'
# 5.5555556
```

```
*titleD*
*titleA*
                  *titleB*
                                                           *titleC*
                    'ubiquitous bash.sh' ' echo'
                                                              color demo'
example
commands
                     ubiquitous bash.sh' 'echo' 'a
# with output
                                                             _color_demo
                                                              color demo
                                                             ubiquitousBashIDshort= uk4uPhB6
                  # b
                  \\ output
                                                             echo _color_demo
                                                             color demo
                                                              "echo" "_color_demo"
'echo' '_color_demo'
                                                              color demo
output
                  raw markup
                                                                                                   pre
```

breaks - heading2

preformatted text at paragraph_begin

preformatted text at paragraph end

PageBreak -H-H-H-H- PageBreak -H-H-H-H- PageBreak -H-H-H-H- PageBreak -H-H-H-H- PageBreak

ubiquitousBashIDshort= uk4uPhB6

<!-- # -->re style="margin-top: 0px;margin-bottom: 0px;white-space: pre-wrap;"> preformatted more preformatted text # ###

###

heading1

heading2

heading3

heading4

heading5

heading6

raw markup

raw heading1

raw heading2

raw markup raw markup

raw paragraph

raw markup raw markup raw markup raw markup


raw HTML markup within paragraph

preformatted text

preformatted text "\$ubiquitousBashIDshort"

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

x > /dev/null



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

done: demo