mo: self-modifying interleaved markup and shell


## document - heading1

## date - heading2

```
request: date --iso-8601=ns
date --iso-8601
  '[[ "$noDate" != "true" ]] && date --iso-8601'
# 2022-11-13
```

## images - heading2

preformatted text within paragraph





## equations and commands - heading2

```
'currentBitsPerSecond=9600'
'currentBonesPerPlayer=4'
'solve' '"("$currentBitsPerSecond" == (\"currentPlayers\" * "$currentBonesPerPlayer" * "$currentIncrementFramesPerSecond" *
"$currentIncrementFrameBytesPerBone" * "$currentByte") + (\"currentPlayers\" * "$currentBonesPerPlayer" *
"$currentInstantFramesPerSecond" * "$currentInstantFrameBytesPerBone" * "$currentByte"), \"currentPlayers\")"'
# 5.555555556
```

```
*titleA*
                  *titleB*
                                                                                                     *titleD*
                   'ubiquitous bash.sh' ' echo' 'a b
                                                              color demo'
example
commands
                    'ubiquitous bash.sh' ' echo' 'a
# with output
                                                             _color_demo
                  # a
                                                              color demo
                  # b
                                                             ubiquitousBashIDshort= uk4uPhB6
                 output
                          tab
                  output
                                                             echo color demo
                   \\\ output'
                                                            _color_demo
                                                              "echo" "_color_demo"
'echo' '_color_demo'
output
                  raw markup
                                                                                                   pre
```

## breaks - heading2

 ${\tt preformatted} \ {\tt text} \ {\tt at} \ {\tt paragraph\_end}$ 

PageBreak -H-H-H-H- PageBreak -H-H-H-H- PageBreak -H-H-H-H- PageBreak -H-H-H-H- PageBreak ubiquitousBashIDshort= uk4uPhB6 uk4uPhB6

```
<!-- # -->
preformatted
text
more
preformatted
text
# ###
# ###
```

## heading1

### heading2

heading3

heading4

heading5

heading6

raw markup

# raw heading1

## raw heading2

raw markup raw markup

raw paragraph

raw markup raw markup raw markup raw markup

#### raw HTML markup within paragraph


preformatted text

preformatted "\$ubiquitousBashIDshort"

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

x > /dev/null < /dev/null > <h://w.example.com/page/>
x > /dev/null < /dev/null > <h://w.example.com/page/>

x > /dev/null



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

12345		
67890		