## document - heading1


demo: self-modifying interleaved markup and shel

### date - heading2

```
request: date --iso-8601=ns
date --iso-8601
   '[[ "$noDate" != "true" ]] && date --iso-8601'
# 2021-10-26
```

#### images - heading2

preformatted text within paragraph





### equations and commands - heading2

```
'currentBitsPerSecond=9600'
  'currentBonesPerPlayer=4'
  'solve' '"("$currentBitsPerSecond" == (\"currentPlayers\" * "$currentBonesPerPlayer" * "$currentIncrementFramesPerSecond" *
"$currentIncrementFrameBytesPerBone" * "$currentByte") + (\"currentPlayers\" * "$currentBonesPerPlayer" *
"$currentInstantFramesPerSecond" * "$currentInstantFrameBytesPerBone" * "$currentByte"), \"currentPlayers\")"'
# 5.5555556
```

```
*titleA*
                 *titleB*
                                                       *titleC*
                                                                                              *titleD*
example
                   'ubiquitous_bash.sh' '_echo' 'a b
                                                          color_demo'
# with output
                   ubiquitous bash.sh' ' echo'
                                                          color demo
                                                          color demo
                                                         ubiquitousBashIDshort= uk4uPhB6
                                                          _color_demo
                                                         echo color_demo
                                                         color demo
                                                          "echo" "_color_demo"
                                                          'echo' '_color demo'
output
                 raw markup
                                                                                             pre
```

#### breaks - heading2

preformatted text at paragraph\_begin

request: maybe the user should copy some file next to the "\$scriptAbsoluteFolder ubiquitousBashIDshort= uk4uPhB6
uk4uPhB6
<!-- # -->reformatted
text
more
preformatted
text
#
# ###
# ###
# ###

heading1

heading2

#### heading3

heading4

heading5

heading6

# raw markup

# raw heading1

#### raw heading2

raw markup raw markup

raw paragraph

raw markup raw markup raw markup raw markup

#### raw HTML markup within paragraph


preformatted text

preformatted text

"\$ubiquitousBashIDshort"

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

x > /dev/null



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.