


document - heading1

date - heading2

```
request: date --iso-8601=ns
date --iso-8601
'[[ "$noDate" != "true" ]] && date --iso-8601'
# 2021-11-21
```

images - heading2

preformatted text within paragraph



equations and commands - heading2

```
'currentBitsPerSecond=9600'
'currentBonesPerPlayer=4'
'solve' '"("$currentBitsPerSecond" == (\\"currentPlayers\\" * \"$currentBonesPerPlayer\" * \"$currentIncrementFramesPerSecond\" *
$currentIncrementFrameBytesPerBone\" * \"$currentByte\") + (\\"currentPlayers\\" * \"$currentBonesPerPlayer\" *
$currentInstantFramesPerSecond\" * \"$currentInstantFrameBytesPerBone\" * \"$currentByte\"), \\"currentPlayers\\")"'
# 5.555556
```

| *titleA* | *titleB* | *titleC* | *titleD* |
|---------------|------------------------------------|-------------------------------------|----------|
| example | 'ubiquitous_bash.sh' '_echo' 'a b' | '_color_demo' | |
| commands | # a b | # _color_demo | |
| # with output | 'ubiquitous_bash.sh' '_echo' 'a b' | # _color_demo | |
| | # a | # _color_demo | |
| | # b | # ubiquitousBashIDshort= uk4uPhB6 | |
| | | # _color_demo | |
| | output | # _color_demo | |
| | tab | # _color_demo | |
| | output | # echo _color_demo | |
| | ' \ \ output' | # _color_demo | |
| |] | # "echo" "_color_demo" | |
| | \# | # 'echo' '_color_demo' | |
| | | # _color_demo | |
| | | # color_demo | |
| | | # delay: InterProcess-Communication | |
| output | raw markup | | pre |
| | | | |

breaks - heading2

preformatted text at paragraph_end

```
request: maybe the user should copy some file next to the "$scriptAbsoluteFolder"
request: maybe the user should copy some file next to the "$scriptAbsoluteFolder"
ubiquitousBashIDshort= uk4uPhB6
```

uk4uPhB6

```
<!-- # --><pre style="margin-top: 0px;margin-bottom: 0px;white-space: pre-wrap;">
preformatted
  text
more
  preformatted
text
#
# ###
# ###
```

heading1

heading2

heading3

heading4

heading5

heading6

raw markup

raw heading1

raw heading2

raw markup raw markup

raw paragraph

raw markup raw markup raw markup raw markup raw markup

raw HTML markup within paragraph

preformatted
text

preformatted
text
"\$ubiquitousBashIDshort"

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

```
x > /dev/null < /dev/null </dev/null> <h://w.example.com/page/>
x > /dev/null < /dev/null </dev/null> <h://w.example.com/page/>
x > /dev/null
```

| | | | | |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 |