

# Extension of a geometric problem in shortlist 2012

Tran Quang Hung

## Abstract

This article turns around a mice geometric problem in shortlist 2012 by using pure geometry tools.

The following problem was proposed in shortlist 2012.

**Problem 1.** Let  $ABC$  be an acute triangle and its altitudes  $AD, BE, CF$ . Denote  $K, L$  by incenters of triangles  $BFD, CDE$ . Let  $P, Q$  be a circumcenters of triangles  $ABK, ACL$ . Prove that  $PQ \parallel KL$ .




Figure 1.

**Solution.** It is easy to be seen that triangles  $\triangle DFB \sim \triangle DCE$ . As well-known,  $K, L$  are incenters of those triangle, we imply that  $\triangle DKF \sim \triangle DLC$ . From this similar pair follows  $\triangle DKL \sim \triangle DFC$ . Therefore  $\angle DKL = \angle DFC = \angle DAC$ . Since that, we have  $\angle BKL = \angle BKD + \angle DKL = 90^\circ + \frac{\angle BFD}{2} + \angle DFC = 90^\circ + \frac{\angle ACB}{2} + 90^\circ - \angle ACB = 180^\circ - \frac{\angle ACB}{2} = 180^\circ - \angle LCB$  we deduce that the quadrilateral  $BKLC$  is inscribed in a circle. Similarly, if  $N$  is incenter of triangle  $AEF$  then quadrilaterals  $ANKB$  and  $ANLC$  are concyclic. Hence  $AN$  is a chord of the circle  $(P)$  circumscribed about triangle  $ABK$  and the circle  $(Q)$  circumscribed about triangle  $ACL$ . Therefore  $PQ \perp AN$ . It is obvious that  $BK, CL, AN$  are concurrent at  $I$  where  $I$  is the incenter of triangle  $ABC$ . From that, we have external angles  $\angle ILN = \angle NAC = \angle NAC = \angle IKN$ . Analogously,  $\angle INK = \angle ILK, \angle INL = \angle IKL$  infers that  $I$  is an orthocenter of triangle  $KLN$ . Therefore  $PQ \perp AN \equiv AI \perp KL$  follows  $PQ \parallel KL$ . This completes the proof.  $\square$

**Comment.** Proving a cyclic quadrilateral  $BKLC$  play an important role on the solution. On the solution above, the similar triangles having a common vertex was used effectively and clearly. Then, we do not need to draw any auxiliary figure. This solutions based of the idea of Tran Dang Phuc

- my old students. Furthermore, some different ways were proposed to show that the quadrilateral  $KBCL$  was cyclic on [1] and on original. From exploiting around this method, we get the following problem.

**Problem 2.** Let  $ABC$  be a triangle and  $AC > AB$ . The angle bisector of  $\angle BAC$  intersects  $BC$  at  $D$ .  $E$  be a point which lies between  $B$  and  $D$  such that  $\frac{ED}{EA} = \frac{AC - AB}{AC + AB}$ . Denote  $K, L$  by incenters of triangles  $EAB, EAC$ . Prove that the quadrilateral  $KBCL$  is inscribed in a circle.




Figure 2.

**Solution.** Denote  $M$  by a midpoint of segment  $BC$ . Let  $F$  be a point which lies on the circle with diameter  $BC$  and outside triangle  $ABC$  such that  $MF \parallel AE$ . It is easy to prove  $DM = MB - DB = \frac{BC}{2} - \frac{AB \cdot BC}{AB + AC} = \frac{BC(AC - AB)}{2(AB + AC)} = \frac{MF(AC - AB)}{AB + AC}$ . Therefore, we have  $\frac{ED}{EA} = \frac{MD}{MF}$ . We could point out easily that  $\triangle AED \sim \triangle MFD$ . From this follows  $A, D, F$  are collinear. Let  $AF$  meet the circle with diameter  $BC$  at  $G$  which is differ from  $F$ . It is clear that  $\angle EAD = \angle DFM = \angle DGM$ .

The sum of angles in both triangles  $EAD$  and  $GMD$  is  $360^\circ$ . On the other hands,  $\angle EDG + \angle GDM = 180^\circ$  we imply that  $\angle AED + \angle DMG + 2\angle DGM = 180^\circ$ . Note that  $\angle DMG = 2\angle MGC$ , hence  $2(\angle DGM + \angle MGC) = 180^\circ - \angle AED$  or  $\angle DGC = 90^\circ - \frac{\angle AED}{2}$ . Note that  $L$  be a center of the incircle of triangle  $AEC$ , thus  $\angle AGC = 180^\circ - \angle DGC = 90^\circ + \frac{\angle AED}{2} = \angle ALC$ . So, we deduce that the quadrilateral  $AGLC$  is concyclic. Analogously, the quadrilateral  $AGKB$  is inscribed in a circle.

Note that the internal angle bisectors  $AD, BK, CL$  are concurrent at incenter  $I$ . From two concyclic quadrilaterals  $AGCL$  and  $AGKB$  follows  $IK \cdot IB = IG \cdot IA = IL \cdot IC$ . Therefore, the quadrilateral  $BKLC$  is concyclic. This completes the proof.  $\square$

**Comment.**  $E$  satisfied  $\frac{ED}{EA} = \frac{AC - AB}{AC + AB}$  is the most interesting point of this problem. We could see that the condition is solved ingeniously by drawing point  $F$  on the circle with diameter  $BC$ . Basing on the idea of the problem on shortlist, we present the following problem, which was proposed on HUS High school for Gifted Students contest (2013, Round 1, Day 2) [2].

**Problem 3.** Let  $ABC$  be a triangle such that  $AC > AB$ . Angle bisector of  $\angle BAC$  intersects  $BC$  at  $D$ . Point  $E$  lies between  $B, D$  such that  $\frac{ED}{EA} = \frac{AC - AB}{AC + AB}$ . Denote  $K, L$  by incenters of triangles  $EAB, EAC$  respectively. Let  $P, Q$  be circumcircles of triangles  $KAB, LAC$  in turn. Prove that  $PQ$  is parallel to  $KL$ .

The first proof could be used to solve the problem 2, as follows




Figure 3.

**Solution 1.** By an construction analogous to the proof of problem 2, we get concyclic quadrilaterals  $AGKB, AGLC, BKLC$ . Therefore

$$\angle IKL + \angle GLK = \angle ICB + (\angle IBC + \angle GAC) = \frac{\angle ABC + \angle BAC + \angle BCA}{2} = 90^\circ.$$

Or we could say that  $IK \perp GL$ , similarly  $IL \perp GK$ . So, we infer  $AG \equiv IG \perp KL$ . Note that two circles  $(P), (Q)$  intersect each other at  $A, G$ . We get  $AG \perp PQ$ . Therefore, from properties above, it is easily to be seen that  $PQ \parallel KL$ . This concludes the proof.  $\square$

However, the two following proofs are quite brief. Those solutions infer the problem immediately, so we have to prove a Lemma.

**Lemma 3.1.** Let  $ABC$  be a triangle inscribed in circle  $(O)$  and  $I$  be incenter.  $AI$  intersects  $(O)$  at  $D$  which differs from  $A$ . Show that  $D$  is a circumcenter of triangle  $IBC$  and  $\frac{DI}{DA} = \frac{BC}{AB + AC}$ .




Figure 4.

**Proof.** We have  $\angle BID = \angle IBA + \angle IAB = \angle IAC + \angle IBC = \angle CBD + \angle IBC = \angle IBD$ . Then  $BID$  is an isosceles triangle at  $D$ . Analogously,  $CID$  is an isosceles triangle at  $D$ . Thus  $DI = DB = DC$ . Applying Ptolemy theorem with respect to the quadrilateral  $ABDC$ , we get  $DB \cdot CA + DC \cdot AB = DA \cdot BC$  or  $DI(AB + AC) = DA \cdot BC$ . Therefore,  $\frac{DI}{DA} = \frac{BC}{AB + AC}$ .  $\square$




Figure 5.

**Solution 2.** From Lemma, it is easily to be seen that  $\frac{PK}{PE} = \frac{AB}{EA + EB}$  and  $\frac{QL}{QE} = \frac{AC}{EA + EC}$ .

Therefore, we have to show that

$$\begin{aligned}
 & \frac{AB}{EA + EB} = \frac{AC}{EA + EC} \\
 \Leftrightarrow & \frac{AB}{EA + DB - ED} = \frac{AC}{EA + DC + ED} \\
 \Leftrightarrow & AB(EA + DC + ED) = AC(EA + DB - ED) \\
 \Leftrightarrow & AB(EA + ED) = AC(EA - ED) \\
 \Leftrightarrow & AB(1 + \frac{ED}{EA}) = AC(1 - \frac{ED}{EA}) \\
 \Leftrightarrow & AB(1 + \frac{AC - AB}{AB + AC}) = AC(1 - \frac{AC - AB}{AC + AB}) \\
 \Leftrightarrow & AB \cdot \frac{2AC}{AB + AC} = AC \cdot \frac{2AB}{AB + AC} \text{ (always true).}
 \end{aligned}$$

This completes the proof.  $\square$

**Comment.** Exploiting different properties of the concyclic quadrilateral  $KBCL$  on problem 1 could generate another interesting problems, especially as the following problem.

**Problem 4.** Let  $ABC$  be an acute triangle and  $AD, BE, CF$  be altitudes. Denote  $(X), (Y), (Z)$  by circles inscribed in triangles  $AEF, BFD, CDE$ . Let  $d_a$  be a common tangent line which is different from  $BC$  of  $(Y), (Z)$ . Analogously, we have  $d_b, d_c$ . Prove that  $d_a, d_b, d_c$  are concurrent.

We will present the extension of the problem basing on the relative position of orthocenter.

**Problem 5.** Given an acute triangle  $ABC$  and its altitudes  $AD, BE, CF$ . Denote  $K, L$  by centers of incircles of triangles  $DBE, DCF$ . Let  $P, Q$  be circumcenters of triangles  $HBK, HCL$ . Show that  $PQ \parallel KL$ .

Another way to extend excenters was proposed as follows.

**Problem 6.** Given an acute triangle  $ABC$  and its altitudes  $AD, BE, CF$ . Denote  $K, L$  by excenters with respect to vertex  $D$  of triangles  $BFD, CDE$ . Let  $P, Q$  be centers of circumcircles of triangles  $ABK, ACL$ . Prove that  $PQ \parallel KL$ .

**Problem 7.** Given an acute triangle  $ABC$  and its altitudes  $AD, BE, CF$ . Denote  $K, L$  by a center of excircle with respect to vertex  $D$  of triangle  $DBE, DCF$ . Let  $P, Q$  be circumcircle of triangles  $HBK, HCL$ . Determine  $PQ \parallel KL$ .

On the other hands, we could extend the problem completely basing on the cyclic quadrilateral  $BKLC$  as follows.

**Problem 8.** Given a triangle  $ABC$  and its incenter  $I$ . A circle  $(K)$  passing through  $B, C$  intersects  $IC, IB$  at  $E, F$  respectively. Denote  $P, Q$  by circumcenters of triangles  $ACE, ABF$  respectively. Show that  $PQ \parallel EF$ .

The reader is referred to the problems above which are solved easily basing on the idea in this article.

## References

- [1] IMO Shortlist 2012, Geometry 3  
<http://www.artofproblemsolving.com/Forum/viewtopic.php?p=3160579>
- [2] Tran Quang Hung, Collection of problems from HUS High School for Gifted Student contest, 2013.  
  
Tran Quang Hung, High School for Gifted Students, Hanoi University of Science, Vietnam National University, Hanoi.  
E-mail: [analgeomatica@gmail.com](mailto:analgeomatica@gmail.com)