TrustPay Notifier doc


Version 1.2

2014-07-16

## **Trust Pay silent Notification description:**

Upon completion of all transactions, we enable developers to receive a silent, secure notification thereof at an endpoint of their choice.


When a developer registers a new application on <a href="https://my.trustpay.biz">https://my.trustpay.biz</a>, the following information needs to be entered to enable the notification process:



The **Notification URL** is a HTTP endpoint where the developer wants to receive notifications.

The **Shared Secret** is a secret with which the notification will be signed utilizing the OAuth open protocol for secure authorization.

The process flow for a transaction, including the notification is as follows:



An example of the notification that gets sent to the endpoint is:

http://www.notificationurl.com/notification?amount=5.0& application\_id=ap.631c6b3f-7abc-4e0e-b134-16a4617e661c&consumermessage=&currency=ZAR&description=KwaitoGospel 11&istest=false&method=CARRIER+BILLING& oauth\_consumer\_key=ap.631c6b3f-7abc-4e0e-b134-16a4617e661c&oauth\_nonce=7450818846975794560&oauth\_signature=geLY gBzbg9cE%2F%2BIh13IQgxIcd3M%3D&oauth\_signature\_method=HMAC-SHA1oauth\_timestamp=1383121399&oauth\_version=1.0&status=SUCCESS&tp\_transaction\_id=TP1377252724247&transaction\_id=dce6bd93b61e9a821ecd476

12T06%3A33%3A37Z&user id=27138423789

673197e8c&transaction time=2013-11-

The parameters are as follows:

amount: the amount that the transaction was for.

application\_id : The application id as generetaed by TrustPay upon application registration.

currency: the currency that the transaction took place in.

consumermessage: A message for the user if the transaction failed, the developer can choose to relay the message to the user or to ignore the message. description: The description for the transaction, created by the developer and passed into the TrustPay client.

Istest: Indicates if this is a LIVE or a TEST transaction. Product should only be released if the transaction is a LIVE transaction.

method: The payment method that was used to process the transaction.

Status: Either SUCCESS or FAILED

transaction\_id : The developer's transaction id that gets passed into the TrustPay client.

tp\_transaction\_id : The transaction id that TustPay creates and assigns to the transaction.

transaction\_time : the server date and time that the transaction result was received. This will be in GMT.

user\_id: The user id that gets passed into the TrustPay client by the developer. oauth\_consumer\_key: the application's vendor\_id as created by TrustPay on my.trustpay.biz when the application gets registered.

oauth\_signature : signature gets generated via the Shared Secret using the OAuth methology.

oauth\_nonce: Part of OAuth protocol

oauth\_signature\_method: Part of OAuth protocol

oauth\_timestamp: Part of OAuth protocol oauth\_version: Part of OAuth protocol

It is up to the developer then to validate the signature and accept or reject the notification.

A detailed definition of the OAuth protocol can be found at: <a href="http://tools.ietf.org/html/rfc5849">http://tools.ietf.org/html/rfc5849</a>

A open source OAuth java project can be found at:

https://code.google.com/p/oauth-signpost/

An example OAuth verification java based project can be cloned from: git@github.com:trustpay/TrustPay\_OAuth\_Verification.git

This project was developed in Netbeans 7.4 using Tomcat 7 as the servlet container.

## Changes

Date	Version	Changes
2013-11-21	1.0	Creation
2013-12-10	1.1	Changed OAuth params to URL and retry strategy.
2014-07-16	1.2	Added istest to URL parameters