

Home

Library

Profile

Stories

Stats

Following

Level Up Coding

Generative AI

Python in Plain En...

Dev Genius

AI Quick Tips

AI Mind

Top Python Librari...

The Useful Tech

Realworld AI Use C...

All About ChatGPT

More

How I Set Up Claude Code for Free (No Subscription, No Credit Card) — and What I Learned Along the Way



Prince Arora

Follow

5 min read · Mar 16, 2026

31

4



A walkthrough of every decision, every mistake, and every concept that clicked.



. . .

I spent an afternoon trying to get Claude Code running without paying for an Anthropic subscription. What started as “this should take 20 minutes” turned into a deep dive through WSL internals, Python version conflicts, PowerShell profile quirks, and bash path escaping nightmares.

This is the article I wish existed before I started.

By the end, I had a fully working setup: Claude Code CLI running in VS Code, powered by Gemini 2.5 Flash as a free backend, with a clean bash terminal, a single `.env` file as the source of truth, and a setup ready to build agentic AI systems from scratch.

Here’s exactly how it works and why every decision was made.

. . .

First: What Even Is Claude Code?

Claude Code is Anthropic's AI coding assistant — a CLI tool (and VS Code extension) that lets you give natural language instructions and have an AI agent write, edit, and explain code in your project. Think of it as a pair programmer that lives in your terminal.

The catch: it's designed to work with an Anthropic subscription or API billing. Out of the box, it will ask you to log in and pay.

But here's the key insight that makes everything possible:

Claude Code is just a client that talks to the Anthropic API format. You can redirect it to any LLM that speaks that format.

Set three environment variables — `ANTHROPIC_API_KEY`, `ANTHROPIC_BASE_URL`, and `ANTHROPIC_MODEL` — and Claude Code will happily talk to Gemini, Ollama, or any compatible backend instead.

. . .

The Free Options (and Which One Actually Works Without a Card)

Before settling on an approach, I mapped out every viable free option:

Ollama (local) — Completely free forever, runs models on your machine. The catch: you need serious hardware. 32GB+ RAM is recommended for models good enough to be genuinely useful for coding. With a 128MB GPU and no dedicated VRAM, this was off the table for me.

OpenRouter via claude-code-router — Access a rotating selection of free models (DeepSeek R1, Qwen, Llama) with no credit card required. Free accounts get 50 requests/day; add \$10 in credits and it jumps to 1,000. Slightly more setup than Google AI Studio, but worth it if you want model variety. I chose Gemini purely for simplicity.

Ollama Cloud models — Ollama now supports `:cloud` variants that run on their servers rather than your machine. Still requires Ollama installed locally as the client/proxy.

Google AI Studio (Gemini) — Free tier, just a Google account. No credit card. No minimum top-up. Just sign in at aistudio.google.com, generate an API key, and you're done.

Winner: Google AI Studio. The Gemini 2.5 Flash model is capable, the free tier is generous, and the barrier to entry is zero.

. . .

The Installation: A Mistake I Made

I installed the VS Code extension of Claude Code and assumed I was done. I wasn't.

The Claude Code VS Code extension and the CLI are not the same thing.

The VS Code extension is a UI panel — a sidebar, keyboard shortcuts, a nicer way to interact. It does nothing on its own. The actual engine is the CLI, installed via npm:

```
npm install -g @anthropic-ai/claude-code
```

The `-g` flag installs globally. Run it once, from anywhere, and `claude` becomes available in every terminal on your machine. You do not run this inside your project folder.

Verify it worked:

```
claude --version
```

Note: Claude Code recently switched from npm to a native installer and will show a deprecation warning. As of this writing, there is a known bug where the native installer freezes in VS Code's integrated terminal on

Windows. Stick with the npm install for now.

. . .

Pointing Claude Code at Gemini

With the CLI installed, the next step is redirecting it away from Anthropic's paid API. This is done entirely through environment variables — no code changes, no config files to hunt down.

The three variables you need:

```
ANTHROPIC_API_KEY=AIza-YOUR-GEMINI-KEY-HERE  
ANTHROPIC_BASE_URL=https://generativelanguage.googleapis.c  
ANTHROPIC_MODEL=gemini-2.5-flash
```

Get your free Gemini API key from aistudio.google.com — takes about 30 seconds.

The First-Run Login Screen Problem

Here's something the docs don't mention clearly: on first run, Claude Code shows a login screen even when these variables are set. It wants to authenticate with Anthropic.

The workaround: temporarily add a fourth variable:

```
ANTHROPIC_AUTH_TOKEN=AIza-YOUR-GEMINI-KEY-HERE
```

Same key, different variable name. This makes Claude Code detect it as a “custom API key” and ask if you want to use it — select Yes. Once your session is established, **remove** `ANTHROPIC_AUTH_TOKEN`. Keeping both variables causes a conflict warning on subsequent runs.

. . .

One .env File, Not Hardcoded Anywhere

Putting API keys directly in shell configs or VS Code settings is a bad habit. The right approach: a single `.env` file at your project root, loaded automatically.

```
ANTHROPIC_API_KEY=AIza-YOUR-GEMINI-KEY-HERE
ANTHROPIC_BASE_URL=https://generativelanguage.googleapis.com
ANTHROPIC_MODEL=gemini-2.5-flash
```

To auto-load it whenever a terminal opens, add a `Load-Env` function to your PowerShell profile. Open it with:

```
notepad $PROFILE
```

Then paste:

```
function Load-Env {
    $envFile = Join-Path (Get-Location) ".env"
    if (Test-Path $envFile) {
        Get-Content $envFile | ForEach-Object {
            if ($_ -match "^\s*([^\s][^=]+)=(.+)$") {
                [System.Environment]::SetEnvironmentVariable
            }
        }
        Write-Host ".env loaded" -ForegroundColor Green
    }
}
Load-Env
```

One gotcha: VS Code has its own PowerShell profile, separate from the regular PowerShell terminal. Always run `notepad $PROFILE` from inside VS Code's integrated terminal — not a standalone PowerShell window. They point to different files.

Also: always add `.env` to your `.gitignore`. Always.

```
echo '.env' >> .gitignore
```

• • •

Set up LiteLLM Proxy:

To connect claude code to gemini, we need a proxy layer in between. Refer the steps in link below 🙏

My Claude Code Gemini Setup Broke. Here's What Was Actually Happening.

My Claude Code Gemini Setup Broke. Here's What Was Actually Happening. A...

prince-arora-aws.medium.com



. . .

That's It — You're Running

Once the `.env` is loaded, open your project folder in VS Code, activate your terminal, and type:

```
claude
```

You should see Claude Code launch with `gemini-2.5-flash` shown at the bottom of the panel. Run `/status` to confirm which model and endpoint it's connected to.

. . .

Key Takeaways

- Claude Code works completely free with Google AI Studio — just a Google account
- The VS Code extension and the CLI are separate things; install both
- Three environment variables are all it takes to redirect Claude Code to any backend
- `ANTHROPIC_AUTH_TOKEN` is a one-time trick to bypass the first-run login screen — remove it after
- A single `.env` file beats hardcoded credentials everywhere

• • •

Next: building the first AI agent with this setup — a Hello Agent that makes its first API call.

• • •

Tags: AI, Claude, LLM, Python, Developer Tools, VS Code, Gemini, Free Tools, Productivity



Written by Prince Arora

26 followers · 10 following

Follow

IT professional | Technology Enthusiast | AWS | Machine Learning | Gen AI

Responses (4)



Pancake Agree

What are your thoughts?



Prince Arora Author

Mar 31 (edited)



Updated the article with link to steps for setting up litellm proxy layer between claude code and gemini.

<https://prince-arora-aws.medium.com/my-claude-code-gemini-setup-broke-heres-what-was-actually-happening-de00e84a29cf>



Reply



gunjan chaudhary

Mar 25



I am also getting the error

› Hi

● There's an issue with the selected model (gemini-2.5-flash). It may not exist or you may not have access to it. Run /model to pick a different model.

› /status

└ Status dialog dismissed



8



1 reply

[Reply](#)



Bordin Intarama

Mar 22



Hi OP, thanks for the post! I'm trying to follow along, but I ran into this error:

"● There's an issue with the selected model (gemini-2.5-flash). It may not exist or you may not have access to it. Run /model to pick a different model."

. Could you... [more](#)



23



4 replies

[Reply](#)

See all responses

More from Prince Arora

 Prince Arora

My Claude Code Gemini Setup Broke. Here's Wh...

A follow-up to “How I Set Up Claude Code for Free” — the AP...

Mar 31  4  1  ...

 Prince Arora

Setting Up Claude Code GUI with a Local LLM on...

If you want to use Claude Code GUI without paying for API...

Mar 31  ...

 Prince Arora

Running a 120B LLM Locally on an RTX 5090...

How I got Nemotron 120B running on Ubuntu 25.04 with a...

Mar 13  7  ...

 Prince Arora

How to Create a Secure Sandbox Environment f...

Give your AI agent full freedom inside a folder — and zero...

6d ago  ...

See all from Prince Arora

Recommended from Medium

 Luong NGUYEN

Run Claude Code with Local & Cloud Models in...

This post exists because the old guides were written back when...

Jan 30  535  17  ...

 unicodeveloper

10 Must-Have Skills for Claude (and Any Codin...

The definitive guide to agent skills that change how Claude...

Mar 9  1.3K  21  ...

 In Google Cloud - Co... by Romin ...

Tutorial : Getting Started with Google Antigravity

Welcome to the tutorial on Antigravity, Google's free and...

Nov 19, 2025  1.1K  19 

 Keuri Castillo

Using Claude Code for Free

I was in those days, where I reach the limit in my pro claude...

... Oct 30, 2025  12  1  ...

 Leo Godin

Claude Code is Great

You Just Need to Learn How to Use It

★ Mar 2  2K  52 

 Michal Malewicz 

Vibe Coding is OVER.

Here's What Comes Next.

★ Mar 24  4.93K  184 

See more recommendations

[Help](#) [Status](#) [About](#) [Careers](#) [Press](#) [Blog](#) [Privacy](#) [Rules](#) [Terms](#)
[Text to speech](#)