




Oxkoji

Posted on Jan 13 • Edited on Jan 26



82

How to Use Claude Opus 4.5 & Gemini 3 for Free with



Oxkoji

Never lose curiosity Software Engineer at a startup typescript, javascript, react, and python. code to do something weird/helpful learning rust as a new journey 🕶️ #genai #mediaart #art #hardware

LOCATION

Brooklyn in the United States and Tokyo in Japan

EDUCATION

New York University

PRONOUNS

he/him/his

WORK

Software Engineer

JOINED

Feb 24, 2019

OpenCode

[#ai](#) [#opencode](#) [#llm](#)
[#programming](#)

 TL;DR (Too Long; Didn't Read)

Want to use powerful AI models like Claude Opus 4.5 and Gemini 3 for free? This guide walks you through setting up OpenCode with the Antigravity plugin and Google OAuth. You'll be up and running with top-tier models in minutes—no paid API keys required.

Getting Started with OpenCode + Antigravity Auth

OpenCode is an open-

More from [0xkoji](#)

A Quick Look at Claw-Family

[#llm](#) [#openclaw](#)

Clean up repo with knip and two-line prompt


[#ai](#) [#code](#) [#tooling](#)

How to Run Clawdbot Locally and Control It from Discord

[#mac](#) [#llm](#) [#ai](#) [#bot](#)



PROMOTED...



The first and last auth platform you'll ever

source AI coding agent that lets you connect to models like Claude, GPT, Gemini, and more. It comes with free models out of the box, or you can bring your own from any provider.

In this guide, I'll walk you through setting up OpenCode with Antigravity Auth using Google OAuth.

Step 1: Install OpenCode

You can install OpenCode using various package managers like Homebrew, npm, pnpm, yarn, scoop, choco, etc.

For this guide, I'll use **bun**:

```
bun install -g openc
```

need.

Get started
today

More install options:

[Installation Docs](#)

Step 2: Configure the Plugin

We'll use [opencode-antigravity-auth](#) plugin.

Follow the installation instructions in the repo. I'll go with **Option B** here:

```
vim ~/.config/opencoc
```

Add the plugin:

```
{  
  "plugin": ["opencoc  
}
```

Step 3: Authenticate with Google (Antigravity)

Make sure you have a Google account that supports Antigravity.

Run:

```
opencode auth login
```

You'll see a provider list like this:

```
> Google  
  OpenAI  
  Anthropic  
  GitHub Copilot  
  ...
```

Select **Google**, then choose:

```
> OAuth with Google
```

Your browser will open—sign in with your Google account. Once complete, you should see:

- Multi-account setu
- o Login successful
- Done

Step 4: Update Your Config

Now let's update the full config file to include model definitions. Open:

```
vim ~/.config/opencod
```

And paste the full configuration block from the plugin's documentation. (You can keep the version you shared above—no changes needed unless you want to customize models.)

```
{  
  "$schema": "https://  
  "plugin": ["opencod  
  "provider": {
```

```

"google": {
  "models": {
    "antigravity-
      "name": "Ge
      "limit": {
      "modalities
      "variants":
        "low": {
        "high": -
      }
    },
    "antigravity-
      "name": "Ge
      "limit": {
      "modalities
      "variants":
        "minimal"
        "low": {
        "medium":
        "high": -
      }
    },
    "antigravity-
      "name": "C
      "limit": {
      "modalities
    },
    "antigravity-
      "name": "C
      "limit": {
      "modalities
      "variants":
        "low": {
        "max": {

```

```

    }
  },
  "antigravity-
    "name": "C
    "limit": {
    "modalities
    "variants":
      "low": {
      "max": {
    }
  },
  "gemini-2.5-1
    "name": "Ge
    "limit": {
    "modalities
  },
  "gemini-2.5-p
    "name": "Ge
    "limit": {
    "modalities
  },
  "gemini-3-fla
    "name": "Ge
    "limit": {
    "modalities
  },
  "gemini-3-pro
    "name": "Ge
    "limit": {
    "modalities
  }
}
}
}
}
}

```



```
}
```

Step 5: Select Claude Opus 4.5

Launch OpenCode:


```
opencode
```

Then press `Ctrl + P` and choose:

```
Switch model → Claude
```

That's it! You're now ready to use OpenCode with Antigra-vity-authenticated models. Happy coding! 🌱

The DEV Team PROMOTED ...



Build the Future of Data Privacy on Midnight 🧐🧐

This is your opportunity to build on a fully launched network designed to solve the internet's biggest privacy challenges. You'll

[Read More](#)

Top comments (5)



ominiverdi •

Jan 29
• Edited ...
on Jan
29

Building on
opencode-
antigravity-auth,
there are now two
companion plugins
that extend its
capabilities:

opencode-
antigravity-web
([npmjs.com/package
/opencode-antigra...](https://npmjs.com/package/opencode-antigravity-web))
- Web search and
URL reading

- Google Search with source citations
- URL content extraction
- Dynamic model selection (auto-picks best available model)
- Smart fallback when models hit capacity

opencode-
antigravity-img
(npmjs.com/package/opencode-antigravity-img)
- Image generation

- Gemini 3 Pro Image model
- Multiple aspect ratios and resolutions (up to 4K)
- Quota tracking

Setup is simple - just add them alongside the auth plugin:

```
{
```

```
plugins: [  
  opencode-  
  antigravity-auth,  
  opencode-  
  antigravity-web,  
  opencode-  
  antigravity-img  
]  
}
```

All three work together using the same Google OAuth authentication.



Ellis • Mar 11



Is this safe? Google banned a lot of accounts



Oxkoji 🌟 • Mar 12 ...



there will be a risk
to be banned by
Google. but so far i
haven't had any
issue.

i guess recent
bans are that
users use for
openclaw or
something similar.



Slimane
BENLALA • Jan 26 ...



Can one use these
settings for cursor.



Ranvijay
Solanki

Mar 30

• Edited

on Mar 30



is this still work? I am
getting error :


Google Generative AI
API key is missing.
Pass it using the
'apiKey' parameter
or the
GOOGLE_GENERATI
VE_AI_API_KEY
environment
variable.

[Code of Conduct](#) • [Report abuse](#)



Bright Data

PROMOTED



SOC-CERT: Automated Threat

Intelligence System with n8n & AI

Check out this submission
for the [AI Agents Challenge](#)
powered by n8n and Bright
Data.

[Read more →](#)