

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Acculturation (ACQ_L)

Data File: ACQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Acculturation section (variable name prefix ACQ) provides personal interview data on language use in the home. Questions asked and response categories used were customized, based on self-identified race and Hispanic origin, as shown in the table below.

Participants' Self-Identification	Question Asked	Response Categories	Variable Name for Data Release
Non-Hispanic White, Non-Hispanic Black, Non-Hispanic Asian or Other race - including multi-racial	What language(s) do you usually speak at home?	Check all that apply: - English (ACD010A) - Spanish (ACD010B) - Other languages (ACD010C)	ACD010A-C
Mexican American or Other Hispanic	What language(s) do you usually speak at home? Do you speak only Spanish, more Spanish than English, both equally, more English than Spanish, or only English?	- Only Spanish - More Spanish than English - Both equally - More English than Spanish - Only English	ACD040

Eligible Sample

All participants aged 3 years and older were eligible.

Interview Setting and Mode of Administration

These questions were asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone.

Participants 16 and older and emancipated minors were interviewed directly. A proxy provided information for participants who were under 16 and for those who could not answer the questions themselves.

The NHANES ACQ is available on the NHANES website: [NHANES August 2021-August 2023 Questionnaire Instruments \(cdc.gov\)](#).

Quality Assurance & Quality Control

The CAPI system is programmed with automated data consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. During the August 2021-August 2023 data collection cycle, ACQ data were systematically reviewed for logical, processing, and data input errors on a periodic basis; and interviewer-specific feedback and retraining was performed as appropriate.

Data Processing and Editing

Edits were made to ensure the completeness, consistency, and analytic usefulness of the data.

Analytic Notes

ACD010A, ACD010B, ACD010C (Language spoken at home for non-Hispanic White, non-Hispanic Black, non-Hispanic Asian, and Other races including multiracial)

These variables encoded the information on language(s) spoken at home for non-Hispanic white, non-Hispanic black, and non-Hispanic Asian participants, and participants of other races including multiracial. Responses to the question were collected as "check all that apply," which means that the participants could report more than one language and all of their responses were recorded.

In NHANES 2011-2020, to accommodate oversampling of non-Hispanic Asian population in the survey, an additional item was included to ascertain the language(s) spoken at home for non-Hispanic Asians (ACD110), and the information were released separately for this group in the public use files. In the current cycle, due to the discontinuing of Asian oversampling, this question was dropped. Similar to NHANES 1999-2010, Non-Hispanic Asians in the August 2021 – August 2023 sample were asked the same question as other non-Hispanic participants, and have the information reported in ACD010A to ACD010C, as well.

Analysts who wish to include "language spoken at home" data in analyses that use multiple 2-year NHANES cycles, may recode variables ACD011A, ACD011B, ACD011C, and ACD110 to create variables compatible with those released with the NHANES August 2021 – August 2023 data (i.e., ACD010A, ACD010B, and ACD010C) using the following SAS programming code:

```
If SDDSRVYR in (7, 8, 9, 66) then do;  
  ACD010B = ACD011B;  
  If ACD110 in (2, 3, 4, 5) then ACD010A = 1;  
  Else ACD010A = ACD011A;  
  If ACD110 in (1, 2, 3, 4) then ACD010C = 9;  
  Else ACD010C = ACD011C;  
End;
```

where SDDSRVYR represents the survey cycle year.

ACD040 (Language spoken at home for Hispanics)

In the current ACQ instrument, the item number for this question is ACQ042. However, to keep the data release variable name consistent with those in previous cycles, the responses to ACQ042 were renamed ACD040.

Although these data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 3 YEARS - 150 YEARS

ACD010A - Speak English at home-Non-Hispanics

Variable Name: ACD010A

SAS Label: Speak English at home-Non-Hispanics

English Text: What language(s) {do you/does SP} usually speak at home?

English Instructions: CODE ALL THAT APPLY. THIS VARIABLE ONLY APPLIES TO PARTICIPANTS SELF-IDENTIFIED AS "NON-HISPANIC WHITE", "NON-HISPANIC BLACK", "NON-HISPANIC ASIAN", OR "OTHER RACE - INCLUDING MULTI-RACIAL" (i.e., RIDRETH3=3, 4, 6, OR 7)."

Target: Both males and females 3 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	English	8597	8597	
77	Refused	0	8597	
99	Don't know	2	8599	
.	Missing	2773	11372	

ACD010B - Speak Spanish at home-Non-Hispanics

Variable Name: ACD010B

SAS Label: Speak Spanish at home-Non-Hispanics

English Text: What language(s) {do you/does SP} usually speak at home?

English Instructions: CODE ALL THAT APPLY. THIS VARIABLE ONLY APPLIES TO PARTICIPANTS SELF-IDENTIFIED AS "NON-HISPANIC WHITE", "NON-HISPANIC BLACK", "NON-HISPANIC ASIAN", OR "OTHER RACE - INCLUDING MULTI-RACIAL" (i.e., RIDRETH3=3, 4, 6, OR 7)."

Target: Both males and females 3 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
8	Spanish	26	26	
.	Missing	11346	11372	

ACD010C - Other language at home-Non-Hispanics

Variable Name: ACD010C

SAS Label: Other language at home-Non-Hispanics

English Text: What language(s) {do you/does SP} usually speak at home?

English Instructions: CODE ALL THAT APPLY. THIS VARIABLE ONLY APPLIES TO PARTICIPANTS SELF-IDENTIFIED AS "NON-HISPANIC WHITE", "NON-HISPANIC BLACK", "NON-HISPANIC ASIAN", OR "OTHER RACE - INCLUDING MULTI-RACIAL" (i.e., RIDRETH3=3, 4, 6, OR 7)."

Target: Both males and females 3 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
9	Other	689	689	
.	Missing	10683	11372	

ACD040 - Language(s) spoken at home-Hispanics

Variable Name: ACD040

SAS Label: Language(s) spoken at home-Hispanics

English Text: Now I'm going to ask you about language use. What language(s) {do you/does SP} usually speak at home? {Do you/Does he/Does she} speak only Spanish, more Spanish than English, both equally, more English than Spanish, or only English?

English Instructions: HAND CARD ACQ1. THIS VARIABLE ONLY APPLIES TO PARTICIPANTS SELF-IDENTIFIED AS "MEXICAN AMERICAN" OR "OTHER HISPANIC" (i.e., RIDRETH3=1, OR 2).

Target: Both males and females 3 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Only Spanish,	521	521	
2	More Spanish than English	329	850	
3	Both equally	422	1272	
4	More English than Spanish	466	1738	
5	Only English	566	2304	
7	Refused	10	2314	
9	Don't know	11	2325	
.	Missing	9047	11372	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Alcohol Use (ALQ_L)

Data File: ALQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The alcohol use questionnaire (variable name prefix ALQ_L) file provides data on lifetime and current use (i.e., past 12 months, past 30 days). Questions are not specific to the type of alcohol used.

Eligible Sample

All participants ages 12 years and older in the August 2021-August 2023 sample were eligible; however, only data from participants who were ages 18 and over are included in this file.

A special use data file for participants ages 12-17, ALQY_L_R, is available through the [NCHS Research Data Center \(RDC\)](#).

Interview Setting and Mode of Administration

The ALQ section was administered at the Mobile Examination Center (MEC) during the MEC Interview, including a question on binge drinking frequency in the past 30 days (i.e., ALQ170), which was previously asked at the end of the in-person dietary interview in the MEC. For adults 18 years and older, questions were self-administered using the Audio-Computer Assisted Self-Interview (ACASI) system. The ACASI enables participants to hear questions through headphones as well as read questions on the computer screen. Participants move at their own speed and touch the screen to indicate their response. For adolescents 12 to 17 whose data are available via the NCHS RDC, questions were also self-administered using the ACASI system.

The NHANES [August 2021-August 2023](#) ALQ is available on the NHANES website.

Quality Assurance & Quality Control

The ACASI system is programmed with built-in consistency checks to reduce data entry errors. ACASI also uses online help screens to assist participants in defining key terms used in the questionnaire.

For details on the QA/QC process for this component, please refer to the August 2021-August 2023 [MEC ACASI Procedures Manual](#) on the [NHANES website](#).

Data Processing and Editing

The data were edited for completeness, consistency, and illogical values. Because the data are based on self-reports, not all inconsistencies could be resolved. It is recommended that analysts review the data carefully prior to analysis.

Analytic Notes

The NHANES alcohol use questions for adults were not changed between the 2017-March 2020 and August 2021-August 2023 data collection cycles. However, question ALQ290 (i.e., "During the past 12 months, about how often did {you/SP} have 12 or more drinks in a single day?") was removed from the August 2021-August 2023 questionnaire.

The NHANES August 2021-August 2023 alcohol use data were collected in the MEC; therefore, exam sample weights should be used for the analyses. Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 18 YEARS - 150 YEARS

ALQ111 - Ever had a drink of any kind of alcohol

Variable Name: ALQ111

SAS Label: Ever had a drink of any kind of alcohol

English Text: In your entire life, have you had at least 1 drink of any kind of alcohol, not counting small tastes or sips? By a drink, I mean a 12 oz. beer, a 5 oz. glass of wine, or one and a half ounces of liquor.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	4918	4918	
2	No	558	5476	End of Section
7	Refused	0	5476	
9	Don't know	5	5481	
.	Missing	856	6337	

ALQ121 - Past 12 mos how often drink alc bev

Variable Name: ALQ121

SAS Label: Past 12 mos how often drink alc bev

English Text: During the past 12 months, about how often did you drink any type of alcoholic beverage? PROBE: In other words, how many days per week, per month, or per year did you drink?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Never in the last year	836	836	ALQ151
1	Every day	163	999	
2	Nearly every day	301	1300	
3	3 to 4 times a week	458	1758	
4	2 times a week	483	2241	
5	Once a week	420	2661	
6	2 to 3 times a month	574	3235	
7	Once a month	362	3597	
8	7 to 11 times in the last year	261	3858	
9	3 to 6 times in the last year	517	4375	
10	1 to 2 times in the last year	542	4917	
77	Refused	2	4919	
99	Don't know	3	4922	
.	Missing	1415	6337	

ALQ130 - Avg # alcoholic drinks/day/past 12 mos

Variable Name: ALQ130

SAS Label: Avg # alcoholic drinks/day/past 12 mos

English Text: During the past 12 months, on those days that you drank alcoholic beverages, on average, how many drinks did you have? (By a drink, I mean a 12 oz. beer, a 5 oz. glass of wine, or one and a half ounces of liquor.)

English Instructions: HAND CARD ALQ1 IF LESS THAN 1 DRINK, ENTER '1'. IF 95 DRINKS OR MORE, ENTER '95'. CAPI INSTRUCTION: SOFT EDIT: IF RESPONSE ≥ 20 , THEN DISPLAY "YOU SAID ON THE DAYS THAT YOU DRINK YOU HAVE ON AVERAGE {DISPLAY QUANTITY} DRINKS, IS THAT CORRECT?" HARD EDIT: Range - 1-95 ENTER # OF DRINKS

Target: Both males and females 18 YEARS - 150 YEARS

Hard Edits: 1 to 14

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 14	Range of Values	4035	4035	
15	15 drinks or more	20	4055	
777	Refused	4	4059	
999	Don't know	10	4069	
.	Missing	2268	6337	

ALQ142 - # days have 4/5 drinks/past 12 mos

Variable Name: ALQ142

SAS Label: # days have 4/5 drinks/past 12 mos

English Text: During the past 12 months, about how often did you have {DISPLAY NUMBER} or more drinks of any alcoholic beverage? PROBE: In other words, how many days per week, per month, or per year did you have {DISPLAY NUMBER} or more drinks in a single day?

English Instructions: HAND CARD ALQ2 INTERVIEWER INSTRUCTION: IF SP ANSWERS NONE, PLEASE CODE '0', NEVER IN THE LAST YEAR. CAPI INSTRUCTION: IF SP = MALE, DISPLAY = 5 IF SP = FEMALE, DISPLAY = 4 HARD EDIT: ALQ142 CANNOT HAVE A LOWER CODED VALUE THAN ALQ121, UNLESS ALQ142 IS CODED '0'. ERROR MESSAGE: "SP HAS REPORTED DRINKING MORE TIMES IN THIS QUESTION THAN WAS PREVIOUSLY REPORTED IN ALQ121."

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Never in the last year	1709	1709	ALQ151
1	Every day	39	1748	
2	Nearly every day	63	1811	
3	3 to 4 times a week	122	1933	
4	2 times a week	114	2047	
5	Once a week	207	2254	
6	2 to 3 times a month	249	2503	
7	Once a month	290	2793	
8	7 to 11 times in the last year	142	2935	
9	3 to 6 times in the last year	398	3333	
10	1 to 2 times in the last year	729	4062	
77	Refused	8	4070	
99	Don't know	12	4082	
.	Missing	2255	6337	

ALQ270 - # times 4/5 drinks in 2hrs/past 12 mos

Variable Name: ALQ270

SAS Label: # times 4/5 drinks in 2hrs/past 12 mos

English Text: During the past 12 months, about how often did you have {DISPLAY NUMBER} or more drinks in a period of two hours or less?

English Instructions: HAND CARD ALQ2 CAPI INSTRUCTION: IF SP = MALE, DISPLAY = 5 IF SP= FEMALE, DISPLAY = 4 HARD EDIT: ALQ270 CANNOT HAVE A LOWER CODED VALUE THAN ALQ121, UNLESS ALQ.270 IS CODED '0'. ERROR MESSAGE: "SP HAS REPORTED DRINKING MORE TIMES IN THIS QUESTION THAN WAS PREVIOUSLY REPORTED IN ALQ121."

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Never in the last year	1020	1020	
1	Every day	12	1032	
2	Nearly every day	34	1066	
3	3 to 4 times a week	57	1123	
4	2 times a week	71	1194	
5	Once a week	99	1293	
6	2 to 3 times a month	128	1421	
7	Once a month	183	1604	
8	7 to 11 times in the last year	79	1683	
9	3 to 6 times in the last year	163	1846	
10	1 to 2 times in the last year	507	2353	
77	Refused	4	2357	
99	Don't know	9	2366	
.	Missing	3971	6337	

ALQ280 - # times 8+ drinks in 1 day/past 12 mos

Variable Name: ALQ280

SAS Label: # times 8+ drinks in 1 day/past 12 mos

English Text: During the past 12 months, about how often did you have 8 or more drinks in a single day?

English Instructions: HAND CARD ALQ2 HARD EDIT: ALQ280 CANNOT HAVE A LOWER CODED VALUE THAN ALQ121, UNLESS ALQ.280 IS CODED '0'.
ERROR MESSAGE: "SP HAS REPORTED DRINKING MORE TIMES IN THIS QUESTION THAN WAS PREVIOUSLY REPORTED IN ALQ121."

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Never in the last year	1391	1391	ALQ151
1	Every day	12	1403	
2	Nearly every day	21	1424	
3	3 to 4 times a week	36	1460	
4	2 times a week	49	1509	
5	Once a week	74	1583	
6	2 to 3 times a month	82	1665	
7	Once a month	122	1787	
8	7 to 11 times in the last year	80	1867	
9	3 to 6 times in the last year	114	1981	
10	1 to 2 times in the last year	371	2352	
77	Refused	3	2355	
99	Don't know	7	2362	
.	Missing	3975	6337	

ALQ151 - Ever have 4/5 or more drinks every day

Variable Name: ALQ151

SAS Label: Ever have 4/5 or more drinks every day

English Text: Was there ever a time or times in your life when you drank {DISPLAY NUMBER} or more drinks of any kind of alcoholic beverage almost every day?

English Instructions: CAPI INSTRUCTION: IF SP = MALE, DISPLAY = 5 IF SP = FEMALE, DISPLAY = 4

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	916	916	
2	No	3979	4895	
7	Refused	1	4896	
9	Don't know	5	4901	
.	Missing	1436	6337	

ALQ170 - # times 4/5 drinks on occasion/past mo

Variable Name: ALQ170**SAS Label:** # times 4/5 drinks on occasion/past mo**English Text:** Considering all types of alcoholic beverages, during the past 30 days, how many times did you have {DISPLAY NUMBER} or more drinks on an occasion?**Target:** Both males and females 18 YEARS - 150 YEARS**Hard Edits:** 0 to 20

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 20	Range of Values	2309	2309	
30	More than 20 times	43	2352	
777	Refused	3	2355	
999	Don't know	3	2358	
.	Missing	3979	6337	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Audiometry (AUQ_L)

Data File: AUQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The audiometry questionnaire (AUQ_L) data file provides personal interview data on self-assessed hearing condition, causes of hearing trouble, and a history of the hearing test.

Eligible Sample

All survey participants aged 1 year and older in the NHANES August 2021–August 2023 sample are included in this dataset.

Interview Setting and Mode of Administration

These questions were asked in the home or on the phone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. Hand cards showing response categories were also used for some questions. When necessary, household interviewers read the hand cards to survey participants.

Participants 16 years of age and older and emancipated minors were interviewed directly. A proxy provided information for survey participants who were under 16 years of age and for participants who could not answer the questions themselves.

The NHANES August 2021-August 2023 questionnaires are available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the reasonableness of question responses was reviewed. Edits were made to some variables to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made, when necessary, to address data disclosure concerns.

Analytic Notes

The analysis of NHANES August 2021–August 2023 AUQ must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables. Interview weights should only be used if questionnaire data are analyzed by themselves.

However, if AUQ data are merged with the MEC examination data or laboratory full sample data, the MEC examination weights should be used for analyses. If AUQ data are merged with laboratory subsample data, subsample weights should be used for analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 1 YEARS - 150 YEARS

AUQ054 - General condition of hearing

Variable Name: AUQ054

SAS Label: General condition of hearing

English Text: These next questions are about {your/SP's} hearing. Which statement best describes {your/SP's} hearing (without a hearing aid, personal sound amplifier, or other listening devices)? Would you say {your/his/her} hearing is excellent, good, that {you have/s/he has} a little trouble, moderate trouble, a lot of trouble, or {are you/is s/he} deaf?

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Excellent	5201	5201	AUQ413
2	Good	4217	9418	AUQ413
3	A little trouble	1354	10772	
4	Moderate hearing trouble	645	11417	
5	A lot of trouble	284	11701	
6	Deaf	36	11737	
77	Refused	1	11738	AUQ413
99	Don't know	2	11740	AUQ413
.	Missing	4	11744	

AUQ395 - CHECK ITEM

Variable Name: AUQ395

English Instructions: BOX 2A. CHECK ITEM AUQ395: IF AUQ054 = {3, 4, 5 OR 6} CONTINUE. OTHERWISE, GO TO BOX 2B.

Target: Both males and females 1 YEARS - 150 YEARS

AUQ410A - Cause of hearing loss-Genetic/Hereditary

Variable Name: AUQ410A

SAS Label: Cause of hearing loss-Genetic/Hereditary

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Genetic/Hereditary causes	276	276	
77	Refused	0	276	
99	Don't know	82	358	
.	Missing	11386	11744	

AUQ410B - Cause of hearing loss-Ear infections

Variable Name: AUQ410B

SAS Label: Cause of hearing loss-Ear infections

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD
AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
2	Ear infections (including fluid in ears)	432	432	
.	Missing	11312	11744	

AUQ410C - Cause of hearing loss-Ear diseases

Variable Name: AUQ410C

SAS Label: Cause of hearing loss-Ear diseases

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
3	Ear diseases (Otosclerosis, Menieres, Tumor)	87	87	
.	Missing	11657	11744	

AUQ410D - Cause of hearing loss-Illness/Infections

Variable Name: AUQ410D

SAS Label: Cause of hearing loss-Illness/Infections

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
4	Illness/Infections (Measles, Meningitis, Mumps)	86	86	
.	Missing	11658	11744	

AUQ410E - Cause of hearing loss-Drugs/Medications

Variable Name: AUQ410E

SAS Label: Cause of hearing loss-Drugs/Medications

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD
AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
5	Drugs/Medications	30	30	
.	Missing	11714	11744	

AUQ410F - Cause of hearing loss-Head/Neck injury**Variable Name:** AUQ410F**SAS Label:** Cause of hearing loss-Head/Neck injury**English Text:** What are the main causes of {your/SP's} hearing loss?**English Instructions:** INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD
AUQ1**Target:** Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
6	Head or neck injury/trauma	134	134	
.	Missing	11610	11744	

AUQ410G - Cause of hearing loss-Loud brief noise

Variable Name: AUQ410G

SAS Label: Cause of hearing loss-Loud brief noise

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
7	Loud brief explosive noise/sounds	450	450	
.	Missing	11294	11744	

AUQ410H - Cause of hearing loss-Long-term noise

Variable Name: AUQ410H

SAS Label: Cause of hearing loss-Long-term noise

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD
AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
8	Noise exposure, long-term (machinery, etc.)	806	806	
.	Missing	10938	11744	

AUQ410I - Cause of hearing loss-Aging

Variable Name: AUQ410I

SAS Label: Cause of hearing loss-Aging

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD
AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
9	Aging, getting older	1179	1179	
.	Missing	10565	11744	

AUQ410J - Cause of hearing loss-Others

Variable Name: AUQ410J

SAS Label: Cause of hearing loss-Others

English Text: What are the main causes of {your/SP's} hearing loss?

English Instructions: INTERVIEWER INSTRUCTION: CODE ALL THAT APPLY HAND CARD
AUQ1

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
10	Other causes	66	66	
.	Missing	11678	11744	

AUQ413 - CHECK ITEM

Variable Name: AUQ413

English Instructions: BOX 2B. CHECK ITEM AUQ413: IF AGE = 20 CONTINUE.
OTHERWISE, GO TO END OF SECTION.

Target: Both males and females 1 YEARS - 150 YEARS

AUQ144 - Last time hearing tested by specialist?

Variable Name: AUQ144

SAS Label: Last time hearing tested by specialist?

English Text: A hearing test by a specialist is one that is done in a sound proof booth or room, or with headphones. Hearing specialists include audiologists, ear nose and throat doctors, and trained technicians or occupational nurses. When was the last time {you /SP} had {your/his/her} hearing tested by a hearing specialist?

English Instructions: READ CATEGORIES IF NECESSARY

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Less than a year ago	717	717	
2	1 year to 4 years ago	1378	2095	
3	5 to 9 years ago	969	3064	
4	Ten or more years ago	2561	5625	
5	Never	1963	7588	
7	Refused	1	7589	
9	Don't know	218	7807	
.	Missing	3937	11744	

AUQ101 - Difficult to follow conversation w/noise

Variable Name: AUQ101

SAS Label: Difficult to follow conversation w/noise

English Text: How often {do you/does SP} have difficulty hearing and understanding if there is background noise, for example, when other people are talking, TV or radio is on, or children are playing? Would you say...

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Always	494	494	
2	Usually	696	1190	
3	About half the time	1315	2505	
4	Seldom	2834	5339	
5	Never	2444	7783	
7	Refused	2	7785	
9	Don't know	19	7804	
.	Missing	3940	11744	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Balance (BAQ_L)

Data File: BAQ_L.xpt

First Published: October 2024

Last Revised: NA

Component Description

The balance section (variable name prefix BAQ) provides respondent-level interview data on balance, dizziness, and falls.

Eligible Sample

All survey participants aged 20-69 years were eligible.

Interview Setting and Mode of Administration

This questionnaire was asked, in the home or by telephone, by trained interviewers, using the Computer-Assisted Personal Interview (CAPI) system.

The NHANES [August 2021-August 2023](#) questionnaire is available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, and the reasonableness of question responses was reviewed. Edits were made to ensure the completeness, consistency, and analytic usefulness of the data.

Self-reported data collected asking similar questions but with different recall periods may result in apparent discrepancies. No edits were made to resolve possible discrepancies between BAQ530 (number of falls in the past 5 years) and BAQ550 (number of falls in the past 12 months). However, analysts may consider recoding variables for their analyses.

Analytic Notes

The analysis of NHANES August 2021–August 2023 BAQ data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables. Although these data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 20 YEARS - 69 YEARS

BAQ321A - Past 12 months, problems with vertigo

Variable Name: BAQ321A

SAS Label: Past 12 months, problems with vertigo

English Text: The next questions are about symptoms of dizziness, light-headedness, or balance problems. Do not include times when drinking alcohol, using recreational drugs, or taking medications that cause dizziness. In the past 12 months, {have you/has SP} had problems with... vertigo - a sensation of spinning, tilting, swaying or rocking of {yourself/himself/herself/SP's} or {your/his/her/SP's} surroundings?

English Instructions: CAPI INSTRUCTIONS: MAKE ABOVE TEXT OPTIONAL (IN BRACKETS) for b through d. RESPONSES: YES = 1, NO = 2, REFUSED = 7, DON'T KNOW = 9.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1151	1151	
2	No	4898	6049	
7	Refused	1	6050	
9	Don't know	9	6059	
.	Missing	11	6070	

BAQ321B - Past 12 months, prblms w/blurring vision

Variable Name: BAQ321B

SAS Label: Past 12 months, prblms w/blurring vision

English Text: The next questions are about symptoms of dizziness, light-headedness, or balance problems. Do not include times when drinking alcohol, using recreational drugs, or taking medications that cause dizziness. In the past 12 months, {have you/has SP} had problems with... blurring of {your/his/her/SP's} vision when {you move your/he moves his/she moves her/SP moves SP's} head?

English Instructions: CAPI INSTRUCTIONS: MAKE ABOVE TEXT OPTIONAL (IN BRACKETS) for b through d. RESPONSES: YES = 1, NO = 2, REFUSED = 7, DON'T KNOW = 9.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	684	684	
2	No	5369	6053	
7	Refused	1	6054	
9	Don't know	5	6059	
.	Missing	11	6070	

BAQ321C - Past 12 months, problems with unsteady

Variable Name: BAQ321C

SAS Label: Past 12 months, problems with unsteady

English Text: The next questions are about symptoms of dizziness, light-headedness, or balance problems. Do not include times when drinking alcohol, using recreational drugs, or taking medications that cause dizziness. In the past 12 months, {have you/has SP} had problems with... unsteadiness - a feeling of being off-balance or not stable when standing or sitting upright?

English Instructions: CAPI INSTRUCTIONS: MAKE ABOVE TEXT OPTIONAL (IN BRACKETS) for b through d. RESPONSES: YES = 1, NO = 2, REFUSED = 7, DON'T KNOW = 9.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1433	1433	
2	No	4620	6053	
7	Refused	2	6055	
9	Don't know	3	6058	
.	Missing	12	6070	

BAQ321D - Past 12 months, problems w/light-headed

Variable Name: BAQ321D

SAS Label: Past 12 months, problems w/light-headed

English Text: The next questions are about symptoms of dizziness, light-headedness, or balance problems. Do not include times when drinking alcohol, using recreational drugs, or taking medications that cause dizziness. In the past 12 months, {have you/has SP} had problems with... light-headedness - without a sense of motion, OR fainting - a feeling {you are/he is/she is/SP is} going to pass out or faint

English Instructions: CAPI INSTRUCTIONS: MAKE ABOVE TEXT OPTIONAL (IN BRACKETS) for b through d. RESPONSES: YES = 1, NO = 2, REFUSED = 7, DON'T KNOW = 9.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1202	1202	
2	No	4851	6053	
7	Refused	2	6055	
9	Don't know	3	6058	
.	Missing	12	6070	

BAQ341 - Past 12 months, which bothered the most?

Variable Name: BAQ341

SAS Label: Past 12 months, which bothered the most?

English Text: This next section focuses on {your/SP's} most bothersome symptom in the past 12 months. During the past 12 months, which one of these problems bothered {you/SP} the most?

English Instructions: CAPI INSTRUCTION: ONLY DISPLAY RESPONSE OPTIONS WITH A "YES" RESPONSE RECORDED IN QUESTIONS BAQ.321a TO BAQ.321d. BAQ.321a = RESPONSE OPTION 1, BAQ.321b = RESPONSE OPTION 2, BAQ.321c = RESPONSE OPTION 3, BAQ.321d = RESPONSE OPTION 4.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Vertigo	536	536	
2	Blurring vision	233	769	
3	Unsteadiness	638	1407	
4	Light-headed or fainting	715	2122	
7	Refused	1	2123	
9	Don't know	16	2139	
.	Missing	3931	6070	

BAQ391A - Episodes with nausea or vomiting?

Variable Name: BAQ391A

SAS Label: Episodes with nausea or vomiting?

English Text: During the past 12 months, were {your/SP's} episodes for {your/his/her/SP's} {RESPONSE FOR BAQ.341} accompanied by the following?

English Instructions: CAPI INSTRUCTION: FILL {RESPONSE FOR BAQ.341} WITH TEXT OF RESPONSE SELECTED FOR BAQ.341.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	511	511	
2	No	1609	2120	
7	Refused	0	2120	
9	Don't know	2	2122	
.	Missing	3948	6070	

BAQ391B - Episodes with migraine/severe headache?

Variable Name: BAQ391B

SAS Label: Episodes with migraine/severe headache?

English Text: During the past 12 months, were {your/SP's} episodes for {your/his/her/SP's} {RESPONSE FOR BAQ.341} accompanied by the following?

English Instructions: CAPI INSTRUCTION: FILL {RESPONSE FOR BAQ.341} WITH TEXT OF RESPONSE SELECTED FOR BAQ.341.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	736	736	
2	No	1384	2120	
7	Refused	0	2120	
9	Don't know	2	2122	
.	Missing	3948	6070	

BAQ401 - Balance prevent you from doing things

Variable Name: BAQ401

SAS Label: Balance prevent you from doing things

English Text: During the past 12 months, {did your/SP's} dizziness or balance problem(s) prevent {you/SP} from doing things {you/he/she/SP} otherwise would do, such as, work, school, or other scheduled activities?

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	728	728	
2	No	1410	2138	
7	Refused	0	2138	
9	Don't know	1	2139	
.	Missing	3931	6070	

BAQ421 - How much of a problem was balance?

Variable Name: BAQ421

SAS Label: How much of a problem was balance?

English Text: During the past 12 months, how much of a problem was {your/his/her/SP's} problem with balance, blurred vision, or light-headedness and fainting? Was it...

English Instructions: INTERVIEWER INSTRUCTION: IF RESPONDENT IS UNCLEAR HOW TO ANSWER BECAUSE EPISODES VARY, THEN JUST ASK THE RESPONDENT TO THINK ABOUT THEIR TYPICAL EPISODE TO RESPOND.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No problem,	577	577	
2	A small problem,	899	1476	
3	A moderate problem,	443	1919	
4	A big problem, or	142	2061	
5	A very big problem?	78	2139	
7	Refused	0	2139	
9	Don't know	0	2139	
.	Missing	3931	6070	

BAQ431 - Ever see health professional for balance

Variable Name: BAQ431

SAS Label: Ever see health professional for balance

English Text: Think of any time {you have/SP has} had symptoms of dizziness, imbalance, etc. {Have you/Has SP} ever seen a doctor or other health professional, including emergency room physicians, about {your/his/her/SP's} problem(s) with balance, blurred vision, or light-headedness and fainting?

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	981	981	
2	No	1156	2137	
7	Refused	0	2137	
9	Don't know	2	2139	
.	Missing	3931	6070	

BAQ491 - Ever tried to treat balance problems?

Variable Name: BAQ491

SAS Label: Ever tried to treat balance problems?

English Text: {Have you/Has SP} ever tried anything to treat {your/his/her/SP's} problem(s) with balance, blurred vision, or light-headedness and fainting?

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	876	876	
2	No	1258	2134	
7	Refused	0	2134	
9	Don't know	5	2139	
.	Missing	3931	6070	

BAQ530 - Past 5 years, how many times fallen?

Variable Name: BAQ530

SAS Label: Past 5 years, how many times fallen?

English Text: The next questions are about frequency of falling and associated injuries. By "falling", we mean unexpectedly or unintentionally dropping to a lower surface - the floor or ground - for example, from a standing, seated, walking, or bending position. During the past 5 years, how many times {have you/has SP} fallen?

English Instructions: INTERVIEWER INSTRUCTION: A FALL CAN BE FROM ANY POSITION.

Target: Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Never	3220	3220	End of Section
2	1 or 2 times	1615	4835	
3	3 to 4 times	604	5439	
4	About every year	368	5807	
5	About every month	153	5960	
6	About every week	43	6003	
7	Daily or constantly	27	6030	
77	Refused	1	6031	End of Section
99	Don't know	29	6060	End of Section
.	Missing	10	6070	

BAQ550 - Past 12 months, number of times fallen?**Variable Name:** BAQ550**SAS Label:** Past 12 months, number of times fallen?**English Text:** During the past 12 months, how many times {have you/has SP} fallen?**Target:** Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Never	1087	1087	End of Section
2	1 or 2 times	1316	2403	
3	3 to 4 times	204	2607	
4	5 to 9 times	103	2710	
5	10 or more times	93	2803	
7	Refused	0	2803	
9	Don't know	7	2810	
.	Missing	3260	6070	

BAQ560 - Past 12 mnths, have injury from falling?**Variable Name:** BAQ560**SAS Label:** Past 12 mnths, have injury from falling?**English Text:** During the past 12 months, did {you/SP} have an injury that resulted from falling?**English Instructions:** INTERVIEWER INSTRUCTION:INJURIES INCLUDE CUTS OR WOUNDS, DISLOCATION OF JOINTS, FRACTURES OR BROKEN BONES, PAIN, ACHE OR STRAIN TO THE SPINE OR BACK, HEAD OR NECK INJURY, SPRAIN OR TORN LIGAMENT OR MUSCLE, AND SWELLING OR BRUISING.**Target:** Both males and females 20 YEARS - 69 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	588	588	
2	No	1131	1719	
7	Refused	0	1719	
9	Don't know	4	1723	
.	Missing	4347	6070	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Blood Pressure & Cholesterol (BPQ_L)

Data File: BPQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Blood Pressure/Cholesterol section (variable name prefix BPQ) provides personal interview data on awareness, treatment, and control of high blood pressure and high cholesterol.

Eligible Sample

All survey participants aged 16 years and older were eligible.

Interview Setting and Mode of Administration

This questionnaire was asked, in the home or by telephone, by trained interviewers, using the Computer-Assisted Personal Interview (CAPI) system.

The NHANES August 2021-August 2023 questionnaire is available on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the reasonableness of question responses was reviewed. Edits were made to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made, when necessary, to address data disclosure concerns.

Analytic Notes

Several questions were dropped in NHANES 2021-2023 and are not included in this data file, including BPQ040A, BPQ050A, BPQ090D, and BPQ100D. The skip pattern for BP medication use changed, so the BPQ050A variable for BP medication use in previous cycles was replaced with BPQ150 in NHANES 2021-2023. The skip pattern for cholesterol medication use changed, so the BPQ100D variable for cholesterol medication use in previous cycles was replaced with BPQ101D.

The analysis of NHANES August 2021–August 2023 BPQ data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables.

Although these data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number
Target:	Both males and females 16 YEARS - 150 YEARS

BPQ020 - Ever told you had high blood pressure**Variable Name:** BPQ020**SAS Label:** Ever told you had high blood pressure**English Text:** {Have you/Has SP} ever been told by a doctor or other health professional that {you/s/he} had hypertension, also called high blood pressure?**Target:** Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2969	2969	
2	No	5518	8487	BPQ080
7	Refused	1	8488	BPQ080
9	Don't know	10	8498	BPQ080
.	Missing	3	8501	

BPQ030 - Told had high blood pressure - 2+ times**Variable Name:** BPQ030**SAS Label:** Told had high blood pressure - 2+ times**English Text:** {Were you/Was SP} told on 2 or more different visits that
{you/s/he} had hypertension, also called high blood pressure?**Target:** Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2468	2468	
2	No	474	2942	
7	Refused	1	2943	
9	Don't know	25	2968	
.	Missing	5533	8501	

BPQ150 - Taking high blood pressure medication

Variable Name: BPQ150

SAS Label: Taking high blood pressure medication

English Text: {Are you/Is SP} now taking any medication prescribed by a doctor for {your/his/her/SP's} high blood pressure?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2442	2442	
2	No	523	2965	
7	Refused	0	2965	
9	Don't know	4	2969	
.	Missing	5532	8501	

BPQ080 - Doctor told you - high cholesterol level**Variable Name:** BPQ080**SAS Label:** Doctor told you - high cholesterol level**English Text:** {Have you/Has SP} ever been told by a doctor or other health professional that {your/his/her} blood cholesterol level was high?**Target:** Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	3096	3096	
2	No	5348	8444	
7	Refused	1	8445	
9	Don't know	53	8498	
.	Missing	3	8501	

BPQ101D - Taking meds to lower blood cholesterol?

Variable Name: BPQ101D**SAS Label:** Taking meds to lower blood cholesterol?**English Text:** {Are you/Is SP} now taking any medication prescribed by a doctor lower {your/his/her/SP's} blood cholesterol?**Target:** Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2126	2126	
2	No	6339	8465	
7	Refused	0	8465	
9	Don't know	33	8498	
.	Missing	3	8501	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Diet Behavior & Nutrition (DBQ_L)

Data File: DBQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Diet Behavior and Nutrition questionnaire (variable name prefix DBQ) provides personal interview data on various dietary behavior and nutrition related topics. Many of the questions were included in NHANES II (1976-80), Hispanic HANES (1982-84), NHANES III (1988-94), and NHANES 1999-March 2020. Topics included in the DBQ are:

- Breastfeeding and other childhood feeding practices (≤ 6 years);
- Community or government meal program participation for seniors (≥ 60 years);
- School meal program participation (4-19 years);
- Meal planner/shopper/preparer status (≥ 16 years).

Information on individual participant's role as a meal planner/shopper/preparer at home in the DBQ section were collected as part of the core set of the Flexible Consumer Behavior Survey (FCBS) module. The FCBS module has been included in NHANES since 2007, and was developed in collaboration with the Economic Research Service (ERS) of the U.S. Department of Agriculture (USDA). It is designed to collect information on people's knowledge, attitudes, and beliefs toward nutrition and food choices. The FCBS module has two elements: a core set of questions asked during the NHANES household interview, and a supplementary module asked as a telephone follow-up interview with focuses specifically designed for each 2-year data collection cycle.

In addition to questions included in the DBQ section, the core set of questions for the FCBS module collected in the August 2021-August 2023 survey cycle also included questions at the participant's family level. For example, family monthly income and family assets, food expenditures, as well as the family's participation on federal food assistance programs. The family food expenditures data are included in the Consumer Behavior (CBQ) section, while the monthly income and family assets data are included in the Income (INQ) section, and food program participation data are included in the Food Security (FSQ) section.

Data from the phone follow-up FCBS supplementary module are to be released in separate files and made available on the NHANES website as well. Similar to other datasets created from the NHANES August 2021-August 2023 cycle, all FCBS related data files can be linked by the respondent sequence number (SEQN). For more information on the other FCBS related data, refer to the documentation accompanying the datasets.

Eligible Sample

The target age groups for individual questions in this section vary by the topic. For example, the questions pertaining to infant nutrition and breastfeeding were asked of proxy respondents for children 6 years of age and younger; and senior meal program participation questions were asked of respondents 60 years of age and older. Please review the questionnaire and codebook carefully. Frequency counts were verified during the preparation of the file.

Interview Setting and Mode of Administration

These questions were asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone.

Hand cards showing response categories were used for some questions. When necessary, the interviewers read the hand cards to respondents. Participants 16 years of age and older and emancipated minors were interviewed directly. A proxy provided information for survey participants who were under 16 years of age and for individuals who could not answer the questions themselves.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors and online help screens to assist interviewers in defining key terms. All data was reviewed by the NHANES field office staff for accuracy and completeness.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the plausibility of question responses was reviewed. Edits were made to some variables to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made to address data disclosure concerns. When a variable was modified globally, as part of the editing process, the third letter in the variable name was changed from a Q (i.e., DBQ) to a D (i.e., DBD). For example, some data were collected using two variables (a number variable and a unit of measure variable) but combined into a single variable for data release purposes.

DBD020, DBD030, DBD041, DBD050, DBD055, and DBD061 (Breastfeeding and other childhood feeding practices)

This information was collected using two-part (number and unit) questions to allow respondents to report the age of interest in days, weeks, months, or years. The released variables were edited to standardize the reported age to number of days, using the following conversion factors: 7 days/week, 30.4 days/month and 365 days/year. If the age for the time stopped breastfeeding (DBD030), or stopped receiving formula (DBD050), or first fed milk (DBD060) was reported as older than 1095 days (3 years), the value was re-coded as "666666." Similarly, if the age for the time first fed formula (DBD041) was reported as older than 365 days (1 year), or the age for the time started other food/beverage than breastmilk/formula was reported as older than 730 days (2 years), the value was re-coded as "666666" as well.

Analytic Notes

These questions were asked as part of the household interview, therefore, the interview sample weights may be used in the analysis for data in this section. However, if the data is joined with other data from the Mobile Examination Center (MEC), the MEC exam weights should be used for analyses.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues. Both are available on the NHANES website.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 150 YEARS

DBQ010 - Ever breastfed or fed breastmilk

Variable Name: DBQ010**SAS Label:** Ever breastfed or fed breastmilk**English Text:** Now I'm going to ask you some general questions about {SP's} eating habits. Was {SP} ever breastfed or fed breastmilk?**Target:** Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1121	1121	
2	No	314	1435	DBD041
7	Refused	0	1435	DBD041
9	Don't know	6	1441	DBD041
.	Missing	10492	11933	

DBD030 - Age stopped breastfeeding (days)

Variable Name: DBD030

SAS Label: Age stopped breastfeeding (days)

English Text: How old was {SP} when {he/she} completely stopped breastfeeding or being fed breastmilk?

Target: Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 1095	Range of Values	987	987	
0	Still breastfeeding	124	1111	
666666	More than 1095 days (3-year) old	5	1116	DBD041
777777	Refused	0	1116	DBD041
999999	Don't know	5	1121	DBD041
.	Missing	10812	11933	

DBD041 - Age first fed formula (days)

Variable Name: DBD041

SAS Label: Age first fed formula (days)

English Text: How old was {SP} when {he/she} was first fed formula?

Target: Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 365	Range of Values	1128	1128	
0	Never	288	1416	DBD055
666666	More than 365 days (1-year) old	8	1424	
777777	Refused	0	1424	
999999	Don't know	17	1441	
.	Missing	10492	11933	

DBD050 - Age stopped receiving formula (days)**Variable Name:** DBD050**SAS Label:** Age stopped receiving formula (days)**English Text:** How old was {SP} when {he/she} completely stopped drinking formula?**Target:** Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
2 to 1095	Range of Values	948	948	
0	Still drinking formula	167	1115	
666666	More than 1095 days (3-year) old	3	1118	
777777	Refused	0	1118	
999999	Don't know	35	1153	
.	Missing	10780	11933	

DBD055 - Age started other food/beverage

Variable Name: DBD055

SAS Label: Age started other food/beverage

English Text: This next question is about the first thing that {SP} was given other than breast milk or formula. Please include juice, cow's milk, sugar water, baby food, or anything else that {SP} might have been given, even water. How old was {SP} when {he/she} was first fed anything other than breast milk or formula? (Days)

Target: Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 730	Range of Values	1350	1350	
0	Never	60	1410	DBD265A
666666	More than 730 days (2-year) old	4	1414	
777777	Refused	0	1414	
999999	Don't know	26	1440	
.	Missing	10493	11933	

DBD061 - Age first fed milk (days)**Variable Name:** DBD061**SAS Label:** Age first fed milk (days)**English Text:** How old was {SP} when {he/she} was first fed milk?**Target:** Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 1095	Range of Values	1185	1185	
0	Never	158	1343	DBD265A
666666	More than 1095 days (3-year) old	1	1344	
777777	Refused	0	1344	
999999	Don't know	12	1356	
.	Missing	10577	11933	

DBQ073A - Type of milk first fed - whole milk

Variable Name: DBQ073A**SAS Label:** Type of milk first fed - whole milk**English Text:** What type of milk was {SP} first fed? Was it . . .**English Instructions:** CODE ALL THAT APPLY**Target:** Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
10	Whole or regular milk	862	862	
77	Refused	0	862	
99	Don't know	7	869	
.	Missing	11064	11933	

DBQ073B - Type of milk first fed - 2% milk

Variable Name: DBQ073B

SAS Label: Type of milk first fed - 2% milk

English Text: What type of milk was {SP} first fed? Was it . . .

English Instructions: CODE ALL THAT APPLY

Target: Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
11	2% fat or reduced-fat milk	180	180	
.	Missing	11753	11933	

DBQ073C - Type of milk first fed - 1% milk

Variable Name: DBQ073C**SAS Label:** Type of milk first fed - 1% milk**English Text:** What type of milk was {SP} first fed? Was it . . .**English Instructions:** CODE ALL THAT APPLY**Target:** Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
12	1% fat or low-fat milk (includes 0.5% fat milk or low-fat milk not further specified),	66	66	
.	Missing	11867	11933	

DBQ073D - Type of milk first fed - fat free milk

Variable Name: DBQ073D**SAS Label:** Type of milk first fed - fat free milk**English Text:** What type of milk was {SP} first fed? Was it . . .**English Instructions:** CODE ALL THAT APPLY**Target:** Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
13	fat-free, skim or nonfat milk, or	16	16	
.	Missing	11917	11933	

DBQ073E - Type of milk first fed - soy milk

Variable Name: DBQ073E**SAS Label:** Type of milk first fed - soy milk**English Text:** What type of milk was {SP} first fed? Was it . . .**English Instructions:** CODE ALL THAT APPLY**Target:** Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
14	soy milk, or	21	21	
.	Missing	11912	11933	

DBQ073U - Type of milk first fed - other

Variable Name: DBQ073U

SAS Label: Type of milk first fed - other

English Text: What type of milk was {SP} first fed? Was it . . .

English Instructions: CODE ALL THAT APPLY

Target: Both males and females 0 YEARS - 6 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
30	Another type?	82	82	
.	Missing	11851	11933	

DBD265A - CHECK ITEM

Variable Name: DBD265A

English Instructions: CHECK ITEM DBD265A: IF SP AGE $\geq$ 60, CONTINUE. IF SP AGE 4-19, GO TO DBQ.360. ELSE, GO TO DBD710.

Target: Both males and females 0 YEARS - 150 YEARS

DBQ301 - Community/Government meals delivered

Variable Name: DBQ301

SAS Label: Community/Government meals delivered

English Text: The next questions are about meals provided by community or government programs. In the past 12 months, did {you/SP} receive any meals delivered to {your/his/her} home from community programs, "Meals on Wheels", or any other programs?

Target: Both males and females 60 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	174	174	
2	No	3326	3500	
7	Refused	0	3500	
9	Don't know	0	3500	
.	Missing	8433	11933	

DBQ330 - Eat meals at Community/Senior center**Variable Name:** DBQ330**SAS Label:** Eat meals at Community/Senior center**English Text:** In the past 12 months, did {you/SP} go to a community program or senior center to eat prepared meals?**English Instructions:** INCLUDE ADULT DAY CARE**Target:** Both males and females 60 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	95	95	
2	No	3404	3499	
7	Refused	0	3499	
9	Don't know	1	3500	
.	Missing	8433	11933	

DBD355 - CHECK ITEM

Variable Name: DBD355

English Instructions: CHECK ITEM DBD355: IF SP AGE 4-19, GO TO DBQ360, ELSE GO TO DBD710.

Target: Both males and females 1 YEARS - 150 YEARS

DBQ360 - Attend kindergarten thru high school

Variable Name: DBQ360

SAS Label: Attend kindergarten thru high school

English Text: During the school year, {do you/does SP} attend a kindergarten, grade school, junior or high school?

Target: Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2762	2762	
2	No	593	3355	DBD710
7	Refused	1	3356	DBD710
9	Don't know	1	3357	DBD710
.	Missing	8576	11933	

DBQ370 - School serves school lunches

Variable Name: DBQ370**SAS Label:** School serves school lunches**English Text:** Does {your/SP's} school serve school lunches? These are complete lunches that cost the same every day.**Target:** Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2643	2643	
2	No	116	2759	DBQ400
7	Refused	1	2760	DBQ400
9	Don't know	2	2762	DBQ400
.	Missing	9171	11933	

DBD381 - # of times/week get school lunch**Variable Name:** DBD381**SAS Label:** # of times/week get school lunch**English Text:** During the school year, about how many times a week {do you/does SP} usually get a complete school lunch?**Target:** Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 5	Range of Values	2159	2159	
0	None	463	2622	DBQ400
7777	Refused	0	2622	DBQ400
9999	Don't know	21	2643	DBQ400
.	Missing	9290	11933	

DBQ390 - School lunch free, reduced or full price**Variable Name:** DBQ390**SAS Label:** School lunch free, reduced or full price**English Text:** {Do you/Does SP} get these lunches free, at a reduced price, or {do you/does he/she} pay full price?**Target:** Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Free	1612	1612	
2	Reduced price	101	1713	
3	Full price	437	2150	
7	Refused	0	2150	
9	Don't know	9	2159	
.	Missing	9774	11933	

DBQ400 - School serve complete breakfast each day

Variable Name: DBQ400

SAS Label: School serve complete breakfast each day

English Text: Does {your/SP's} school serve a complete breakfast that costs the same every day?

Target: Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2378	2378	
2	No	298	2676	DBQ422
7	Refused	1	2677	DBQ422
9	Don't know	85	2762	DBQ422
.	Missing	9171	11933	

DBD411 - # of times/week get school breakfast**Variable Name:** DBD411**SAS Label:** # of times/week get school breakfast**English Text:** During the school year, about how many times a week {do you/does SP} usually get a complete breakfast at school?**Target:** Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 5	Range of Values	1400	1400	
0	None	955	2355	DBQ422
7777	Refused	0	2355	DBQ422
9999	Don't know	23	2378	DBQ422
.	Missing	9555	11933	

DBQ421 - School breakfast free/reduced/full price**Variable Name:** DBQ421**SAS Label:** School breakfast free/reduced/full price**English Text:** {Do you/Does SP} get these breakfasts free, at a reduced price, or
{do you/does he/she} pay full price?**Target:** Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Free	1230	1230	
2	Reduced price	59	1289	
3	Full price	105	1394	
7	Refused	0	1394	
9	Don't know	6	1400	
.	Missing	10533	11933	

DBQ422 - CHECK ITEM

Variable Name: DBQ422

English Instructions: CHECK ITEM DBQ422: IF DBQ390 = CODE 1 OR CODE 2 OR DBQ421 = CODE 1 OR CODE 2, CONTINUE; OTHERWISE, GO TO DBD710.

Target: Both males and females 4 YEARS - 19 YEARS

DBQ424 - Summer program meal free/reduced price**Variable Name:** DBQ424**SAS Label:** Summer program meal free/reduced price**English Text:** (Do you/Does SP) get a free or reduced price meal at any summer program (he/she) attends?**Target:** Both males and females 4 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	480	480	
2	No	760	1240	
3	Did not attend summer program	530	1770	
7	Refused	0	1770	
9	Don't know	10	1780	
.	Missing	10153	11933	

DBD710 - CHECK ITEM

Variable Name: DBD710

English Instructions: CHECK ITEM DBD710: IF SP AGE < 16, GO TO END OF SECTION.
OTHERWISE, CONTINUE.

Target: Both males and females 1 YEARS - 150 YEARS

DBQ930 - Main meal planner/preparer

Variable Name: DBQ930

SAS Label: Main meal planner/preparer

English Text: {Are you/Is SP} the person who does most of the planning or preparing of meals in {your/SP's} family?

English Instructions: INTERVIEWER INSTRUCTION: IF SP ANSWERS "SOMETIMES" OR "50/50", ENTER YES.

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	5513	5513	
2	No	2970	8483	
7	Refused	0	8483	
9	Don't know	3	8486	
.	Missing	3447	11933	

DBQ935 - Shared meal planning/preparing duty

Variable Name: DBQ935

SAS Label: Shared meal planning/preparing duty

English Text: {Do you/Does SP} share in the planning or preparing of meals with someone else?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	4273	4273	
2	No	4212	8485	
7	Refused	0	8485	
9	Don't know	1	8486	
.	Missing	3447	11933	

DBQ940 - Main food shopper

Variable Name: DBQ940

SAS Label: Main food shopper

English Text: {Are you/Is SP} the person who does most of the shopping for food in {your/SP's} family?

English Instructions: INTERVIEWER INSTRUCTION: IF SP ANSWERS "SOMETIMES" OR "50/50", ENTER YES.

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	5502	5502	
2	No	2982	8484	
7	Refused	0	8484	
9	Don't know	2	8486	
.	Missing	3447	11933	

DBQ945 - Shared food shopping duty

Variable Name: DBQ945

SAS Label: Shared food shopping duty

English Text: {Do you/Does SP} share in the shopping for food with someone else?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	4289	4289	
2	No	4195	8484	
7	Refused	0	8484	
9	Don't know	2	8486	
.	Missing	3447	11933	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Dermatology (DEQ_L)

Data File: DEQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The dermatology questionnaire (variable name prefix DEQ) section provides personal interview data on sun exposure and sun protective behavior.

Eligible Sample

All participants aged 20-59 years in the NHANES sample were eligible.

Interview Setting and Mode of Administration

The DEQ was asked, in the home, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. The NHANES 2021-2022 questionnaires are available on the NHANES website.

Data Processing and Editing

Frequency counts were verified during the preparation of the file.

Analytic Notes

Analysts should be aware that some questions may have very few responses. Even with two years of data collection, there may not be sufficient sample size for such variables to be analytically useful. In these cases, it may be necessary to combine more than two years of data to conduct analysis.

Although dermatology data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses. Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 20 YEARS - 59 YEARS

DEQ034A - Stay in the shade?

Variable Name: DEQ034A

SAS Label: Stay in the shade?

English Text: When {you go/SP goes} outside on a very sunny day, for more than one hour, how often {do you/does SP} Stay in the shade?

English Instructions: HAND CARD DEQ2A

Target: Both males and females 20 YEARS - 59 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Always	366	366	
2	Most of the time	1153	1519	
3	Sometimes	1768	3287	
4	Rarely, or	697	3984	
5	Never?	283	4267	
6	Don't go out in the sun	31	4298	End of Section
77	Refused	0	4298	
99	Don't know	4	4302	
.	Missing	3	4305	

DEQ034C - Wear a long sleeved shirt

Variable Name: DEQ034C

SAS Label: Wear a long sleeved shirt

English Text: Wear a long sleeved shirt? Would you say . . .

English Instructions: HAND CARD DEQ2A

Target: Both males and females 20 YEARS - 59 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Always	201	201	
2	Most of the time	347	548	
3	Sometimes	1092	1640	
4	Rarely, or	1165	2805	
5	Never?	1465	4270	
7	Refused	0	4270	
9	Don't know	1	4271	
.	Missing	34	4305	

DEQ034D - Use sunscreen?

Variable Name: DEQ034D

SAS Label: Use sunscreen?

English Text: Use sunscreen? Would you say . . .

English Instructions: HAND CARD DEQ2A

Target: Both males and females 20 YEARS - 59 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Always	561	561	
2	Most of the time	780	1341	
3	Sometimes	992	2333	
4	Rarely, or	721	3054	
5	Never?	1217	4271	
7	Refused	0	4271	
9	Don't know	0	4271	
.	Missing	34	4305	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Diabetes (DIQ_L)

Data File: DIQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The diabetes questionnaire (DIQ_L) data file provides personal interview data on diabetes, prediabetes, and use of insulin and/or oral hypoglycemic medications.

Eligible Sample

All survey participants aged 1 year and older in the NHANES August 2021–August 2023 sample are included in this dataset. The questions asked varied by age and history of diabetes. Please refer to the diabetes questionnaire and corresponding codebook for question-specific details about the eligible target group.

Interview Setting and Mode of Administration

These questions were asked in the home or on the phone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. Help screens were provided for some medical terms in the questionnaires. When necessary, household interviewers read the help screen to survey participants.

Participants 16 years of age and older and emancipated minors were interviewed directly. A proxy provided information for survey participants who were under 16 years of age and for participants who could not answer the questions themselves.

The NHANES August 2021-August 2023 questionnaires are available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the reasonableness of question responses was reviewed. Edits were made to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made, when necessary, to address data disclosure concerns.

DID040: How old when a doctor first told you that you had diabetes?

All responses of age 80 years and older are coded as "80", to be consistent with the coding for

the participant age variable in the demographics file. Also, the onset of diabetes at age less than 1 year was coded as 666.

DID060: For how long have you been taking insulin?

Taking insulin less than 1 month was coded as 666.

Analytic Notes

The core questions including doctor diagnosed diabetes, duration of diabetes, prediabetes, and oral diabetes medication are the same as the previous public use data. The insulin use question (variables DIQ050, DID060, DIQ060U) was only asked for participants with diagnosed diabetes in the DIQ_L data. The questions about the participants' knowledge of their own levels of A1C, blood pressure, and cholesterol and knowledge of appropriate target levels, as suggested by their physicians were not collected in this survey cycle.

The analysis of NHANES August 2021–August 2023 DIQ data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables. Interview weights should only be used if questionnaire data are analyzed by themselves. However, if DIQ data are merged with the MEC examination data or laboratory full sample data, the MEC examination weights should be used for analyses. If DIQ data are merged with the laboratory fasting glucose data, fasting subsample weights should be used for analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number
Target:	Both males and females 1 YEARS - 150 YEARS

DIQ010 - Doctor told you have diabetes

Variable Name: DIQ010

SAS Label: Doctor told you have diabetes

English Text: The next questions are about specific medical conditions. {Other than during pregnancy, {have you/has SP}/{Have you/Has SP}} ever been told by a doctor or health professional that {you have/{he/she/SP} has} diabetes or sugar diabetes?

English Instructions: CAPI INSTRUCTION: IF SP AGE < 15, DISPLAY "HAVE SP" FOR THE FIRST DISPLAY AND "SP HAS" FOR THE SECOND DISPLAY. IF SP IS FEMALE AND AGE >= 20, DISPLAY "OTHER THAN DURING PREGNANCY, {HAVE YOU/HAS SP}".

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1081	1081	
2	No	10371	11452	DIQ159
3	Borderline	284	11736	DIQ159
7	Refused	0	11736	DIQ159
9	Don't know	4	11740	DIQ159
.	Missing	4	11744	

DID040 - Age when first told you had diabetes

Variable Name: DID040

SAS Label: Age when first told you had diabetes

English Text: How old {was SP/were you} when a doctor or other health professional first told {you/him/her} that {you/he/she} had diabetes or sugar diabetes?

English Instructions: ENTER AGE IN YEARS.

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 79	Range of Values	1050	1050	
80	80 years or older	7	1057	
666	Less than 1 year	0	1057	
777	Refused	0	1057	
999	Don't know	24	1081	
.	Missing	10663	11744	

DIQ159 - CHECK ITEM

Variable Name: DIQ159

English Instructions: BOX 4. CHECK ITEM DIQ.159: IF ANY AGE AND DIQ.010 = 1 (YES), GO TO DIQ.050. IF AGE $\geq$ 12 AND DIQ.010 = 3, GO TO DIQ.180. IF AGE < 12, GO TO END OF SECTION. OTHERWISE, CONTINUE.

Target: Both males and females 1 YEARS - 150 YEARS

DIQ160 - Ever told you have prediabetes

Variable Name: DIQ160

SAS Label: Ever told you have prediabetes

English Text: {Have you/Has SP} ever been told by a doctor or other health professional that {you have/SP has} any of the following: prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes or that {your/her/his} blood sugar is higher than normal but not high enough to be called diabetes or sugar diabetes?

English Instructions: CAPI INSTRUCTION: HELP SCREEN: PREDIABETES, IMPAIRED FASTING GLUCOSE, IMPAIRED GLUCOSE TOLERANCE, OR BORDERLINE DIABETES OCCURS WHEN BLOOD SUGAR (GLUCOSE) LEVELS ARE HIGHER THAN NORMAL BUT NOT HIGH ENOUGH TO BE DIABETES. HAND CARD DIQ1.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	918	918	
2	No	7089	8007	
7	Refused	0	8007	
9	Don't know	15	8022	
.	Missing	3722	11744	

DIQ180 - Had blood tested past three years

Variable Name: DIQ180

SAS Label: Had blood tested past three years

English Text: {Have you/Has SP} had a blood test for high blood sugar or diabetes within the past three years?

English Instructions: INTERVIEWER INSTRUCTION: DO NOT INCLUDE URINE TESTS.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	3370	3370	DIQ065
2	No	4667	8037	DIQ065
7	Refused	2	8039	DIQ065
9	Don't know	265	8304	DIQ065
.	Missing	3440	11744	

DIQ050 - Taking insulin now

Variable Name: DIQ050**SAS Label:** Taking insulin now**English Text:** {Is SP/Are you} now taking insulin**Target:** Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	344	344	
2	No	737	1081	DIQ065
7	Refused	0	1081	DIQ065
9	Don't know	0	1081	DIQ065
.	Missing	10663	11744	

DID060 - How long taking insulin

Variable Name: DID060

SAS Label: How long taking insulin

English Text: For how long {have you/has SP} been taking insulin?

English Instructions: ENTER NUMBER (OF MONTHS OR YEARS).

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 60	Range of Values	332	332	
666	Less than 1 month	3	335	
777	Refused	0	335	
999	Don't know	8	343	
.	Missing	11401	11744	

DIQ060U - Unit of measure (month/year)

Variable Name: DIQ060U

SAS Label: Unit of measure (month/year)

English Text: UNIT OF MEASURE

English Instructions: ENTER UNIT.

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Months	35	35	
2	Years	297	332	
.	Missing	11412	11744	

DIQ065 - CHECK ITEM

Variable Name: DIQ065

English Instructions: BOX 0. CHECK ITEM DIQ.065: IF DIQ.010 = 1 (YES) OR DIQ.010 = 3 (BORDERLINE OR PREDIABETES) OR DIQ.160 = 1 (YES) CONTINUE. OTHERWISE, GO TO END OF SECTION.

Target: Both males and females 1 YEARS - 150 YEARS

DIQ070 - Take diabetic pills to lower blood sugar

Variable Name: DIQ070

SAS Label: Take diabetic pills to lower blood sugar

English Text: {Is SP/Are you} now taking diabetic pills to lower {{his/her}/your} blood sugar? These are sometimes called oral agents or oral hypoglycemic agents.

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	885	885	
2	No	1389	2274	
7	Refused	0	2274	
9	Don't know	7	2281	
.	Missing	9463	11744	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Mental Health - Depression Screener (DPQ_L)

Data File: DPQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

A nine-item depression screening questionnaire (variable name prefix DPQ), called the Patient Health Questionnaire (also, PHQ-9), (Kroenke and Spitzer, 2002; Kroenke et. al., 2001) was administered to determine the frequency of depression symptoms over the past 2 weeks. For each symptom question, scores ranging from 0 to 3, are associated with the response categories "not at all," "several days," "more than half the days," and "nearly every day." An additional functional impairment question is asked if any symptom is endorsed. This screening instrument incorporates DSM-IV depression diagnostic criteria (Spitzer et. al., 1999).

Eligible Sample

Participants aged 12 years and older who were able to understand and read English or Spanish were eligible. The interview was not administered to participants needing a proxy informant or interpreter due to the sensitive nature of the questions. Only data from participants aged 18 and older are included in this data file. Data for youth 12-17 years of age are available through the NCHS Research Data Center.

Interview Setting and Mode of Administration

The questions were asked at the Mobile Examination Center (MEC) using the Audio Computer-Assisted Personal Interview (ACASI) system. In previous NHANES, these questions were administered as part of the face-to-face MEC Interview.

Quality Assurance & Quality Control

The ACASI system is programmed with built-in consistency checks to reduce data entry errors.

Data Processing and Editing

Edits were made to ensure completeness, consistency, and analytic usefulness of the data.

Analytic Notes

A total score, ranging from 0 to 27, can be calculated for participants who have complete responses to the symptom questions. Major depression and depression severity can be assessed using pre-defined cut-points, described in the references.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

References

- Kroenke K, Spitzer RL, Williams JB. The PHQ-9: validity of a brief depression severity measure. *J Gen Intern Med* 2001; 16: 1606-13.
- Kroenke K, Spitzer RL. The PHQ-9: a new depression and diagnostic severity measure. *Psych Annals* 2002; 32:509-21.
- Spitzer RL, Kroenke K, Williams JB. Validation and utility of a self-report version of Prime MD: the PHQ primary care study. *JAMA* 1999; 282: 1737-44.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 18 YEARS - 150 YEARS

DPQ010 - Have little interest in doing things

Variable Name: DPQ010

SAS Label: Have little interest in doing things

English Text: Over the last 2 weeks, how often have you been bothered by the following problems: little interest or pleasure in doing things? Would you say...

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	3703	3703	
1	Several days	1205	4908	
2	More than half the days	334	5242	
3	Nearly every day	256	5498	
7	Refused	5	5503	
9	Don't know	16	5519	
.	Missing	818	6337	

DPQ020 - Feeling down, depressed, or hopeless**Variable Name:** DPQ020**SAS Label:** Feeling down, depressed, or hopeless**English Text:** [Over the last 2 weeks, how often have you been bothered by the following problems:] feeling down, depressed, or hopeless?**Target:** Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	3674	3674	
1	Several days	1325	4999	
2	More than half the days	295	5294	
3	Nearly every day	214	5508	
7	Refused	3	5511	
9	Don't know	7	5518	
.	Missing	819	6337	

DPQ030 - Trouble sleeping or sleeping too much

Variable Name: DPQ030

SAS Label: Trouble sleeping or sleeping too much

English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] trouble falling or staying asleep, or sleeping too much?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	2772	2772	
1	Several days	1690	4462	
2	More than half the days	511	4973	
3	Nearly every day	536	5509	
7	Refused	3	5512	
9	Don't know	4	5516	
.	Missing	821	6337	

DPQ040 - Feeling tired or having little energy

Variable Name: DPQ040

SAS Label: Feeling tired or having little energy

English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] feeling tired or having little energy?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	2348	2348	
1	Several days	2113	4461	
2	More than half the days	571	5032	
3	Nearly every day	474	5506	
7	Refused	3	5509	
9	Don't know	5	5514	
.	Missing	823	6337	

DPQ050 - Poor appetite or overeating

Variable Name: DPQ050

SAS Label: Poor appetite or overeating

English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] poor appetite or overeating?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	3710	3710	
1	Several days	1138	4848	
2	More than half the days	371	5219	
3	Nearly every day	291	5510	
7	Refused	0	5510	
9	Don't know	3	5513	
.	Missing	824	6337	

DPQ060 - Feeling bad about yourself

Variable Name: DPQ060

SAS Label: Feeling bad about yourself

English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] feeling bad about yourself - or that you are a failure or have let yourself or your family down?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	3971	3971	
1	Several days	1054	5025	
2	More than half the days	268	5293	
3	Nearly every day	212	5505	
7	Refused	3	5508	
9	Don't know	2	5510	
.	Missing	827	6337	

DPQ070 - Trouble concentrating on things

Variable Name: DPQ070

SAS Label: Trouble concentrating on things

English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] trouble concentrating on things, such as reading the newspaper or watching TV?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	4036	4036	
1	Several days	989	5025	
2	More than half the days	277	5302	
3	Nearly every day	203	5505	
7	Refused	2	5507	
9	Don't know	1	5508	
.	Missing	829	6337	

DPQ080 - Moving or speaking slowly or too fast**Variable Name:** DPQ080**SAS Label:** Moving or speaking slowly or too fast**English Text:** [Over the last 2 weeks, how often have you been bothered by the following problems:] moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual?**Target:** Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	4748	4748	
1	Several days	511	5259	
2	More than half the days	129	5388	
3	Nearly every day	108	5496	
7	Refused	4	5500	
9	Don't know	8	5508	
.	Missing	829	6337	

DPQ090 - Thought you would be better off dead

Variable Name: DPQ090

SAS Label: Thought you would be better off dead

English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] Thoughts that you would be better off dead or of hurting yourself in some way?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all	5207	5207	
1	Several days	209	5416	
2	More than half the days	57	5473	
3	Nearly every day	28	5501	
7	Refused	0	5501	
9	Don't know	5	5506	
.	Missing	831	6337	

DPQ100 - Difficulty these problems have caused

Variable Name: DPQ100

SAS Label: Difficulty these problems have caused

English Text: How difficult have these problems made it for you to do your work, take care of things at home, or get along with people?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Not at all difficult	2573	2573	
1	Somewhat difficult	1306	3879	
2	Very difficult	207	4086	
3	Extremely difficult	74	4160	
7	Refused	4	4164	
9	Don't know	3	4167	
.	Missing	2170	6337	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Early Childhood (ECQ_L)

Data File: ECQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Early Childhood questionnaire (variable name prefix ECQ) section of the Sample Person Questionnaire provides personal interview data for children, including birth weight, and the proxy's assessment of the participant's weight.

Eligible Sample

Participants aged birth to 15 years in the NHANES August 2021-August 2023 sample are included in this dataset. However, the ages of participation for some questions in this section vary. Please review the codebook carefully. Frequency counts were verified during the preparation of the file.

Interview Setting and Mode of Administration

These questions were asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone.

For details on the administration of the ECQ_L, please refer to the [2022 Interviewer Procedures Manual – October 2022 \(cdc.gov\)](#) and [August 2021-August 2023 NHANES Early Childhood – ECQ Sample Person Participant Questionnaires](#) on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. All data was reviewed by the NHANES field office staff for accuracy and completeness.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the reasonableness of question responses was reviewed. Edits were made to some variables to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made, when necessary, to address data disclosure concerns. When a variable was modified globally, as part of the editing process, the third letter in the variable name was changed from a Q (i.e., ECQ) to a D (i.e., ECD). For example, some data were collected using two variables (a number variable and a unit of measure variable) but combined into a single variable for data release purposes.

For ECD070A (weight at birth, pounds) and ECD070B (weight at birth, ounces), all responses of 3 pounds or under were collapsed into a single category with ECD070A coded as "3" and ECD070B coded as "0." Similarly, for ECD070A and ECD070B all responses of 11 pounds or

over were collapsed into a single category, with ECD070A coded as "11" and ECD070B coded as "0." This was done to protect the confidentiality of survey participants.

Analytic Notes

Although data in this file were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 15 YEARS

ECD070A - Weight at birth, pounds

Variable Name: ECD070A

SAS Label: Weight at birth, pounds

English Text: How much did {SP NAME} weigh at birth?

English Instructions: IF ANSWER GIVEN IN POUNDS ONLY, PROBE FOR OUNCES. IF ANSWER GIVEN IN EXACT POUNDS, ENTER NUMBER OF POUNDS AND 0 OUNCES. ENTER NUMBER OF POUNDS.

Target: Both males and females 0 YEARS - 15 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
4 to 10	Range of Values	3185	3185	
3	3 pounds or less	77	3262	
11	11 pounds or more	15	3277	
7777	Refused	4	3281	
9999	Don't know	151	3432	
.	Missing	0	3432	

ECD070B - Weight at birth, ounces

Variable Name: ECD070B
SAS Label: Weight at birth, ounces
English Text: How much did {SP NAME} weigh at birth?
English Instructions: ENTER NUMBER OF OUNCES
Target: Both males and females 0 YEARS - 15 YEARS
Hard Edits: 0 to 15

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 15	Range of Values	3277	3277	
7777	Refused	4	3281	
9999	Don't know	151	3432	
.	Missing	0	3432	

ECQ075 - CHECK ITEM

Variable Name: ECQ075

English Instructions: BOX 1. CHECK ITEM: IF REFUSED (CODE 7777) OR DON'T KNOW (CODE 9999) TO ECD070A, CONTINUE; OTHERWISE, GO TO ECQ095 (BOX 2).

Target: Both males and females 0 YEARS - 15 YEARS

ECQ080 - Weight more/less than 5.5 lbs

Variable Name: ECQ080

SAS Label: Weight more/less than 5.5 lbs

English Text: Did {SP NAME} weigh . . .

Target: Both males and females 0 YEARS - 15 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	More than 5-1/2 lbs. (2500 g), or	116	116	
2	Less than 5-1/2 lbs. (2500 g)?	11	127	ECQ095
7	Refused	0	127	ECQ095
9	Don't know	28	155	ECQ095
.	Missing	3277	3432	

ECQ090 - Weight more/less than 9.0 lbs

Variable Name: ECQ090**SAS Label:** Weight more/less than 9.0 lbs**English Text:** Did {SP NAME} weigh . . .**Target:** Both males and females 0 YEARS - 15 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	More than 9 lbs. (4100 g), or	19	19	
2	Less than 9 lbs. (4100 g)?	87	106	
7	Refused	0	106	
9	Don't know	10	116	
.	Missing	3316	3432	

ECQ095 - CHECK ITEM

Variable Name: ECQ095

English Instructions: BOX 2. CHECK ITEM ECQ095: IF SP AGE = 2-15 YEARS CONTINUE;
OTHERWISE, GO TO END OF SECTION.

Target: Both males and females 0 YEARS - 15 YEARS

WHQ030E - How do you consider your child's weight

Variable Name: WHQ030E
SAS Label: How do you consider your child's weight
English Text: How do you consider {SP} weight?
Target: Both males and females 2 YEARS - 15 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Overweight	314	314	
2	Underweight	183	497	
3	About the right weight	2562	3059	
7	Refused	3	3062	
9	Don't know	2	3064	
.	Missing	368	3432	

MCQ080E - Your child was overweight

Variable Name: MCQ080E

SAS Label: Your child was overweight

English Text: Has a doctor or health professional ever told you that {SP} was overweight?

Target: Both males and females 2 YEARS - 15 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	341	341	
2	No	2716	3057	
7	Refused	3	3060	
9	Don't know	4	3064	
.	Missing	368	3432	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Functioning (FNQ_L)

Data File: FNQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Functioning questionnaire (variable name prefix FNQ) section provides respondent-level interview data on difficulties across a series of basic functional domains. The questions asked in the FNQ are part of sets of international standard measures developed, tested and endorsed by the [Washington Group on Disability Statistics \(WG\)](#) and the United Nations Children's Fund (UNICEF) (for the children's module). The FNQ included 16 questions from the [Child Functioning Module \(CFM\)](#) collecting information for participants aged 5 to 17 years. For adults 18 years and older, both the [Short Set on Functioning \(WG-SS\)](#), comprising 6 questions, and the [Short Set on Functioning – Enhanced \(WG-SS Enhanced\)](#), comprising the WG-SS 6 questions plus an additional 6 questions, were included.

The WG is a city group established in 2001 under the United Nations Statistical Commission to address the need for population-based measures of functioning and disability. The WG promotes and coordinates international cooperation in the area of health statistics focusing on disability data collection tools suitable for censuses and national surveys. The major objective is to provide necessary information on disability that is comparable throughout the world by identifying individuals with functional limitations in basic actions, regardless of nationality or culture. Question development for the WG-SS, WG-SS Enhanced, and CFM involved international subject matter experts, and collaboration with national statistical offices and organizations of people with disabilities. The questions were cognitively tested, and field tested across countries by regional and international data collection programs. They have been endorsed by United Nations (UN) agencies and the international disability community for use to collect data on functioning in adults and children.

The questions reflect advances in the conceptualization of disability and use the World Health Organization's International Classification of Functioning, Disability, and Health (ICF) and the ICF – Children and Youth (ICF-CY) version as conceptual frameworks. The intended use of these questions is to describe the functional status of adults and children and, when used with other questions on the survey, to assess whether people with functional limitations have achieved similar levels of participation and inclusion as people without functional limitations. These questions do not capture all aspects of difficulty in functioning, but rather focus on domains of functioning that are likely to identify the majority of the subpopulation at risk of participation restrictions in an unaccommodating environment.

CFM questions ask about the child's level of difficulty (no difficulty, some difficulty, a lot of difficulty, or cannot do at all) in 13 basic domains of functioning, including seeing, hearing, walking, self-care, communication, learning, cognition (remembering and concentrating), accepting change, behavior, relationships, and about the frequency (daily, weekly, monthly, a few times a year, never) of experiencing anxiety and depression. In addition, a question about the use of equipment or assistance with walking is also included, and children who use aids are asked about their difficulty walking without equipment or assistance.

WG-SS questions ask about the adult's level of difficulty (no difficulty, some difficulty, a lot of difficulty, or cannot do at all) in six basic domains of functioning, including seeing, hearing, walking, communication, cognition, and self-care. The WG-SS Enhanced adds two additional domains: upper body functioning and affect (anxiety and depression). For both anxiety and

depression, two questions are asked capturing frequency and intensity of anxiety and depression symptoms.

The FNQ data can be analyzed separately, by domain, or combined across domains. Composite disability status indicators were derived and included in the dataset to identify people with and without disabilities (one for children and two for adults): the CFM Disability Indicator for 5-17 years (FNDCDI), the WG-SS Disability Indicator for 18+ years (FNDADI), and the WG-SS Enhanced Disability Indicator for 18+ years (FND AEDI). Please see the Data Processing and Editing section for details.

The disability indicators identify people who are at greater risk than the general population for experiencing restrictions in participation because of difficulties doing certain universal, basic actions. Consult the WG website for guidance on the creation of these indicators. Use of the functioning and disability data should be tailored to meet the needs of the analysis. It is important to note that changing the threshold for either the number of domains with which a respondent has difficulty or the degree of difficulty in any given domain can create different identifiers that will capture different populations. For example, a recode that includes the response of "some difficulty" to any of the domains will capture a greater proportion of the population than a recode that includes only people with the response of "cannot do at all" to any of the domains. In this example, the functional abilities of the larger group will be much more heterogeneous than that of the smaller group. Analytic guidelines written for each of the questions sets, including recommended disability identifiers, may be obtained from the [WG website](#).

Eligible Sample

Questions asked varied by age group. Participants aged 5-17 years were eligible for 16 questions in the FNQ. Participants 18 years or older were eligible for 12 questions in the FNQ. Please refer to the questionnaire and codebook for details.

Interview Setting and Mode of Administration

These questions were asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone.

Participants 16 years of age and older and emancipated minors were interviewed directly. A proxy provided information for survey participants who were under 16 and for those who could not answer the questions themselves.

The NHANES FNQ is available on the NHANES website: [NHANES August 2021-August 2023 Questionnaire Instruments \(cdc.gov\)](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors and online help screens to assist interviewers in defining key terms. During the August 2021-August 2023 data collection cycle, periodic QC checks were performed on the FNQ data being collected; and interviewer-specific feedback and retraining was performed as appropriate.

Data Processing and Editing

Questionnaire interview responses were entered into a tablet and then uploaded into a computerized database in the same manner as other sections of the Survey Participant Questionnaire. The data were then edited for completeness, consistency, and illogical values.

A Child Functioning Module (CFM) Disability Indicator (variable: FNDCDI) was derived and included in the dataset for participants 5-17 years to identify whether the youth participant is with or without disabilities. Participants who were reported to have "a lot of difficulty" or

"cannot do at all" to at least one of the 14 questions for the first 11 domains: seeing (FNQ021), hearing (FNQ041), mobility (FNQ050, FNQ060, FNQ080), self-care (FNQ160), communication (FNQ100, FNQ110), learning (FNQ120), remembering (FNQ170), concentrating (FNQ180), accepting change (FNQ190), controlling behavior (FNQ130), and making friends (FNQ200); or "daily" to the last 2 questions for the final 2 domains: anxiety (FNQ140) and depression (FNQ150) are classified in the "with disabilities" category. Participants with responses of "missing", "Don't Know", or "Refused" in all 16 questions have FNDCDI coded as "missing".

Two dichotomous variables were derived and included in the dataset for adults 18 years and older to identify people with and without disabilities. The Washington Group Short Set (WG-SS) Disability Indicator (variable: FNDADI) is defined by the reported level of difficulty in 6 core functioning domains: seeing (FNQ410), hearing (FNQ430), mobility (FNQ440), communication (FNQ450), cognition (FNQ460), and self-care (FNQ470). Adults who reported having "a lot of difficulty" or "cannot do at all" to at least one domain of functioning are classified in the "with disabilities" category. Participants with responses of "missing", "Don't Know", or "Refused" in all 6 questions have FNDADI coded as "missing". The WG-SS Enhanced Disability Indicator (variable: FND AEDI) is defined by the same 6 core domains as used for FNDADI plus 3 additional functional domains in upper body (FNQ480, FNQ490), anxiety (FNQ510, FNQ520), and depression (FNQ530, FNQ540). Participants who reported: 1) having "a lot of difficulty" or "cannot do at all" to at least one of the first 7 domains; or 2) having anxiety "daily" AND at the level of "a lot"; or 3) feeling depressed "daily" AND at the level of "a lot" are classified in the "with disabilities" category. Participants with responses of "missing", "Don't Know", or "Refused" in all 8 questions in the first 7 domains and have these responses for at least one of the anxiety questions as well as one of the depression questions have their FND AEDI coded as "missing".

Analytic Notes

There are differences between the CFM Disability Indicator (FNDCDI) included in the present dataset and the standard Washington Group/UNICEF indicator of disability using the CFM – Ages 5-17 years. While both indicators are defined by responses in the same 13 core functional domains, the standard WG/UNICEF CFM 5-17 asks more questions than NHANES in 3 of the 13 domains:

- Seeing: While both modules ask about difficulty in seeing with glasses (if wearing glasses), WG/UNICEF CFM 5-17 uses a 3-question set with skip patterns incorporated, while NHANES employs a single question with conditional phrase "even if wearing glasses or contact lenses" included.
- Hearing: Similar to the domain in seeing, while both modules ask about difficulty in hearing with hearing aid (if a hearing aid is used), WG/UNICEF CFM 5-17 uses a 3-question set with skip patterns incorporated, while NHANES employs a single question with conditional phrase "even if using a hearing aid" included.
- Mobility: WG/UNICEF CFM 5-17 includes more detailed questions on two different levels of mobility (i.e., difficulties in walking 100 and 500 yards with or without equipment/assistance), while NHANES only asks about difficulty in walking 100 yards without equipment/assistance.

Therefore, estimates produced using the CFM 5-17 Disability Indicator in NHANES may not be directly comparable with estimates produced using the standard WG/UNICEF CFM 5-17 Disability Indicator.

The FNQ data were collected as part of the household questionnaire and, therefore, the full sample NHANES interview weights WTINT2YR should be used for statistical analysis. However, if the FNQ data are merged with the MEC exam or laboratory data, then the NHANES examination sample weights WTMEC2YR should be used for analyses.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

References

- Washington Group on Disability Statistics. The Washington Group Short Set of Functioning – Enhanced (WG_SS Enhanced), 2022. Available from: https://www.washingtongroup-disability.com/fileadmin/uploads/wg/Washington_Group_Questionnaire__3_-_WG_Short_Set_on_Functioning_-_Enhanced__October_2022_.pdf
- Washington Group on Disability Statistics. The Washington Group Short Set of Functioning (WG_SS), 2022. Available from: https://www.washingtongroup-disability.com/fileadmin/uploads/wg/Washington_Group_Questionnaire__1_-_WG_Short_Set_on_Functioning__October_2022_.pdf
- Washington Group on Disability Statistics. The Washington Group/UNICEF Child Functioning Module (CF)-Ages 5-17 years, 2020. Available from: https://www.washingtongroup-disability.com/fileadmin/uploads/wg/Documents/Washington_Group_Questionnaire__5_-_WG-UNICEF_Child_Functioning_Module__ages_5-17_.pdf

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 5 YEARS - 150 YEARS

FNQ005 - CHECK ITEM

Variable Name: FNQ005

English Instructions: CHECK ITEM FNQ.005 IF SP AGE = 18 YEARS OR OLDER, GO TO FNQ.410. ELSE, CONTINUE.

Target: Both males and females 5 YEARS - 150 YEARS

FNQ021 - Difficulty seeing even w/glasses

Variable Name: FNQ021

SAS Label: Difficulty seeing even w/glasses

English Text: Please look at card FNQ1. I would like to ask you some questions about difficulties {you/SP} may have. {Do you/Does SP} have difficulty seeing even if wearing glasses or contact lenses? Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2337	2337	
2	Some difficulty	411	2748	
3	A lot of difficulty	34	2782	
4	Cannot do at all	0	2782	
7	Refused	0	2782	
9	Don't know	5	2787	
.	Missing	8155	10942	

FNQ041 - Difficulty hearing even w/hearing aids

Variable Name: FNQ041

SAS Label: Difficulty hearing even w/hearing aids

English Text: {Do you/Does SP} have difficulty hearing sounds like peoples' voices or music even if using a hearing aid? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2647	2647	
2	Some difficulty	126	2773	
3	A lot of difficulty	9	2782	
4	Cannot do at all	1	2783	
7	Refused	0	2783	
9	Don't know	4	2787	
.	Missing	8155	10942	

FNQ050 - Use equip or assistance for walking

Variable Name: FNQ050

SAS Label: Use equip or assistance for walking

English Text: {Do you/Does SP} use any equipment or receive assistance for walking?

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	22	22	
2	No	2764	2786	FNQ080
7	Refused	0	2786	FNQ080
9	Don't know	1	2787	FNQ080
.	Missing	8155	10942	

FNQ060 - Difficulty walking 100 yds w/o equipment

Variable Name: FNQ060

SAS Label: Difficulty walking 100 yds w/o equipment

English Text: Please look at card FNQ2. Without {your/his/her/SP's} equipment or assistance, {do you/does SP} have difficulty walking 100 yards/meters on level ground? That would be about the length of 1 football field. Would you say {you have/SP has}: some difficulty, a lot of difficulty, or cannot do at all?

English Instructions: HAND CARD FNQ2

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
2	Some difficulty	11	11	FNQ160
3	A lot of difficulty	5	16	FNQ160
4	Cannot do at all	6	22	FNQ160
7	Refused	0	22	FNQ160
9	Don't know	0	22	FNQ160
.	Missing	10920	10942	

FNQ080 - Difficulty walking 100 yards

Variable Name: FNQ080

SAS Label: Difficulty walking 100 yards

English Text: Please look at card FNQ1, again. Compared with children of the same age, {do you/does SP} have difficulty walking 100 yards/meters on level ground? That would be about the length of 1 football field. [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2662	2662	
2	Some difficulty	83	2745	
3	A lot of difficulty	16	2761	
4	Cannot do at all	1	2762	
7	Refused	0	2762	
9	Don't know	3	2765	
.	Missing	8177	10942	

FNQ160 - Difficulty with self-care

Variable Name: FNQ160

SAS Label: Difficulty with self-care

English Text: {Turn back to card FNQ1.} {Do you/Does SP} have difficulty with self-care such as feeding or dressing {yourself/himself/herself/SP}? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1. CAPI INSTRUCTIONS; DISPLAY "Turn back to card FNQ1." IF FNQ.050 = 1.

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2660	2660	
2	Some difficulty	104	2764	
3	A lot of difficulty	17	2781	
4	Cannot do at all	5	2786	
7	Refused	0	2786	
9	Don't know	1	2787	
.	Missing	8155	10942	

FNQ100 - Difficulty being understood inside HH

Variable Name: FNQ100

SAS Label: Difficulty being understood inside HH

English Text: When {you speak/SP speaks}, {do you/does he/does she/does SP} have difficulty being understood by people inside of this household? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2523	2523	
2	Some difficulty	225	2748	
3	A lot of difficulty	28	2776	
4	Cannot do at all	10	2786	
7	Refused	0	2786	
9	Don't know	1	2787	
.	Missing	8155	10942	

FNQ110 - Difficulty being understood outside HH

Variable Name: FNQ110

SAS Label: Difficulty being understood outside HH

English Text: When {you speak/SP speaks}, {do you/does he/does she/does SP} have difficulty being understood by people outside of this household? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2402	2402	
2	Some difficulty	318	2720	
3	A lot of difficulty	54	2774	
4	Cannot do at all	11	2785	
7	Refused	0	2785	
9	Don't know	2	2787	
.	Missing	8155	10942	

FNQ120 - Difficulty learning things

Variable Name: FNQ120

SAS Label: Difficulty learning things

English Text: Compared with children of the same age, {do you/does SP} have difficulty learning things? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2241	2241	
2	Some difficulty	428	2669	
3	A lot of difficulty	112	2781	
4	Cannot do at all	4	2785	
7	Refused	0	2785	
9	Don't know	2	2787	
.	Missing	8155	10942	

FNQ170 - Difficulty remembering things

Variable Name: FNQ170

SAS Label: Difficulty remembering things

English Text: Compared with children of the same age, {do you/does SP} have difficulty remembering things? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2195	2195	
2	Some difficulty	505	2700	
3	A lot of difficulty	81	2781	
4	Cannot do at all	2	2783	
7	Refused	0	2783	
9	Don't know	4	2787	
.	Missing	8155	10942	

FNQ180 - Difficulty concentrating

Variable Name: FNQ180

SAS Label: Difficulty concentrating

English Text: {Do you/Does SP} have difficulty concentrating on an activity that {you enjoy/he enjoys/she enjoys/SP enjoys} doing? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2342	2342	
2	Some difficulty	358	2700	
3	A lot of difficulty	83	2783	
4	Cannot do at all	2	2785	
7	Refused	0	2785	
9	Don't know	2	2787	
.	Missing	8155	10942	

FNQ190 - Difficulty accepting change

Variable Name: FNQ190

SAS Label: Difficulty accepting change

English Text: {Do you/Does SP} have difficulty accepting changes in {your/his/her/SP's} routine? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	1764	1764	
2	Some difficulty	832	2596	
3	A lot of difficulty	184	2780	
4	Cannot do at all	5	2785	
7	Refused	0	2785	
9	Don't know	2	2787	
.	Missing	8155	10942	

FNQ130 - Difficulty controlling behavior

Variable Name: FNQ130

SAS Label: Difficulty controlling behavior

English Text: Compared with children of the same age, {do you/does SP} have difficulty controlling {your/his/her/SP's} behavior? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2050	2050	
2	Some difficulty	589	2639	
3	A lot of difficulty	145	2784	
4	Cannot do at all	0	2784	
7	Refused	1	2785	
9	Don't know	2	2787	
.	Missing	8155	10942	

FNQ200 - Difficulty making friends

Variable Name: FNQ200

SAS Label: Difficulty making friends

English Text: {Do you/Does SP} have difficulty making friends? [Would you say {you have/SP has}: no difficulty, some difficulty, a lot of difficulty, or cannot do at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	2292	2292	
2	Some difficulty	394	2686	
3	A lot of difficulty	93	2779	
4	Cannot do at all	5	2784	
7	Refused	1	2785	
9	Don't know	2	2787	
.	Missing	8155	10942	

FNQ140 - How often very anxious/nervous/worried

Variable Name: FNQ140

SAS Label: How often very anxious/nervous/worried

English Text: How often {do you feel/does SP seem} very anxious, nervous or worried? Would you say daily, weekly, monthly, a few times a year or never?

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Daily	220	220	
2	Weekly	428	648	
3	Monthly	314	962	
4	A few times a year	890	1852	
5	Never	931	2783	
7	Refused	1	2784	
9	Don't know	3	2787	
.	Missing	8155	10942	

FNQ150 - How often very sad/depressed

Variable Name: FNQ150

SAS Label: How often very sad/depressed

English Text: How often {do you feel/does SP seem} very sad or depressed?
Would you say daily, weekly, monthly, a few times a year or never?

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Daily	52	52	
2	Weekly	170	222	
3	Monthly	248	470	
4	A few times a year	913	1383	
5	Never	1401	2784	
7	Refused	1	2785	
9	Don't know	2	2787	
.	Missing	8155	10942	

FNDCDI - CFM Disability Indicator for 5-17 years

Variable Name: FNDCDI

SAS Label: CFM Disability Indicator for 5-17 years

English Text: CFM Disability Indicator for 5-17 years

English Instructions: Washington Group/United Nations Children's Fund (UNICEF) – Child Functioning Module (CFM) Disability Indicator-Ages 5-17 – Derived Variable

Target: Both males and females 5 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	With disabilities	529	529	End of Section
2	Without disabilities	2257	2786	End of Section
.	Missing	8156	10942	

FNQ410 - Difficulty seeing even w/glasses

Variable Name: FNQ410

SAS Label: Difficulty seeing even w/glasses

English Text: Please look at card FNQ1. The next questions ask about difficulties {you/SP} may have doing certain activities because of a health problem. {Do you/Does SP} have difficulty seeing even if wearing glasses or contact lenses? Would you say no difficulty, some difficulty, a lot of difficulty, or {you/he/she/SP} cannot do this at all?

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	4933	4933	
2	Some difficulty	2834	7767	
3	A lot of difficulty	351	8118	
4	Cannot do at all	18	8136	
7	Refused	3	8139	
9	Don't know	3	8142	
.	Missing	2800	10942	

FNQ430 - Difficulty hearing even w/hearing aids

Variable Name: FNQ430

SAS Label: Difficulty hearing even w/hearing aids

English Text: {Do you/Does SP} have difficulty hearing even if using a hearing aid? [Would you say no difficulty, some difficulty, a lot of difficulty, or {you/he/she/SP} cannot do this at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	6147	6147	
2	Some difficulty	1731	7878	
3	A lot of difficulty	224	8102	
4	Cannot do at all	15	8117	
7	Refused	2	8119	
9	Don't know	24	8143	
.	Missing	2799	10942	

FNQ440 - Difficulty walking or climbing steps

Variable Name: FNQ440

SAS Label: Difficulty walking or climbing steps

English Text: {Do you/Does SP} have difficulty walking or climbing steps? [Would you say no difficulty, some difficulty, a lot of difficulty, or {you/he/she/SP} cannot do this at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	5478	5478	
2	Some difficulty	1876	7354	
3	A lot of difficulty	685	8039	
4	Cannot do at all	99	8138	
7	Refused	1	8139	
9	Don't know	3	8142	
.	Missing	2800	10942	

FNQ450 - Difficulty communicating

Variable Name: FNQ450

SAS Label: Difficulty communicating

English Text: Using {your/his/her/SP's} usual language, {do you/does SP} have difficulty communicating, for example, understanding or being understood? [Would you say no difficulty, some difficulty, a lot of difficulty, or {you/he/she/SP} cannot do this at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	6915	6915	
2	Some difficulty	1075	7990	
3	A lot of difficulty	136	8126	
4	Cannot do at all	14	8140	
7	Refused	0	8140	
9	Don't know	2	8142	
.	Missing	2800	10942	

FNQ460 - Difficulty remembering or concentrating

Variable Name: FNQ460

SAS Label: Difficulty remembering or concentrating

English Text: {Do you/Does SP} have difficulty remembering or concentrating?
[Would you say no difficulty, some difficulty, a lot of difficulty, or
{you/he/she/SP} cannot do this at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	4352	4352	
2	Some difficulty	3242	7594	
3	A lot of difficulty	531	8125	
4	Cannot do at all	12	8137	
7	Refused	3	8140	
9	Don't know	2	8142	
.	Missing	2800	10942	

FNQ470 - Difficulty with self-care

Variable Name: FNQ470

SAS Label: Difficulty with self-care

English Text: {Do you/Does SP} have difficulty with self-care, such as washing all over and dressing? [Would you say no difficulty, some difficulty, a lot of difficulty, or {you/he/she/SP} cannot do this at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	7421	7421	
2	Some difficulty	594	8015	
3	A lot of difficulty	95	8110	
4	Cannot do at all	28	8138	
7	Refused	2	8140	
9	Don't know	1	8141	
.	Missing	2801	10942	

FNQ480 - Difficulty raising a 2-liter bottle

Variable Name: FNQ480

SAS Label: Difficulty raising a 2-liter bottle

English Text: {Do you/Does SP} have difficulty raising a 2 liter bottle of water or soda from waist to eye level? [Would you say no difficulty, some difficulty, a lot of difficulty, or {you/he/she/SP} cannot do this at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	7471	7471	
2	Some difficulty	492	7963	
3	A lot of difficulty	120	8083	
4	Cannot do at all	53	8136	
7	Refused	2	8138	
9	Don't know	3	8141	
.	Missing	2801	10942	

FNQ490 - Difficulty using hands and fingers

Variable Name: FNQ490

SAS Label: Difficulty using hands and fingers

English Text: {Do you/Does SP} have difficulty using {your/his/her/SP's} hands and fingers, such as picking up small objects, for example, a button or pencil, or opening or closing containers or bottles? [Would you say no difficulty, some difficulty, a lot of difficulty, or {you/he/she/SP} cannot do this at all?]

English Instructions: HAND CARD FNQ1

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	No difficulty	6651	6651	
2	Some difficulty	1191	7842	
3	A lot of difficulty	277	8119	
4	Cannot do at all	19	8138	
7	Refused	2	8140	
9	Don't know	1	8141	
.	Missing	2801	10942	

FNQ510 - How often feel worried/nervous/anxious

Variable Name: FNQ510

SAS Label: How often feel worried/nervous/anxious

English Text: How often {do you/does SP} feel worried, nervous, or anxious?
Would you say. . .

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Daily	1712	1712	
2	Weekly	1614	3326	
3	Monthly	961	4287	
4	A few times a year	2326	6613	
5	Never	1511	8124	FNQ530
7	Refused	6	8130	FNQ530
9	Don't know	10	8140	FNQ530
.	Missing	2802	10942	

FNQ520 - Level of feeling worried/nervous/anxious

Variable Name: FNQ520

SAS Label: Level of feeling worried/nervous/anxious

English Text: Thinking about the last time {you/SP} felt worried, nervous, or anxious, how would {you/he/she/SP} describe the level of these feelings? Would you say . . .

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	A little	2328	2328	
2	A lot	859	3187	
3	Somewhere in between a little and a lot	3418	6605	
7	Refused	1	6606	
9	Don't know	7	6613	
.	Missing	4329	10942	

FNQ530 - How often feel depressed

Variable Name: FNQ530

SAS Label: How often feel depressed

English Text: How often {do you/does SP} feel depressed? Would you say. . .

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Daily	580	580	
2	Weekly	808	1388	
3	Monthly	852	2240	
4	A few times a year	2770	5010	
5	Never	3105	8115	FNDADI
7	Refused	6	8121	FNDADI
9	Don't know	17	8138	FNDADI
.	Missing	2804	10942	

FNQ540 - Level of feeling depressed

Variable Name: FNQ540

SAS Label: Level of feeling depressed

English Text: Thinking about the last time {you/SP} felt depressed, how depressed did {you/he/she/SP} feel? Would you say. . .

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	A little	2042	2042	
2	A lot	714	2756	
3	Somewhere in between a little and a lot	2245	5001	
7	Refused	1	5002	
9	Don't know	8	5010	
.	Missing	5932	10942	

FNDADI - WG-SS Disability Indicator 18+

Variable Name: FNDADI

SAS Label: WG-SS Disability Indicator 18+

English Text: WG-SS Disability Indicator 18+

English Instructions: Washington Group – Short Set on Functioning Questionnaire (WG-SS) Adult Disability Indicator – Derived Variable

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	With disabilities	1544	1544	
2	Without disabilities	6599	8143	
.	Missing	2799	10942	

FNDAEDI - WG-SS Enhanced Disability Indicator 18+

Variable Name: FNDAEDI

SAS Label: WG-SS Enhanced Disability Indicator 18+

English Text: WG-SS Enhanced Disability Indicator 18+

English Instructions: Washington Group Short Set on Functioning – Enhanced Questionnaire (WG-SS Enhanced)-Adult Enhanced Disability Indicator – Derived Variable

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	With disabilities	1900	1900	
2	Without disabilities	6243	8143	
.	Missing	2799	10942	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Food Security (FSQ_L)

Data File: FSQ_L.xpt

First Published: December 2025

Last Revised: NA

Component Description

The Food Security section (variable name prefix FSQ) provides individual and household-level interview data on the following topics:

1. Household food security

In the household interview, an adult responded to the U.S. Food Security Survey Module (US FSSM) questions (Bickel G, et. al, 2000). All households were asked 10 questions. These questions refer to all household members, not just NHANES participants. One categorical household-level variable was created to characterize the food security status for adults in the household. The categorical variable derived from these responses is released on each household participant's record. Different from previous NHANES cycles, the 8 US FSSM items that were unique to households with children were not included in NHANES August 2021-August 2023 to reduce survey participant burden. Please refer to the Analytic Notes section for additional details.

A question on individual household members use of emergency foods from food banks, soup kitchens, or other organizations in the last 12 months is also included in this section.

2. Supplemental Nutrition Assistance Program (SNAP)/Food Stamp program benefits

All SNAP/Food Stamp benefits questions were collected at the household level. To obtain a more complete picture of all benefit recipients in the household, the data collection instruments were designed to identify each household member's SNAP/Food Stamp benefit receipt status using a household roster. The data were then summarized at the household level.

Within each household, for each family that participated in NHANES, one adult responded to questions about SNAP/Food Stamp benefits received by all household members. Information collected included whether anyone in the household had ever received SNAP/Food Stamp benefits; whether anyone in the household received benefits in the last 12 months; and whether anyone in the household is a current SNAP/Food Stamp benefits recipient. For households with benefit recipients in the past 12 months, the number of months benefits were received; the time since benefits were last received; and the amount of benefits the household received last was also collected.

Household-level data on SNAP/Food Stamp benefits are released on all household participants' records. The time since benefits were last received and the time until anticipated benefits will be received was calculated for each family within the household, based on the family interview date, and released at the family level.

3. Women, Infants and Children (WIC) program benefits

Data collected for WIC benefits included three household-level questions as well as six individual-level questions for participants aged birth to 5 years, and one individual-level question for participants 1-5 years.

In the household interview, an adult from each family responded to the question on whether anyone in the household received WIC benefits in the last 12 months, followed by questions on current WIC participation in the last 30 days and the number of people in the household receiving WIC benefits. These household-level questions are released on all household participants' records.

For participants aged birth to five years, information was collected on whether they ever received WIC benefits, current participation, total length (in months) of benefits received, and WIC participation during various important periods in early childhood, including prenatal, infancy, and 1-4 years old, and released on the individual participant's record.

The table in [Appendix 1](#) provides detailed information on each of the four FSQ components described above. [Appendix 2](#) highlights the changes in the FSQ section among the latest three release cycles.

Quality Assurance & Quality Control

The automated interview systems used in NHANES are programmed with built-in consistency checks to reduce data entry errors. All the data were reviewed for accuracy and completeness. NHANES staff reviewed audio recordings of interviews, traveled to field sites to observe interviews, read interviewer comments, and attended training and re-training sessions to maintain the high-quality data.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the reasonableness of question responses was reviewed. Edits were made to some variables to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made, when necessary, to address data disclosure concerns.

FSDAD (Adult food security category)

Ten FSSM questions were asked of households irrespective of if they had children. One categorical variable with four response levels was created based on the number of affirmative responses for those questions. This categorical variable could be used to characterize the overall food security status for the adults in the household. The algorithm used to derive the categorical variable is described below:

Count affirmative responses in these 10 items: FSD032a, FSD032b, FSD032c, FSD041, FSD052, FSD061, FSD071, FSD081, FSD092, and FSD102. Derive the codes as the following:

- 1 = Adult full food security: no affirmative response in any of these items.
- 2 = Adult marginal food security: 1-2 affirmative responses.
- 3 = Adult low food security: 3-5 affirmative responses.
- 4 = Adult very low food security: 6-10 affirmative responses.

No food security category is assigned if all or most of these items were answered as "don't know" or "refusal." There are 25 such records in the August 2021-August 2023 dataset. These records contain missing values for FSDAD.

FSD165-FSD235 (all variables for SNAP/Food Stamp benefits)

Information on the receipt of SNAP/Food Stamp benefits by all household members was provided in the present file: ever (FSQ165); the number of people ever received (FSD165N); received in the last 12 months (FSQ012); the number of people who received in the last 12 months (FSD012N); currently receiving (FSD230); the number of people currently receiving (FSD230N); number of months received benefits (FSD795); time since last received benefits (FSD225); and amount of benefits last received (FSD235). Receipt of SNAP/Food Stamp benefits by all individuals residing in the household, both survey and non-survey participants, was included. In households with more than one family where there were inconsistencies across families, all data were reviewed and reconciled.

FSD225 (Time since last received SNAP/Food Stamp benefits)

During the household interview, the respondent was asked to report the date that the household last received SNAP/Food Stamp benefits. A variable was then derived by calculating the number of days between the time the household last received the SNAP/Food Stamp benefit and the date of interview for the corresponding family. The derived variable was released as FSD225 at the family level.

FSQ235 (Amount last received SNAP/Food Stamp benefits)

The amount last received in benefits was determined by asking about the date and the amount last received by all persons in the household who received SNAP/Food Stamps in the last 12 months. The latest amount received by the household was released at the household level.

FSD795 (number of months received SNAP/Food Stamp benefits)

The number of months SNAP/Food Stamp benefits were received is included for households with current recipients and those who received them in the last 12 months. When a household had both current recipients and past recipients in the last 12 months, the total number of months were calculated by checking for overlapping months. For example, if a household member is currently receiving benefits from May to July, and another household member received benefits from February to May, the total number of months was 6 ($2 + 4 = 6$), in the past 12 months.

FSD760N (number of people in the household received WIC benefits in the past 30 days)

The family respondent was asked whether anyone living in the household received WIC benefits in the past 30 days. Respondents with affirmative answers were followed up with a question (i.e., FSQ770) asking them to identify all persons living in the household who received benefits from a household roster. In addition to these household-level questions, child participants were also asked about whether they were receiving WIC benefits at the time of their own interviews (i.e., FSD660ZC). Responses to FSQ770 and FSD660ZC were used to derive the data in FSD760N. Receipt of WIC benefits by both survey and non-survey participants residing in the household was included. In households with more than one family where there were inconsistencies across families, all data were reviewed and reconciled.

FSD670ZC (number of months the participant received WIC benefits)

This information was collected using two-part (number and unit) questions to allow respondents to report the length in either months or years. The released variable was edited to standardize the reported length to number of months.

Analytic Notes

NHANES has assessed household food security with the U.S. Food Security Survey Module (US FSSM) since 1999. In the August 2021-August 2023 cycle, the 8 items of the US FSSM that were unique to households with children were dropped to reduce survey participant burden. As result, the derived variable encoding household food security categories utilizing the full 18 US FSSM items (i.e., FSDHH) is not included in the present dataset. The adult food security category indicator (FSDAD) is still reported for all participants in the present dataset. FSDAD was derived from the 10 basic US FSSM items, including questions on overall household experiences associated with difficulty in meeting food needs, and specific questions on related behaviors among adult household members. Users should be cautious when comparing data from NHANES August 2021-August 2023 with previous survey cycles, and with reports using separate food security category indicators for households with and without children, such as the [Household Food Security in the United States in 2023](#) (Rabbitt MP, et. al, 2024). For more information on food security measurement, please refer to the USDA's website at: [Food Security in the U.S. - Measurement / Economic Research Service](#).

In the August 2021-August 2023 cycle, detailed individual-level WIC participation questions for women aged 12 years and over were dropped to reduce survey participant burden. However, their participation in the last 12 months and last 30 days would be included in the household level WIC participation items (i.e., FSD162, FSQ760, and FSD760N).

The NHANES household interview included two questionnaires: a sample participant questionnaire to collect information regarding each individual survey participant's personal health status, and a family questionnaire to collect information at the family level, such as total income for the family, food availability in the family, etc. The sample participant questionnaire was answered by participants themselves (adult proxy for child under 16 years old). The family questionnaire required an adult family member, preferably the head of the family, to respond to these questions for the entire family. The information on household food security status and SNAP/Food Stamp program as well as WIC program benefits in the FSQ section were collected as part of this family questionnaire. In August 2021-August 2023, 1,325 participants had missing values for all of these items in the FSQ section because the family questionnaire was not administered. Most common reasons for missing the family questionnaire interview were: "no eligible adult respondent in the family available" or "refusal."

FSQ data were collected as part of the household interview. Thus, the interview sample weights should be used in their analysis. However, if the data analysis requires merging of these data with data collected in the MEC, examination sample weights should be used for analyses. Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues. Both are available on the NHANES website.

References

- Bickel G, Nord M, Price C, Hamilton W, Cook J. Guide to Measuring Household Food Security Revised 2000. U.S. Department of Agriculture, Food and Nutrition Service, Alexandria VA. March, 2000. Available from: <https://fns-prod.azureedge.us/sites/default/files/FSGuide.pdf> [Accessed on: 12/12/2025]
- Rabbitt MP, Reed-Jones M, Hales LJ, & Burke MP. (2024). Household food security in the United States in 2023 (Report No. ERR-337). U.S. Department of Agriculture, Economic Research Service. Available from: https://ers.usda.gov/sites/default/files/_laserfiche/publications/109896/ERR-337.pdf?v=63714 [Accessed on: 12/12/2025]

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 150 YEARS

FSD032A - HH Worried run out of food

Variable Name: FSD032A

SAS Label: HH Worried run out of food

English Text: Now I am going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for {you/your household} in the last 12 months, that is since last {DISPLAY CURRENT MONTH AND LAST YEAR}. The first statement is . . . {I/we} worried whether {my/our} food would run out before {I/we} got money to buy more.

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Often true	993	993	
2	Sometimes true	2143	3136	
3	Never true	7440	10576	
7	Refused	27	10603	
9	Don't know	3	10606	
.	Missing	1327	11933	

FSD032B - HH Food didn't last

Variable Name: FSD032B**SAS Label:** HH Food didn't last**English Text:** [The next statement is . . .] The food that {I/we} bought just didn't last, and {I/we} didn't have enough money to get more food.**English Instructions:** Collected at household level.**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Often true	742	742	
2	Sometimes true	1858	2600	
3	Never true	7971	10571	
7	Refused	28	10599	
9	Don't know	7	10606	
.	Missing	1327	11933	

FSD032C - HH Couldn't afford balanced meals

Variable Name: FSD032C

SAS Label: HH Couldn't afford balanced meals

English Text: [The next statement is . . .] {I/we} couldn't afford to eat balanced meals.

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Often true	697	697	
2	Sometimes true	1652	2349	
3	Never true	8226	10575	
7	Refused	26	10601	
9	Don't know	5	10606	
.	Missing	1327	11933	

FSQBOX1 - CHECK ITEM

Variable Name:	FSQBOX1
English Instructions:	BOX 1. CHECK ITEM: IF RESPONSE TO FSD032 'A', 'B', or 'C' IS CODE 1 OR 2 (OFTEN TRUE OR SOMETIMES TRUE), CONTINUE. OTHERWISE, GO TO FSDAD.
Target:	Both males and females 0 YEARS - 150 YEARS

FSD041 - HH Adults cut size or skip meals

Variable Name: FSD041

SAS Label: HH Adults cut size or skip meals

English Text: In the last 12 months, since last {DISPLAY CURRENT MONTH AND LAST YEAR}, did {you/you or other adults in your household} ever cut the size of your meals or skip meals because there wasn't enough money for food?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1527	1527	
2	No	2110	3637	FSD061
7	Refused	0	3637	FSD061
9	Don't know	5	3642	FSD061
.	Missing	8291	11933	

FSD052 - HH How often adults cut size/skip meals

Variable Name: FSD052

SAS Label: HH How often adults cut size/skip meals

English Text: How often did this happen?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Almost every month,	428	428	
2	Some months but not every month, or	704	1132	
3	Only 1 or 2 months?	395	1527	
7	Refused	0	1527	
9	Don't know	0	1527	
.	Missing	10406	11933	

FSD061 - HH Eat less than should

Variable Name: FSD061

SAS Label: HH Eat less than should

English Text: In the last 12 months, did you ever eat less than you felt you should because there wasn't enough money for food?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1455	1455	
2	No	2184	3639	
7	Refused	0	3639	
9	Don't know	3	3642	
.	Missing	8291	11933	

FSD071 - HH Hungry, but didn't eat

Variable Name: FSD071

SAS Label: HH Hungry, but didn't eat

English Text: [In the last 12 months], were you ever hungry but didn't eat because there wasn't enough money for food?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	835	835	
2	No	2806	3641	
7	Refused	0	3641	
9	Don't know	1	3642	
.	Missing	8291	11933	

FSD081 - HH Lost weight, no money for food

Variable Name: FSD081

SAS Label: HH Lost weight, no money for food

English Text: [In the last 12 months], did you lose weight because there wasn't enough money for food?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	558	558	
2	No	3064	3622	
7	Refused	0	3622	
9	Don't know	20	3642	
.	Missing	8291	11933	

FSQBOX2 - CHECK ITEM

Variable Name: FSQBOX2

English Instructions: BOX 2. CHECK ITEM: IF RESPONSE TO FSD041, FSD061, FSD071, OR FSD081 IS CODE 1 (YES), CONTINUE. OTHERWISE GO TO FSDAD.

Target: Both males and females 0 YEARS - 150 YEARS

FSD092 - HH Adults not eat whole day

Variable Name: FSD092

SAS Label: HH Adults not eat whole day

English Text: [In the last 12 months], did {you/you or other adults in your household} ever not eat for a whole day because there wasn't enough money for food?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	356	356	
2	No	1455	1811	
7	Refused	1	1812	
9	Don't know	1	1813	
.	Missing	10120	11933	

FSD102 - HH How often adults not eat for day

Variable Name: FSD102

SAS Label: HH How often adults not eat for day

English Text: How often did this happen?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Almost every month,	107	107	
2	Some months but not every month, or	161	268	
3	Only 1 or 2 months?	88	356	
7	Refused	0	356	
9	Don't know	0	356	
.	Missing	11577	11933	

FSDAD - Adult food security category

Variable Name: FSDAD

SAS Label: Adult food security category

English Text: Adult food security category for last 12 months

English Instructions: Calculated at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	AD full food security: 0	6939	6939	
2	AD marginal food security: 1-2	1376	8315	
3	AD low food security: 3-5	1234	9549	
4	AD very low food security: 6-10	1032	10581	
.	Missing	1352	11933	

FSD151 - HH Emergency food received

Variable Name: FSD151

SAS Label: HH Emergency food received

English Text: In the last 12 months, did {you/you or any member of your household} ever get emergency food from a church, a food pantry, or a food bank, or eat in a soup kitchen?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1730	1730	
2	No	8853	10583	
7	Refused	22	10605	
9	Don't know	7	10612	
.	Missing	1321	11933	

FSQ165 - HH FS benefit: ever received

Variable Name: FSQ165

SAS Label: HH FS benefit: ever received

English Text: The next questions are about SNAP, the Supplemental Nutrition Assistance Program, formerly known as the Food Stamp Program. SNAP benefits are provided on an electronic debit card {or EBT card} {called the {DISPLAY STATE NAME FOR EBT CARD}} card in STATE}. Have {you/you or anyone in your household} ever received SNAP or Food Stamp benefits?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	4830	4830	
2	No	5695	10525	FSQBOX5
7	Refused	31	10556	FSQBOX5
9	Don't know	31	10587	FSQBOX5
.	Missing	1346	11933	

FSD165N - HH FS benefit: # of people ever received

Variable Name: FSD165N

SAS Label: HH FS benefit: # of people ever received

English Text: How many people in your household ever received SNAP or Food Stamp benefits?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 6	Range of Values	4674	4674	
7	7 or more	150	4824	
77	Refused	1	4825	
99	Don't know	5	4830	
.	Missing	7103	11933	

FSQ012 - HH FS benefit: receive in last 12 months

Variable Name: FSQ012**SAS Label:** HH FS benefit: receive in last 12 months**English Text:** In the last 12 months, did {you/you or any member of your household} receive SNAP or Food Stamp benefits?**English Instructions:** Collected at household level.**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	3005	3005	
2	No	1817	4822	FSQBOX5
7	Refused	1	4823	FSQBOX5
9	Don't know	7	4830	FSQBOX5
.	Missing	7103	11933	

FSD012N - HH FS benefit: # of people received(12m)**Variable Name:** FSD012N**SAS Label:** HH FS benefit: # of people received(12m)**English Text:** In the last 12 months, how many people in your household received SNAP or Food Stamp benefits?**English Instructions:** Collected on household level.**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 6	Range of Values	2895	2895	
7	7 or more	110	3005	
77	Refused	0	3005	
99	Don't know	0	3005	
.	Missing	8928	11933	

FSD230 - HH FS benefit: currently receive

Variable Name: FSD230

SAS Label: HH FS benefit: currently receive

English Text: {Do you/Does any member of your household} currently receive SNAP or Food Stamp benefits?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2400	2400	
2	No	602	3002	FSD795
7	Refused	0	3002	FSD795
9	Don't know	3	3005	FSD795
.	Missing	8928	11933	

FSD230N - HH FS benefit: #people currently receive

Variable Name: FSD230N

SAS Label: HH FS benefit: #people currently receive

English Text: How many people in your household currently receive SNAP or Food Stamp benefits?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 6	Range of Values	2290	2290	
7	7 or more	110	2400	
77	Refused	0	2400	
99	Don't know	0	2400	
.	Missing	9533	11933	

FSD795 - HH FS benefit: # of months received**Variable Name:** FSD795**SAS Label:** HH FS benefit: # of months received**English Text:** During the past 12 months, for how many months did {you/{NAME(S)}} get Food Stamps?**English Instructions:** Calculated at household level.**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 12	Range of Values	2923	2923	
77	Refused	12	2935	
99	Don't know	70	3005	
.	Missing	8928	11933	

FSD225 - HH FS benefit: time since last received

Variable Name: FSD225

SAS Label: HH FS benefit: time since last received

English Text: Number of days between the time the household last received Food Stamp benefit and the date of interview.

English Instructions: Calculated at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 296	Range of Values	2444	2444	
55555	More than 300 days	21	2465	
77777	Refused	23	2488	
99999	Don't know	512	3000	
.	Missing	8933	11933	

FSD235 - HH FS benefit: amount received last time

Variable Name: FSD235

SAS Label: HH FS benefit: amount received last time

English Text: How much did {you/your household} receive in food stamp benefits the last time you got them? ENTER DOLLAR AMOUNT.

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
8 to 1000	Range of Values	2482	2482	
55555	More than \$1,000	195	2677	
77777	Refused	61	2738	
99999	Don't know	267	3005	
.	Missing	8928	11933	

FSQBOX5 - CHECK ITEM

Variable Name:	FSQBOX5
English Instructions:	BOX 5. CHECK ITEM: IF THERE IS AT LEAST 1 CHILD IN THE HOUSEHOLD WHO IS 0-5 YEARS OLD OR THERE IS A FEMALE IN THE HOUSEHOLD WHO IS BETWEEN 20 AND 59 YEARS OLD, CONTINUE. OTHERWISE, GO TO BOX 6.
Target:	Both males and females 0 YEARS - 150 YEARS

FSD162 - HH WIC benefit: receive in last 12 month

Variable Name: FSD162

SAS Label: HH WIC benefit: receive in last 12 month

English Text: Next are a few questions about the WIC program, that is, the Women, Infants and Children program. In the last 12 months, did {you/you or any member of your household} receive benefits from the WIC program?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1044	1044	
2	No	9530	10574	FSQBOX6
7	Refused	15	10589	FSQBOX6
9	Don't know	32	10621	FSQBOX6
.	Missing	1312	11933	

FSQ760 - HH WIC benefit: received in last 30 days

Variable Name: FSQ760

SAS Label: HH WIC benefit: received in last 30 days

English Text: Did {you/you or anyone who lives here} receive WIC benefits in the past 30 days? {Here is the list of children 5 years and younger and women ages 12 to 59 years who live here, let me read it to you.}

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	785	785	
2	No	259	1044	FSQBOX6
7	Refused	0	1044	FSQBOX6
9	Don't know	0	1044	FSQBOX6
.	Missing	10889	11933	

FSD760N - HH WIC benefit: no. people received

Variable Name: FSD760N

SAS Label: HH WIC benefit: no. people received

English Text: How many people in your household received WIC in the past 30 days?

English Instructions: Collected at household level.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 6	Range of Values	781	781	
77	Refused	3	784	
99	Don't know	1	785	
.	Missing	11148	11933	

FSQBOX6 - CHECK ITEM

Variable Name:	FSQBOX6
English Instructions:	BOX 6. CHECK ITEM: IF THE RESPONDENT AGE BETWEEN 0-5 YEARS, CONTINUE WITH FSQ653. OTHERWISE, GO TO END OF SECTION.
Target:	Both males and females 0 YEARS - 150 YEARS

FSQ653 - CH WIC benefit: ever received

Variable Name: FSQ653

SAS Label: CH WIC benefit: ever received

English Text: Next are a few questions about the WIC program. Has {SP} ever received benefits from WIC, that is, the Women, Infants, and Children program?

English Instructions: Collected at individual level in the household interview.

Target: Both males and females 0 YEARS - 5 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	645	645	
2	No	585	1230	FSQ690
7	Refused	0	1230	FSQ690
9	Don't know	7	1237	FSQ690
.	Missing	10696	11933	

FSD660ZC - CH WIC benefit: currently receive

Variable Name: FSD660ZC

SAS Label: CH WIC benefit: currently receive

English Text: Is {SP} now receiving benefits from the WIC program?

English Instructions: Collected at individual level in the household interview.

Target: Both males and females 0 YEARS - 5 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	318	318	
2	No	324	642	
7	Refused	0	642	
9	Don't know	3	645	
.	Missing	11288	11933	

FSD675 - CH WIC benefit: received in infancy

Variable Name: FSD675

SAS Label: CH WIC benefit: received in infancy

English Text: Did {SP} receive benefits from WIC when {he/she} was less than one year old?

English Instructions: Collected at individual level in the household interview.

Target: Both males and females 0 YEARS - 5 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	600	600	
2	No	39	639	
7	Refused	0	639	
9	Don't know	6	645	
.	Missing	11288	11933	

FSD680 - CH WIC benefit: received b/w 1-4 yrs old

Variable Name: FSD680

SAS Label: CH WIC benefit: received b/w 1-4 yrs old

English Text: Did {SP} receive benefits from WIC when {he/she} {was/is} between the ages of {1 to {SP AGE/4} years old/12 to {SP AGE} months old}?

English Instructions: Collected at individual level in the household interview.

Target: Both males and females 1 YEARS - 5 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	387	387	
2	No	120	507	
7	Refused	0	507	
9	Don't know	1	508	
.	Missing	11425	11933	

FSD670ZC - CH WIC benefit: # of months received**Variable Name:** FSD670ZC**SAS Label:** CH WIC benefit: # of months received**English Text:** How long {did SP receive/has SP been receiving} benefits from the WIC program?**English Instructions:** Collected at individual level in the household interview.**Target:** Both males and females 0 YEARS - 5 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 60	Range of Values	638	638	
777	Refused	0	638	
999	Don't know	7	645	
.	Missing	11288	11933	

FSQ690 - CH WIC benefit: Mom received while preg.**Variable Name:** FSQ690**SAS Label:** CH WIC benefit: Mom received while preg.**English Text:** Did {SP's} mother receive benefits from WIC, while she was pregnant with {SP}?**English Instructions:** Collected at individual level in the household interview.**Target:** Both males and females 0 YEARS - 5 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	505	505	
2	No	709	1214	End of Section
7	Refused	0	1214	End of Section
9	Don't know	23	1237	End of Section
.	Missing	10696	11933	

FSQ695 - CH WIC benefit: starting month of preg.**Variable Name:** FSQ695**SAS Label:** CH WIC benefit: starting month of preg.**English Text:** What month of the pregnancy did {SP's} mother begin to receive WIC benefits?**English Instructions:** Collected at individual level in the household interview.**Target:** Both males and females 0 YEARS - 5 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 9	Range of Values	480	480	
77	Refused	0	480	
99	Don't know	25	505	
.	Missing	11428	11933	

Appendix 1

Components of the Food Security (FSQ) section in August 2021-August 2023

Component	Data Collection Details	Variable Name	Target: Gender Age	Label
Household Food Security	Food Security (FSQ) Family Interview Household Level	FSD032A	MF (0-150)	HH Worried run out of food
		FSD032B	MF (0-150)	HH Food didn't last
		FSD032C	MF (0-150)	HH Couldn't afford balanced meals
		FSD041	MF (0-150)	HH Adults cut size or skip meals
		FSD052	MF (0-150)	HH How often adults cut size/skip meals
		FSD061	MF (0-150)	HH Eat less than should
		FSD071	MF (0-150)	HH Hungry, but didn't eat
		FSD081	MF (0-150)	HH Lost weight, no money for food
		FSD092	MF (0-150)	HH Adults not eat whole day
		FSD102	MF (0-150)	HH How often adults not eat for day
		FSDAD	MF (0-150)	Adult food security category
		FSD151	MF (0-150)	HH Emergency food received
Supplemental Nutrition Assistance Program (SNAP)/Food Stamp Program Benefits	Food Security (FSQ) Family Interview Household Level	FSQ165	MF (0-150)	HH FS benefit: ever received
		FSQ165N	MF (0-150)	HH FS benefit: no. people ever received
		FSQ012	MF (0-150)	HH FS benefit: receive in last 12 months
		FSD012N	MF (0-150)	HH FS benefit: No. people received (12 m)
		FSD230	MF (0-150)	HH FS benefit: currently receive
		FSD230N	MF (0-150)	HH FS benefit: no. people currently receive
		FSD795	MF (0-150)	HH FS benefit: no. months received
		FSD225	MF (0-150)	HH FS benefit: time since last received
		FSQ235	MF (0-150)	HH FS benefit: amount received

Component	Data Collection Details	Variable Name	Target: Gender Age	Label
				last time
		FSD855	MF (0-150)	HH FS benefit: anticipate will receive
		FSD860	MF (0-150)	HH FS benefit: time will receive
		FSQ865	MF (0-150)	HH FS benefit: amount will receive
Women, Infants and Children (WIC) Program Benefits	Food Security (FSQ) Family Interview Household level	FSQ162	MF (0-150)	HH WIC benefit: receive in last 12 month
		FSQ760	MF (0-150)	HH WIC benefit: receive in last 30 days
		FSQ760N	MF (0-150)	HH WIC benefit: # of people received
	Diet Behavior (DBQ) Household Interview Individual level	FSQ653	MF (0-5)	CH WIC benefit: Ever received
		FSD660ZC	MF (0-5)	CH WIC benefit: currently receive
		FSD675	MF (0-5)	CH WIC benefit: received in infancy
		FSD680	MF (1-5)	CH WIC benefit: received b/w 1-4 yrs old
		FSD670ZC	MF (0-5)	CH WIC benefit: # of months received
		FSQ690	MF (0-5)	CH WIC benefit: mom received while preg.
		FSQ695	MF (0-5)	CH WIC benefit: starting month of preg.

Appendix 2

Changes in the FSQ section among the last 3 release cycles

Item	2015-2016	2017-2018	2021-2023
U.S. Food Security Survey Module (US FSSM) questions	10 items collected for all households; 8 additional items collected for households with children under the age of 18 years.	No change from 2015-2016	10 items continuously collected for all households; 8 additional items previously collected for households with children under the age of 18 years were dropped.
Household food security category	Derived for all households by counting affirmative responses in the 18 US FSSM items	No change from 2015-2016	No longer available
Child food security category	Derived for all households with children under the age of 18 by counting affirmative responses in the 8 US FSSM items that are specific to household with children.	No change from 2015-2016	No longer available
Household members notified to receive Supplemental Nutrition Assistance Program (SNAP)/Food Stamp (FS) benefits in the next 30 days	Collected and released at household level. Response was confirmed by a follow-up question using a household roster for the respondent to identify household members who were notified to receive benefits in the next 30 days	No change from 2015-2016	No longer collected
Women received WIC benefits during latest pregnancy	Collected for women who were pregnant or 0-24 months postpartum at the time of interview	No change from 2015-2016	No longer collected
The month of the latest pregnancy when the women participant started to receive WIC benefits	Collected for women who were pregnant or 0-24 months postpartum at the time of interview	No change from 2015-2016	No longer collected
Women received WIC benefits post-partum, last pregnancy	Collected for women who were 0-24 months postpartum at the time of interview	No change from 2015-2016	No longer collected
Women currently receive WIC benefits	Collected for women who were pregnant or 0-24 months postpartum at the time of interview	No change from 2015-2016	No longer collected

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Hepatitis (HEQ_L)

Data File: HEQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Hepatitis questionnaire (variable name prefix HEQ) provides respondent-level interview data on previous diagnosis of Hepatitis B.

Eligible Sample

All survey participants aged 6 years and older were eligible.

Interview Setting and Mode of Administration

This questionnaire was asked, in the home or by telephone, by trained interviewers, using the Computer-Assisted Personal Interview (CAPI) system.

The NHANES August 2021-August 2023 questionnaire is available on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, and the reasonableness of question responses was reviewed. Edits were made to ensure the completeness, consistency, and analytic usefulness of the data.

Analytic Notes

Several questions were dropped in NHANES 2021-2023 and are not included in this data file, including HEQ020, HEQ030, and HEQ040.

The analysis of NHANES August 2021–August 2023 HEQ data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables. Although these data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 6 YEARS - 150 YEARS

HEQ010 - Ever told you have Hepatitis B?

Variable Name: HEQ010

SAS Label: Ever told you have Hepatitis B?

English Text: Has a doctor or other health professional ever told {you/SP} that {you have/s/he/SP has} Hepatitis B? (Hepatitis is a form of liver disease. Hepatitis B is an infection of the liver from the Hepatitis B virus (HBV).)

English Instructions: CAPI INSTRUCTION: IF SP AGE ≥ 16 , DISPLAY "YOU" AND "YOU HAVE". IF SP AGE = 12-15 OR ≥ 16 AND PROXY INTERVIEW, DISPLAY "SP" AND "S/HE HAS". IF SP AGE = 6-11, DISPLAY "YOU" AND "SP HAS". INTERVIEWER: DO NOT ACCEPT SELF-DIAGNOSED OR DIAGNOSED BY A PERSON WHO IS NOT A DOCTOR OR OTHER HEALTH PROFESSIONAL.

Target: Both males and females 6 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	109	109	
2	No	10548	10657	
7	Refused	1	10658	
9	Don't know	34	10692	
.	Missing	4	10696	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Health Insurance (HIQ_L)

Data File: HIQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Health Insurance questionnaire (variable name prefix HIQ) provides respondent-level interview data on insurance coverage.

Eligible Sample

All participants were eligible.

Interview Setting and Mode of Administration

These questions were asked, in the home or by telephone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. A proxy provided information for survey participants who were under 16 years of age and for individuals who could not answer the questions themselves. The respondent selected the language of interview (English or Spanish) or requested that an interpreter be used.

The questionnaire and information about the interview procedures are available on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

After collection, interview data were reviewed by the NHANES field office staff for accuracy and completeness of selected items. The interviewers were required to audio-record interviews and the recorded interviews were reviewed by NCHS staff and interviewer supervisors.

Data Processing and Editing

The data were reviewed for completeness, consistency, and illogical values. To reduce the risk of disclosure, the response "Indian Health Services" for kind of health care coverage was recoded to "Other Government Program".

Analytic Notes

Since the questionnaire was asked during the household interview, the interview sample weights should be used in the analysis. However, if the data is joined with data from the Mobile

Exam Center (MEC), the MEC sample weights should be used. Please refer to the [Analytic Guidelines](#) and the [NHANES Tutorials](#) for the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 150 YEARS

HIQ011 - Covered by health insurance

Variable Name: HIQ011

SAS Label: Covered by health insurance

English Text: {Are you/Is SP} covered by health insurance or some other kind of health care plan? [Include health insurance obtained through employment or purchased directly as well as government programs like Medicare and Medicaid that provide medical care or help pay medical bills.]

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	11007	11007	
2	No	864	11871	
7	Refused	10	11881	
9	Don't know	29	11910	
.	Missing	23	11933	

HIQ032A - Covered by private insurance

Variable Name: HIQ032A**SAS Label:** Covered by private insurance**English Text:** {Are you/Is SP} covered by private insurance?**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Covered by private insurance	5827	5827	
77	Refused	13	5840	
99	Don't know	107	5947	
.	Missing	5986	11933	

HIQ032B - Covered by Medicare

Variable Name: HIQ032B**SAS Label:** Covered by Medicare**English Text:** {Are you/Is SP} covered by Medicare?**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
2	Covered by Medicare	2776	2776	
.	Missing	9157	11933	

HIQ032C - Covered by Medi-Gap

Variable Name: HIQ032C**SAS Label:** Covered by Medi-Gap**English Text:** {Are you/Is SP} covered by Medi-Gap?**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
3	Covered by Medi-Gap	201	201	
.	Missing	11732	11933	

HIQ032D - Covered by Medicaid

Variable Name: HIQ032D**SAS Label:** Covered by Medicaid**English Text:** {Are you/Is SP} covered by Medicaid?**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
4	Covered by Medicaid	2565	2565	
.	Missing	9368	11933	

HIQ032E - Covered by CHIP

Variable Name: HIQ032E

SAS Label: Covered by CHIP

English Text: {Are you/Is SP} covered by CHIP (Children's Health Insurance Program)?

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
5	Covered by CHIP	94	94	
.	Missing	11839	11933	

HIQ032F - Covered by military health care

Variable Name: HIQ032F

SAS Label: Covered by military health care

English Text: {Are you/Is SP} covered by military health plan (Tricare/VA/Champ-VA)?

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
6	Covered by military health care	370	370	
.	Missing	11563	11933	

HIQ032H - Covered by state-sponsored health plan

Variable Name: HIQ032H**SAS Label:** Covered by state-sponsored health plan**English Text:** {Are you/Is SP} covered by state-sponsored health plan?**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
8	Covered by state-sponsored health plan	1120	1120	
.	Missing	10813	11933	

HIQ032I - Covered by other government insurance

Variable Name: HIQ032I**SAS Label:** Covered by other government insurance**English Text:** {Are you/Is SP} covered by other government insurance?**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
9	Covered by other government insurance	451	451	
.	Missing	11482	11933	

HIQ210 - Time when no insurance in past year?

Variable Name: HIQ210

SAS Label: Time when no insurance in past year?

English Text: In the past 12 months, was there any time when {you/SP} did not have any health insurance coverage?

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	455	455	
2	No	10529	10984	
7	Refused	2	10986	
9	Don't know	19	11005	
.	Missing	928	11933	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Current Health Status (HSQ_L)

Data File: HSQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Current Health Status section (variable name prefix HSQ) provides personal interview data on HIV testing.

Eligible Sample

Participants aged 16 years and older in the NHANES August 2021-August 2023 sample were eligible.

Interview Setting and Mode of Administration

The current health status questionnaire was done in the Mobile Examination Center (MEC), by trained interviewers, using the Computer-Assisted Personal Interview (CAPI) system. It was conducted by a MEC interviewer, during the MEC Interview. For details on the administration of the HSQ, refer to the [NHANES August 2021-August 2023 MEC questionnaires](#) available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

All of the data was reviewed for accuracy and completeness.

Data Processing and Editing

Frequency counts were verified during the preparation of the file.

Analytic Notes

Exam sample weights should be used for analyses. Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 16 YEARS - 150 YEARS

HSQ590 - Blood ever tested for HIV virus?

Variable Name: HSQ590

SAS Label: Blood ever tested for HIV virus?

English Text: Except for tests {you/SP} may have had as part of blood donations, {have you/has he/has she} ever had {your/his/her} blood tested for the AIDS virus infection?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1654	1654	
2	No	4087	5741	
7	Refused	1	5742	
9	Don't know	9	5751	
.	Missing	864	6615	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Hospital Utilization & Access to Care (HUQ_L)

Data File: HUQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Hospital Utilization and Access to Care questionnaire (variable name prefix HUQ) provides respondent-level interview data on self-reported health status and access to health care topics.

Eligible Sample

All participants were eligible.

Interview Setting and Mode of Administration

These questions were asked, in the home or by telephone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. A proxy provided information for survey participants who were under 16 years of age and for individuals who could not answer the questions themselves. The respondent selected the language of interview (English or Spanish) or requested that an interpreter be used.

The questionnaire and information about the interview procedures are available on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

After collection, interview data were reviewed by the NHANES field office staff for accuracy and completeness of selected items. The interviewers were required to audio-record interviews and the recorded interviews were reviewed by NCHS staff and interviewer supervisors.

Data Processing and Editing

The data were reviewed for completeness, consistency, and illogical values.

Analytic Notes

Since the questionnaire was asked during the household interview, the interview sample weights should be used in the analysis. However, if the data is joined with data from the Mobile Exam Center (MEC), the MEC sample weights should be used. Please refer to the [Analytic Guidelines](#) and the [NHANES Tutorials](#) for the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 150 YEARS

HUQ010 - General health condition

Variable Name: HUQ010

SAS Label: General health condition

English Text: {First/Next} I have some general questions about {your/SP's} health. Would you say {your/SP's} health in general is . . .

English Instructions: CAPI INSTRUCTION: DISPLAY "FIRST" IF SP AGE IS >= 16 YEARS.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Excellent,	3078	3078	
2	Very good,	3632	6710	
3	Good,	3508	10218	
4	Fair, or	1388	11606	
5	Poor?	320	11926	
7	Refused	4	11930	
9	Don't know	3	11933	
.	Missing	0	11933	

HUQ030 - Routine place to go for healthcare

Variable Name: HUQ030

SAS Label: Routine place to go for healthcare

English Text: Is there a place that {you/SP} usually {go/goes} when {you are/he/she is} sick or {you/s/he} need{s} advice about {your/his/her} health?

English Instructions: CAPI INSTRUCTION: IF SP AGE < 12, DISPLAY "YOU" IN THE FOURTH DISPLAY AND DON'T DISPLAY THE "S" IN THE FIFTH DISPLAY.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	10645	10645	
2	There is no place	1221	11866	HUQ055
3	There is more than one place	57	11923	
7	Refused	4	11927	HUQ055
9	Don't know	6	11933	HUQ055
.	Missing	0	11933	

HUQ042 - Type place most often go for healthcare

Variable Name: HUQ042

SAS Label: Type place most often go for healthcare

English Text: {What kind of place is it/ What kind of place {do you/does SP} go to most often} - a doctor's office or health center; an urgent care center or clinic in a drug store or grocery store; an emergency room; a VA Medical Center or VA outpatient clinic; or some other place? READ IF NECESSARY: A doctor's office or health center is a place where you see the same doctor or same group of doctors every visit, where you usually need to make an appointment ahead of time, and where your medical records are on file. READ IF NECESSARY: Urgent care centers, and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider.

English Instructions: CAPI INSTRUCTION: IF HUQ030 = 1 DISPLAY "What kind of place is it IF HUQ030 = 3 DISPLAY "What kind of place {do you/does SP} go to most often

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	A doctor's office or health center	8721	8721	
2	Urgent care center or clinic in a drug store or grocery store	1138	9859	
3	Emergency room	465	10324	
4	A VA medical center or VA outpatient clinic	252	10576	
5	Some other place	110	10686	
6	Doesn't go to one place most often	10	10696	
77	Refused	0	10696	
99	Don't know	6	10702	
.	Missing	1231	11933	

HUQ055 - Past 12 months had video conf w/Dr?

Variable Name: HUQ055**SAS Label:** Past 12 months had video conf w/Dr?**English Text:** In past 12 months, {have you/has SP} had an appointment with a doctor, nurse, or other health professional by video conference or by phone?**Target:** Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	3567	3567	
2	No	8342	11909	
7	Refused	2	11911	
9	Don't know	22	11933	
.	Missing	0	11933	

HUQ085 - CHECK ITEM

Variable Name: HUQ085

English Instructions: CHECK ITEM HUQ085: IF SP AGE $\geq$ 4, CONTINUE. OTHERWISE, GO TO END OF SECTION.

Target: Both males and females 0 YEARS - 150 YEARS

HUQ090 - Seen mental health professional/past yr

Variable Name: HUQ090

SAS Label: Seen mental health professional/past yr

English Text: During the past 12 months, did {you/SP} receive counseling or therapy from a mental health professional such as a psychiatrist, psychologist, psychiatric nurse, or clinical social worker?

Target: Both males and females 4 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1644	1644	
2	No	9498	11142	
7	Refused	13	11155	
9	Don't know	14	11169	
.	Missing	764	11933	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Immunization (IMQ_L)

Data File: IMQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The immunization (variable name prefix IMQ) section provides respondent-level data on immunizations, including the hepatitis A vaccine and the human papillomavirus (HPV) vaccine. The age of first HPV vaccination and number of HPV doses received is also obtained.

Eligible Sample

Participants aged 2 years and older were asked about the hepatitis A vaccination and participants 9 to 49 years of age were asked about the HPV vaccination.

Interview Setting and Mode of Administration

This questionnaire was asked, in the home or by telephone, by trained interviewers, using the Computer-Assisted Personal Interview (CAPI) system. A proxy provided information for survey participants who were under 16 years of age and for individuals who could not answer the questions themselves. The respondent selected the language of interview (English or Spanish) or requested that an interpreter be used.

The NHANES [August 2021-August 2023](#) questionnaire is available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, and the reasonableness of question responses was reviewed. Edits were made to ensure the completeness, consistency, and analytic usefulness of the data.

Analytic Notes

Several questions were dropped in NHANES 2021-2023 and are not included in this data file, including IMQ020, IMQ081A, IMQ081B, IMQ081C, and IMQ081D.

The analysis of NHANES August 2021–August 2023 IMQ data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables.

Although these data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 2 YEARS - 150 YEARS

IMQ011 - Received Hepatitis A vaccine

Variable Name: IMQ011

SAS Label: Received Hepatitis A vaccine

English Text: Hepatitis (Hep-a-ti-tis) A vaccine is given as a two dose series to some children older than 2 years and also to some adults, especially people who travel outside the United States. It has only been available since 1995. {Have you/Has SP} ever received hepatitis A vaccine?

English Instructions: INTERVIEWER INSTRUCTION: A COMBINATION HEPATITIS A AND HEPATITIS B VACCINE SHOULD BE COUNTED AS THE A VACCINE FOR THE PURPOSE OF THIS QUESTION. CODE 'YES AT LEAST 2 DOSES' IF RESPONDENT ANSWERS 3 OR 4 DOSES WERE RECEIVED. CODE 'LESS THAN 2 DOSES' ONLY IF MENTIONED BY RESPONDENT.

Target: Both males and females 2 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes, at least 2 doses	3465	3465	
2	Less than 2 doses	547	4012	
3	No doses	5460	9472	
7	Refused	21	9493	
9	Don't know	2072	11565	
.	Missing	0	11565	

IMQ050 - CHECK ITEM

Variable Name: IMQ050

English Instructions: CHECK ITEM. IF SP = FEMALE AND AGE IS ≥ 9 AND ≤ 49 , CONTINUE. IF SP = MALE AND AGE IS ≥ 9 AND ≤ 49 , GO TO IMQ070. OTHERWISE, GO TO END OF SECTION.

Target: Both males and females 2 YEARS - 150 YEARS

IMQ060 - Received HPV vaccine (Females)

Variable Name: IMQ060

SAS Label: Received HPV vaccine (Females)

English Text: Human Papillomavirus (HPV) vaccine is given to prevent HPV infection, {cervical cancer,} and other conditions caused by HPV {in girls and women}. It is given in 2 or 3 separate doses. {Have you/Has SP} ever received one or more doses of the HPV vaccine? (The brand names for the HPV vaccines are Cervarix, Gardasil or Gardasil 9.)

Target: Females only 9 YEARS - 49 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1095	1095	IMQ090
2	No	1512	2607	End of Section
7	Refused	2	2609	End of Section
9	Don't know	244	2853	End of Section
.	Missing	8712	11565	

IMQ070 - Received HPV vaccine (Males)

Variable Name: IMQ070

SAS Label: Received HPV vaccine (Males)

English Text: Human Papillomavirus (HPV) vaccine is given to prevent HPV infection and conditions caused by HPV in boys and men. It is given in 2 or 3 separate doses. {Have you/Has SP} ever received one or more doses of the HPV vaccine? (The brand names for the vaccines are Gardasil or Gardasil 9.)

Target: Males only 9 YEARS - 49 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	637	637	
2	No	1500	2137	End of Section
7	Refused	5	2142	End of Section
9	Don't know	351	2493	End of Section
.	Missing	9072	11565	

IMQ090 - Age first dose HPV

Variable Name: IMQ090

SAS Label: Age first dose HPV

English Text: How old {were you/was SP} when {you/SP} received {your/his/her/SP's} first dose of HPV vaccine?

Target: Both males and females 9 YEARS - 49 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 46	Range of Values	1331	1331	
777	Refused	2	1333	
999	Don't know	399	1732	
.	Missing	9833	11565	

IMQ100 - Received HPV, # of doses

Variable Name: IMQ100**SAS Label:** Received HPV, # of doses**English Text:** How many doses of the vaccine {have you/has SP} received?**Target:** Both males and females 9 YEARS - 49 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	1 Dose	387	387	
2	2 Doses	720	1107	
3	3 Doses	418	1525	
7	Refused	1	1526	
9	Don't know	206	1732	
.	Missing	9833	11565	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Income (INQ_L)

Data File: INQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The income questionnaire (variable name prefix INQ) section provides family level information on monthly income and family cash assets. Information on family's annual income was also collected in this section and was released as part of the Demographics file (DEMO_L).

Eligible Sample

All participants were eligible.

Interview Setting and Mode of Administration

These questions were asked as part of the NHANES Family Questionnaire, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone. Hand cards showing response categories were used for some questions. One respondent in each family answered these questions.

The NHANES [August 2021-August 2023 income questionnaires](https://www.cdc.gov/Nchs/Data/Nhanes/Public/2021/DataFiles/INQ_L.htm) are available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors and online help screens to assist interviewers in defining key terms. All of the data was reviewed by the NHANES field office staff for accuracy and completeness.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the plausibility of question responses was reviewed. Edits were made to some variables to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made to address data disclosure concerns.

INDFMMPI (Family monthly poverty level index)

The respondent was asked to report total family income, received last month in dollars, for themselves and the other members of their family. This variable is an index for the ratio of reported monthly income to poverty. The Department of Health and Human Services' (HHS) poverty guidelines were used as the poverty measure to calculate this index. These guidelines are issued annually in the Federal Register, and are used to determine financial eligibility for certain federal programs, such as Head Start, Supplemental Nutrition Assistance Program (SNAP) (formerly Food Stamp Program), Special Supplemental Nutrition Program for Women, Infants, and Children (WIC), and the National School Lunch Program. The variable INDFMMPI

was calculated by dividing family income by the poverty guidelines, specific to family size, as well as the appropriate year and state. Values at or above 5.00 were coded as 5.00 or more because of disclosure concerns. The values were not computed if the family income data was missing.

INDFMMP (Family monthly poverty level index category)

For respondents who reported their family monthly income in dollar amounts, we calculated their family monthly poverty level index (INDFMMP) as described above. The index was then grouped into three categories (i.e., $\text{INDFMMP} \leq 1.30$, $1.30 < \text{INDFMMP} \leq 1.85$, $\text{INDFMMP} > 1.85$) and reported in this variable. These categories were chosen because they represented commonly used percentages of the poverty guidelines (i.e., 130 percent and 185 percent of the guidelines), by federal programs, in determining eligibility.

When the respondent refused to answer the family monthly income question or did not know the total combined family income, a monthly income screener question was asked (question INQ238) to query whether the monthly family income was below 185% of the HHS poverty guidelines. If the response was positive, a follow-up question (INQ241) was asked to see whether the family's monthly income was more or less than 130% of the HHS poverty guidelines. For these respondents, answers to INQ238 and INQ241 were used to derive variable INDFMMP.

Analytic Notes

The income questions were asked as part of household interview, therefore, the interview sample weights may be used in the analysis for data in this section. However, if the data is joined with other data from the Mobile Examination Center (MEC), the MEC exam weights should be used for analyses.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues. Both of these are available on the NHANES website.

Disclosure risks and issues pertaining to confidentiality protection prevent NCHS from releasing all of the NHANES demographic or income variables publicly. Additional information and instructions for requesting use of these data are available through the [NCHS RDC](#).

References

- U.S. Department of Health & Human Services. Poverty Guidelines, Research, and Measurement. Washington, DC: U.S. Department of Health & Human Services.
<https://aspe.hhs.gov/topics/poverty-economic-mobility/poverty-guidelines/prior-hhs-poverty-guidelines-federal-register-references>

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 150 YEARS

INDFMMPI - Family monthly poverty level index

Variable Name: INDFMMPI

SAS Label: Family monthly poverty level index

English Text: Family monthly poverty level index, a ratio of monthly family income to the HHS poverty guidelines specific to family size.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 4.94	Range of Values	7419	7419	
5	Value greater than or equal to 5.00	1570	8989	
.	Missing	2944	11933	

INDFMMPC - Family monthly poverty level category

Variable Name: INDFMMPC
SAS Label: Family monthly poverty level category
English Text: Family monthly poverty level index categories.
Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Monthly poverty level index <= 1.30	2996	2996	
2	1.30 < Monthly poverty level index <= 1.85	1539	4535	
3	Monthly poverty level index >1.85	5660	10195	
7	Refused	79	10274	
9	Don't know	190	10464	
.	Missing	1469	11933	

INQ300 - Family has savings more than \$20,000

Variable Name: INQ300

SAS Label: Family has savings more than \$20,000

English Text: Do {you/NAMES OF OTHER FAMILY/you and NAMES OF FAMILY MEMBERS} have more than \$5,000 in savings at this time? Please include money in your checking accounts.

English Instructions: INTERVIEWER INSTRUCTION: INCLUDE CASH, SAVINGS OR CHECKING ACCOUNTS, STOCKS, BONDS, MUTUAL FUNDS, RETIREMENT FUNDS (SUCH AS PENSIONS, IRAS, 401KS, ETC), AND CERTIFICATES OF DEPOSIT. CAPI INSTRUCTION: DISPLAY "you" for single-person family; DISPLAY "the members of your family" for multi-persons family.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	4424	4424	End of Section
2	No	5650	10074	
7	Refused	234	10308	End of Section
9	Don't know	160	10468	End of Section
.	Missing	1465	11933	

IND310 - Total savings/cash assets for the family

Variable Name: IND310

SAS Label: Total savings/cash assets for the family

English Text: Total savings or cash assets at this time for {you/NAMES OF OTHER FAMILY/your family}.

English Instructions: HAND CARD INQ3. ENTER LETTER.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Less than \$3000	3950	3950	
2	\$3001- \$5000	579	4529	
3	\$5001-\$10000	485	5014	
4	\$10001-\$15000	338	5352	
5	\$15001-\$20000	167	5519	
77	Refused	61	5580	
99	Don't know	70	5650	
.	Missing	6283	11933	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Kidney Conditions - Urology (KIQ_U_L)

Data File: KIQ_U_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Kidney Conditions – Urology File (variable name prefix KIQ_U_L) provides personal and self-interview data on kidney disease, dialysis, urinary incontinence, and nocturia.

Eligible Sample

All participants aged 20 years and older in the August 2021-August 2023 sample were eligible.

Interview Setting and Mode of Administration

Kidney disease and dialysis questions (i.e., KIQ022 and KIQ025) were asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone. Questions on urinary incontinence (i.e., KIQ005, KIQ010, KIQ042, KIQ044, KIQ052) and nocturia (i.e., KIQ481) were self-administered at the Mobile Examination Center (MEC) using the Audio Computer-Assisted Self-Interview (ACASI) system as part of the MEC interview.

For details on the administration of the KIQ_U_L section, please refer to the August 2021-August 2023 [kidney conditions](#) (household interview) and [kidney](#) (MEC ACASI) questionnaires on the NHANES website.

Quality Assurance & Quality Control

The CAPI and ACASI systems are programmed with built-in consistency checks to reduce data entry errors. Both systems also use online help screens to assist interviewers and participants in defining key terms used in the questionnaires.

Data Processing and Editing

The data were edited for completeness, consistency, and illogical values. Because the data are based on self-reports, not all inconsistencies could be resolved. It is recommended that analysts review the data carefully prior to analysis.

Analytic Notes

Incontinence Severity Index

Questions KIQ.005 "How often do you have urinary leakage?" and KIQ.010 "How much urine do you lose each time?" comprise the Incontinence Severity Index (Sandvik, 2000). This index, based on information about frequency in four levels and amount of leakage in three levels, can

be multiplied to obtain an index value (1-12). The four-level severity index is based on the following index values: 1-2, slight; 3-6, moderate; 8-9, severe; 10-12, very severe.

Appropriate sample weights

Interview weight: KIQ022, KIQ025

Examination weight: KIQ005, KIQ010, KIQ042, KIQ044, KIQ052, KIQ481

The interview weight should be used when an analysis uses data only from the household interview (i.e., SP Questionnaire). If an analysis uses data from the MEC (i.e., MEC interview) exclusively, or in conjunction with the household interview data, the examination weight should be used.

The NHANES kidney conditions-urology questions for participants aged 20 and older did not change between the 2017-March 2020 and August 2021-August 2023 data collection cycles except for a wording modification to KIQ480 (note: now appears as KIQ481 in the August 2021-August 2023 cycle). KIQ026, KIQ029, KIQ0430, KIQ450, KIQ046, KIQ470, and KIQ050 were removed in the August 2021-August 2023 cycle.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

References

- Sandvik H, Seim A, Vanvik A, Hunskaar S. A severity index for epidemiological surveys of female urinary incontinence: comparison with 48-hour pad-weighing tests. *Neurourol Urodyn* 2000; 19: 137-145.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 20 YEARS - 150 YEARS

KIQ022 - Ever told you had weak/failing kidneys?

Variable Name: KIQ022

SAS Label: Ever told you had weak/failing kidneys?

English Text: {Have you/Has SP} ever been told by a doctor or other health professional that {you/s/he/SP} had weak or failing kidneys? Do not include kidney stones, bladder infections, or incontinence.

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	321	321	
2	No	7473	7794	KIQ005
7	Refused	0	7794	KIQ005
9	Don't know	13	7807	KIQ005
.	Missing	2	7809	

KIQ025 - Received dialysis in past 12 months?

Variable Name: KIQ025

SAS Label: Received dialysis in past 12 months?

English Text: In the past 12 months, {have you/has SP} received dialysis (either hemodialysis or peritoneal dialysis)?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	23	23	
2	No	298	321	
7	Refused	0	321	
9	Don't know	0	321	
.	Missing	7488	7809	

KIQ005 - How often have urinary leakage?

Variable Name: KIQ005

SAS Label: How often have urinary leakage?

English Text: The next few questions ask about urine leakage. Many people have leakage of urine. How often do you have urinary leakage?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Never	2877	2877	KIQ042
2	Less than once a month	813	3690	
3	A few times a month	551	4241	
4	A few times a week	552	4793	
5	Every day and/or night	410	5203	
7	Refused	3	5206	KIQ042
9	Don't know	2	5208	KIQ042
.	Missing	2601	7809	

KIQ010 - How much urine lose each time?

Variable Name: KIQ010

SAS Label: How much urine lose each time?

English Text: How much urine do you lose each time?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Drops	1586	1586	
2	Small splashes	589	2175	
3	More	146	2321	
7	Refused	0	2321	
9	Don't know	3	2324	
.	Missing	5485	7809	

KIQ042 - Leak urine during physical activities?

Variable Name: KIQ042

SAS Label: Leak urine during physical activities?

English Text: During the past 12 months, have you leaked or lost control of even a small amount of urine with an activity like coughing, lifting or exercise?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1737	1737	
2	No	3461	5198	
7	Refused	0	5198	
9	Don't know	3	5201	
.	Missing	2608	7809	

KIQ044 - Urinated before reaching the toilet?

Variable Name: KIQ044

SAS Label: Urinated before reaching the toilet?

English Text: During the past 12 months, have you leaked or lost control of even a small amount of urine with an urge or pressure to urinate and you couldn't get to the toilet fast enough?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1863	1863	
2	No	3326	5189	
7	Refused	1	5190	
9	Don't know	3	5193	
.	Missing	2616	7809	

KIQ048A - CHECK ITEM

Variable Name: KIQ048A

English Instructions: BOX 1. CHECK ITEM: IF 'YES' (CODE '1') IN KIQ042 OR KIQ044, CONTINUE WITH KIQ052. OTHERWISE, GO TO KIQ481.

Target: Both males and females 20 YEARS - 150 YEARS

KIQ052 - How much were daily activities affected?**Variable Name:** KIQ052**SAS Label:** How much were daily activities affected?**English Text:** During the past 12 months, how much did your leakage of urine affect your day-to-day activities?**Target:** Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Not at all	1406	1406	
2	Only a little	753	2159	
3	Somewhat	252	2411	
4	Very much	93	2504	
5	Greatly	35	2539	
7	Refused	2	2541	
9	Don't know	2	2543	
.	Missing	5266	7809	

KIQ481 - How many times wake up and urinate?

Variable Name: KIQ481

SAS Label: How many times wake up and urinate?

English Text: In the past 30 days, during a typical night, how many times did you wake up and urinate?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	0	1071	1071	
1	1	1985	3056	
2	2	1152	4208	
3	3	559	4767	
4	4	161	4928	
5	5 or more	253	5181	
7	Refused	1	5182	
9	Don't know	5	5187	
.	Missing	2622	7809	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Medical Conditions (MCQ_L)

Data File: MCQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The medical conditions (variable name prefix MCQ) section provides self- and proxy-reported personal interview data on a broad range of health conditions and medical history for both children and adults.

Eligible Sample

The target sample for questions in this section varies by age and gender. Please review the questionnaire and codebook carefully.

Interview Setting and Mode of Administration

This questionnaire was asked, in the home or by telephone, by trained interviewers, using the Computer-Assisted Personal Interview (CAPI) system.

The NHANES August 2021-August 2023 questionnaire is available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the reasonableness of question responses was reviewed. Edits were made to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made, when necessary, to address data disclosure concerns.

Analytic Notes

Several questions were dropped in NHANES 2021-2023 and are not included in this data file, including MCQ025, MCQ080, MCQ092, MCQ151, MCQ180B, MCQ520, MCQ530, MCQ540, MCQ570, MCQ206, MCQ300A, MCQ300B, MCQ300C, MCQ366A, MCQ366B, MCQ366C, MCQ366D, MCQ371A, MCQ371B, MCQ371C, MCQ371D, MCQ088, MCD093, RHD018, MCD180C, MCD180D, MCD180E, MCD180F, MCD180M, and MCD180L.

The analysis of NHANES August 2021–August 2023 MCQ data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables.

Although these data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please refer to the NHANES [Analytic Guidelines](#) and the online [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 1 YEARS - 150 YEARS

MCQ010 - Ever been told you have asthma

Variable Name: MCQ010

SAS Label: Ever been told you have asthma

English Text: The following questions are about different medical conditions. Has a doctor or other health professional ever told {you/SP} that {you have/s/he/SP has} asthma (az-ma)?

English Instructions: CAPI INSTRUCTION: IF SP AGE >= 16, DISPLAY "YOU" AND "YOU HAVE". IF SP AGE = 12-15, DISPLAY "SP" AND "S/HE HAS". IF SP AGE < 12, DISPLAY "YOU" AND "SP HAS".

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1946	1946	
2	No	9782	11728	AGQ030
7	Refused	0	11728	AGQ030
9	Don't know	15	11743	AGQ030
.	Missing	1	11744	

MCQ035 - Still have asthma

Variable Name: MCQ035**SAS Label:** Still have asthma**English Text:** {Do you/Does SP} still have asthma (az-ma)?**Target:** Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1219	1219	
2	No	690	1909	AGQ030
7	Refused	0	1909	AGQ030
9	Don't know	37	1946	AGQ030
.	Missing	9798	11744	

MCQ040 - Had asthma attack in past year

Variable Name: MCQ040

SAS Label: Had asthma attack in past year

English Text: During the past 12 months, {have you/has SP} had an episode of asthma (az-ma) or an asthma attack?

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	591	591	
2	No	624	1215	
7	Refused	0	1215	
9	Don't know	4	1219	
.	Missing	10525	11744	

MCQ050 - Emergency care visit for asthma/past yr

Variable Name: MCQ050

SAS Label: Emergency care visit for asthma/past yr

English Text: [During the past 12 months], {have you/has SP} had to visit an emergency room or urgent care center because of asthma (az-ma)?

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	161	161	
2	No	1056	1217	
7	Refused	0	1217	
9	Don't know	2	1219	
.	Missing	10525	11744	

AGQ030 - Did SP have episode of hay fever/past yr**Variable Name:** AGQ030**SAS Label:** Did SP have episode of hay fever/past yr**English Text:** During the past 12 months, {have you/has SP} had an episode of hay fever?**Target:** Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2067	2067	
2	No	9665	11732	
7	Refused	0	11732	
9	Don't know	11	11743	
.	Missing	1	11744	

MCQ053 - Taking treatment for anemia/past 3 mos**Variable Name:** MCQ053**SAS Label:** Taking treatment for anemia/past 3 mos**English Text:** During the past 3 months, {have you/has SP} been on treatment for anemia (a-nee-me-a), sometimes called "tired blood" or "low blood"? [Include diet, iron pills, iron shots, transfusions as treatment.]**Target:** Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	433	433	
2	No	11300	11733	
7	Refused	1	11734	
9	Don't know	7	11741	
.	Missing	3	11744	

MCQ145 - CHECK ITEM

Variable Name: MCQ145

English Instructions: BOX 7 CHECK ITEM MCQ.145: IF SP'S AGE $\geq$ 20, GO TO MCQ.160. IF SP's AGE = 12-19, GO TO MCQ.500. IF SP AGE 8-11 AND SP IS FEMALE, CONTINUE. OTHERWISE, GO TO END OF SECTION.

Target: Both males and females 2 YEARS - 150 YEARS

MCQ149 - Menstrual periods started yet?

Variable Name: MCQ149

SAS Label: Menstrual periods started yet?

English Text: Have {SP's} periods or menstrual (men-stral) cycles started yet?

Target: Females only 8 YEARS - 11 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	64	64	
2	No	368	432	MCQ220
7	Refused	0	432	MCQ220
9	Don't know	2	434	MCQ220
.	Missing	11310	11744	

MCQ157 - CHECK ITEM

Variable Name: MCQ157

English Instructions: English Instructions: BOX 8B CHECK ITEM MCQ157: IF SP's AGE = 6-11, GO TO END OF SECTION

Target: Both males and females 6 YEARS - 11 YEARS

MCQ160a - Doctor ever said you had arthritis

Variable Name: MCQ160a

SAS Label: Doctor ever said you had arthritis

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . .had arthritis (ar-thry-tis)?

English Instructions: CAPI INSTRUCTION: TEXT OF QUESTION SHOULD BE OPTIONAL AFTER FIRST ITEM IS READ.

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2532	2532	
2	No	5258	7790	MCQ160B
7	Refused	0	7790	MCQ160B
9	Don't know	17	7807	MCQ160B
.	Missing	3937	11744	

MCQ195 - Which type of arthritis was it?

Variable Name: MCQ195**SAS Label:** Which type of arthritis was it?**English Text:** Which type of arthritis was it?**Target:** Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Osteoarthritis or degenerative arthritis	1297	1297	
2	Rheumatoid arthritis	419	1716	
3	Psoriatic arthritis	61	1777	
4	Other	254	2031	
7	Refused	5	2036	
9	Don't know	496	2532	
.	Missing	9212	11744	

MCQ160b - Ever told had congestive heart failure

Variable Name: MCQ160b

SAS Label: Ever told had congestive heart failure

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . .had congestive heart failure?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	343	343	
2	No	7448	7791	
7	Refused	0	7791	
9	Don't know	17	7808	
.	Missing	3936	11744	

MCQ160c - Ever told you had coronary heart disease

Variable Name: MCQ160c

SAS Label: Ever told you had coronary heart disease

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . .had coronary (kor-o-nare-ee) heart disease?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	402	402	
2	No	7371	7773	
7	Refused	0	7773	
9	Don't know	34	7807	
.	Missing	3937	11744	

MCQ160d - Ever told you had angina/angina pectoris

Variable Name: MCQ160d

SAS Label: Ever told you had angina/angina pectoris

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . . had angina (an-gi-na), also called angina pectoris?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	181	181	
2	No	7602	7783	
7	Refused	0	7783	
9	Don't know	25	7808	
.	Missing	3936	11744	

MCQ160e - Ever told you had heart attack

Variable Name: MCQ160e

SAS Label: Ever told you had heart attack

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . . had a heart attack (also called myocardial infarction (my-o-car-dee-al in-fark-shun))?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	332	332	
2	No	7462	7794	
7	Refused	0	7794	
9	Don't know	13	7807	
.	Missing	3937	11744	

MCQ160f - Ever told you had a stroke

Variable Name: MCQ160f**SAS Label:** Ever told you had a stroke**English Text:** Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . .had a stroke?**Target:** Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	367	367	
2	No	7418	7785	
7	Refused	0	7785	
9	Don't know	21	7806	
.	Missing	3938	11744	

MCQ160m - Ever told you had thyroid problem

Variable Name: MCQ160m

SAS Label: Ever told you had thyroid problem

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . . had another thyroid (thigh-roid) problem?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1053	1053	
2	No	6734	7787	MCQ160P
7	Refused	1	7788	MCQ160P
9	Don't know	18	7806	MCQ160P
.	Missing	3938	11744	

MCQ170m - Do you still have thyroid problem

Variable Name: MCQ170m

SAS Label: Do you still have thyroid problem

English Text: {Do you/Does SP} still . . . have another thyroid problem?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	830	830	
2	No	200	1030	
7	Refused	0	1030	
9	Don't know	23	1053	
.	Missing	10691	11744	

MCQ160p - Ever told you had COPD, emphysema, ChB

Variable Name: MCQ160p

SAS Label: Ever told you had COPD, emphysema, ChB

English Text: {Have you/Has SP} ever been told by a doctor or other health professional that {you/he/she} . . . had chronic obstructive pulmonary disease or COPD, emphysema, or chronic bronchitis?

English Instructions: CAPI INSTRUCTION: TEXT OF QUESTION SHOULD BE OPTIONAL AFTER FIRST ITEM IS READ.

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	567	567	
2	No	7226	7793	
7	Refused	0	7793	
9	Don't know	14	7807	
.	Missing	3937	11744	

MCQ160l - Ever told you had any liver condition

Variable Name: MCQ160l

SAS Label: Ever told you had any liver condition

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . . had any kind of liver condition?

English Instructions: CAPI INSTRUCTION: TEXT OF QUESTION SHOULD BE OPTIONAL AFTER FIRST ITEM IS READ. INTERVIEWER: INCLUDE VIRAL HEPATITIS (INCLUDING HEPATITIS A, HEPATITIS B; AND HEPATITIS C); AUTOIMMUNE LIVER DISEASE (INCLUDING PRIMARY BILIARY CIRRHOSIS; AUTOIMMUNE HEPATITIS, SCLEROSING CHOLANGITIS); GENETIC LIVER DISEASES (INCLUDING ALPHA-1-ANTITRYPSIN DEFICIENCY, HEMOCHROMOTOSIS, AND WILSON'S DISEASE); DRUG- OR MEDICATION-INDUCED LIVER DISEASE; ALCOHOLIC LIVER DISEASE; NON-ALCOHOLIC FATTY LIVER DISEASE; FATTY LIVER DISEASE; LIVER CANCER; LIVER CYST; LIVER ABSCESS; LIVER FIBROSIS; AND LIVER CIRRHOSIS. INTERVIEWER DO NOT INCLUDE GALLBLADDER DISEASE; GALLSTONES; OR CHOLECYSTITIS.

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	425	425	
2	No	7369	7794	
7	Refused	2	7796	
9	Don't know	11	7807	
.	Missing	3937	11744	

MCQ170l - Do you still have a liver condition

Variable Name: MCQ170l**SAS Label:** Do you still have a liver condition**English Text:** {Do you/Does SP} still . . . have any kind of liver condition?**Target:** Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	243	243	
2	No	127	370	
7	Refused	1	371	
9	Don't know	54	425	
.	Missing	11319	11744	

MCQ500 - Ever told you had any liver condition

Variable Name: MCQ500

SAS Label: Ever told you had any liver condition

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} ever had any kind of liver condition?

English Instructions: INTERVIEWER: INCLUDE VIRAL HEPATITIS (INCLUDING HEPATITIS A, HEPATITIS B; AND HEPATITIS C); AUTOIMMUNE LIVER DISEASE (INCLUDING PRIMARY BILIARY CIRRHOSIS; AUTOIMMUNE HEPATITIS, SCLEROSING CHOLANGITIS); GENETIC LIVER DISEASES (INCLUDING ALPHA-1-ANTITRYPSIN DEFICIENCY, HEMOCHROMOTOSIS, AND WILSON'S DISEASE); DRUG- OR MEDICATION-INDUCED LIVER DISEASE; ALCOHOLIC LIVER DISEASE; NON-ALCOHOLIC FATTY LIVER DISEASE; FATTY LIVER DISEASE; LIVER CANCER; LIVER CYST; LIVER ABSCESS; LIVER FIBROSIS; AND LIVER CIRRHOSIS. INTERVIEWER DO NOT INCLUDE GALLBLADDER DISEASE; GALLSTONES; OR CHOLECYSTITIS.

Target: Both males and females 12 YEARS - 19 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	15	15	
2	No	1562	1577	MCQ515
7	Refused	0	1577	MCQ515
9	Don't know	1	1578	MCQ515
.	Missing	10166	11744	

MCQ510a - Liver condition: Fatty liver

Variable Name: MCQ510a

SAS Label: Liver condition: Fatty liver

English Text: Which type of liver condition was it . . .

English Instructions: INTERVIEWER: READ OPTIONS. CODE ALL THAT APPLY.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Fatty liver	227	227	
77	Refused	2	229	MCQ515
99	Don't know	31	260	MCQ515
.	Missing	11484	11744	

MCQ510b - Liver condition: Liver fibrosis

Variable Name: MCQ510b**SAS Label:** Liver condition: Liver fibrosis**English Text:** Which type of liver condition was it . . .**English Instructions:** INTERVIEWER: READ OPTIONS. CODE ALL THAT APPLY.**Target:** Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
2	Liver fibrosis	4	4	
.	Missing	11740	11744	

MCQ510c - Liver condition: Liver cirrhosis

Variable Name: MCQ510c**SAS Label:** Liver condition: Liver cirrhosis**English Text:** Which type of liver condition was it . . .**English Instructions:** INTERVIEWER: READ OPTIONS. CODE ALL THAT APPLY.**Target:** Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
3	Liver cirrhosis	47	47	
.	Missing	11697	11744	

MCQ510d - Liver condition: Viral hepatitis

Variable Name: MCQ510d

SAS Label: Liver condition: Viral hepatitis

English Text: Which type of liver condition was it . . .

English Instructions: INTERVIEWER: READ OPTIONS. CODE ALL THAT APPLY.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
4	Viral hepatitis	62	62	
.	Missing	11682	11744	

MCQ510e - Liver condition: Autoimmune hepatitis

Variable Name: MCQ510e

SAS Label: Liver condition: Autoimmune hepatitis

English Text: Which type of liver condition was it . . .

English Instructions: INTERVIEWER: READ OPTIONS. CODE ALL THAT APPLY.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
5	Autoimmune hepatitis	16	16	
.	Missing	11728	11744	

MCQ510f - Liver condition: Other liver disease

Variable Name: MCQ510f

SAS Label: Liver condition: Other liver disease

English Text: Which type of liver condition was it . . .

English Instructions: INTERVIEWER: READ OPTIONS. CODE ALL THAT APPLY.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
6	Other liver disease	79	79	
.	Missing	11665	11744	

MCQ515 - CHECK ITEM

Variable Name: MCQ515

English Instructions: BOX 8C CHECK ITEM MCQ.515: IF SP'S AGE 12-19, GO TO END OF SECTION. OTHERWISE, CONTINUE.

Target: Both males and females 1 YEARS - 150 YEARS

MCQ550 - Has DR ever said you have gallstones

Variable Name: MCQ550

SAS Label: Has DR ever said you have gallstones

English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} had gallstones?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	864	864	
2	No	6924	7788	
7	Refused	1	7789	
9	Don't know	18	7807	
.	Missing	3937	11744	

MCQ560 - Ever had gallbladder surgery?

Variable Name: MCQ560

SAS Label: Ever had gallbladder surgery?

English Text: Have {you/s/he} ever had gallbladder surgery?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	926	926	
2	No	6874	7800	
7	Refused	0	7800	
9	Don't know	7	7807	
.	Missing	3937	11744	

MCQ220 - Ever told you had cancer or malignancy

Variable Name: MCQ220

SAS Label: Ever told you had cancer or malignancy

English Text: {Have you/Has SP} ever been told by a doctor or other health professional that {you/s/he} had cancer or a malignancy (ma-lig-nan-see) of any kind?

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1169	1169	
2	No	6631	7800	OSQ230
7	Refused	2	7802	OSQ230
9	Don't know	5	7807	OSQ230
.	Missing	3937	11744	

MCQ230a - 1st cancer - what kind was it?

Variable Name:	MCQ230a
SAS Label:	1st cancer - what kind was it?
English Text:	1st cancer - what kind was it?
Target:	Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
10	Bladder	30	30	
11	Blood	7	37	
12	Bone	4	41	
13	Brain	6	47	
14	Breast	203	250	
15	Cervix (cervical)	49	299	
16	Colon	49	348	
17	Esophagus (esophageal)	5	353	
18	Gallbladder	0	353	
19	Kidney	27	380	
20	Larynx/ windpipe	3	383	
21	Leukemia	22	405	
22	Liver	7	412	
23	Lung	34	446	
24	Lymphoma/ Hodgkin's disease	24	470	
25	Melanoma	81	551	
26	Mouth/tongue/lip	10	561	
27	Nervous system	0	561	
28	Ovary (ovarian)	14	575	
29	Pancreas (pancreatic)	4	579	
30	Prostate	133	712	
31	Rectum (rectal)	5	717	
32	Skin (non-melanoma)	203	920	
33	Skin (don't know what kind)	71	991	
34	Soft tissue (muscle or fat)	3	994	
35	Stomach	6	1000	
36	Testis (testicular)	10	1010	
37	Thyroid	35	1045	
38	Uterus (uterine)	36	1081	
39	Other	76	1157	
66	More than 3 kinds	0	1157	
77	Refused	0	1157	
99	Don't know	12	1169	
.	Missing	10575	11744	

MCQ230b - 2nd cancer - what kind was it?

Variable Name:	MCQ230b
SAS Label:	2nd cancer - what kind was it?
English Text:	2nd cancer - what kind was it?
Target:	Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
10	Bladder	3	3	
11	Blood	0	3	
12	Bone	1	4	
13	Brain	0	4	
14	Breast	12	16	
15	Cervix (cervical)	5	21	
16	Colon	9	30	
17	Esophagus (esophageal)	0	30	
18	Gallbladder	1	31	
19	Kidney	6	37	
20	Larynx/ windpipe	1	38	
21	Leukemia	1	39	
22	Liver	0	39	
23	Lung	6	45	
24	Lymphoma/ Hodgkins disease	3	48	
25	Melanoma	7	55	
26	Mouth/tongue/lip	0	55	
27	Nervous system	0	55	
28	Ovary (ovarian)	3	58	
29	Pancreas (pancreatic)	0	58	
30	Prostate	8	66	
31	Rectum (rectal)	3	69	
32	Skin (non-melanoma)	34	103	
33	Skin (don't know what kind)	16	119	
34	Soft tissue (muscle or fat)	0	119	
35	Stomach	3	122	
36	Testis (testicular)	1	123	
37	Thyroid	2	125	
38	Uterus (uterine)	5	130	
39	Other	29	159	
66	More than 3 kinds	0	159	
77	Refused	0	159	
99	Don't know	0	159	
.	Missing	11585	11744	

MCQ230c - 3rd cancer - what kind was it?

Variable Name:	MCQ230c
SAS Label:	3rd cancer - what kind was it?
English Text:	3rd cancer - what kind was it?
Target:	Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
10	Bladder	0	0	
11	Blood	0	0	
12	Bone	0	0	
13	Brain	1	1	
14	Breast	0	1	
15	Cervix (cervical)	1	2	
16	Colon	1	3	
17	Esophagus (esophageal)	0	3	
18	Gallbladder	0	3	
19	Kidney	0	3	
20	Larynx/ windpipe	0	3	
21	Leukemia	1	4	
22	Liver	1	5	
23	Lung	2	7	
24	Lymphoma/ Hodgkins disease	1	8	
25	Melanoma	3	11	
26	Mouth/tongue/lip	0	11	
27	Nervous system	0	11	
28	Ovary (ovarian)	2	13	
29	Pancreas (pancreatic)	0	13	
30	Prostate	2	15	
31	Rectum (rectal)	0	15	
32	Skin (non-melanoma)	3	18	
33	Skin (don't know what kind)	3	21	
34	Soft tissue (muscle or fat)	0	21	
35	Stomach	1	22	
36	Testis (testicular)	0	22	
37	Thyroid	0	22	
38	Uterus (uterine)	0	22	
39	Other	4	26	
66	More than 3 kinds	0	26	
77	Refused	0	26	
99	Don't know	0	26	
.	Missing	11718	11744	

MCQ230d - More than 3 kinds of cancer

Variable Name: MCQ230d**SAS Label:** More than 3 kinds of cancer**English Text:** More than 3 kinds of cancer.**Target:** Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
66	More than 3 kinds	2	2	
77	Refused	0	2	
99	Don't know	0	2	
.	Missing	11742	11744	

OSQ230 - Any metal objects inside your body?

Variable Name: OSQ230

SAS Label: Any metal objects inside your body?

English Text: The following question is about metal objects you may have inside your body. Do you have any artificial joints, pins, plates, metal suture material, or other types of metal objects in your body? Some common examples are on the hand card.

English Instructions: INTERVIEWER INSTRUCTION: Do not include piercings, crowns, dental braces or retainers, shrapnel, or bullets. The metal object should NOT be visible on the outside of the body or in the mouth.
HAND CARD OSQ3

Target: Both males and females 40 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1917	1917	
2	No	3770	5687	
7	Refused	0	5687	
9	Don't know	36	5723	
.	Missing	6021	11744	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Occupation (OCQ_L)

Data File: OCQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Occupation Questionnaire (variable name prefix OCQ) section provides survey participant interview data on employment. The primary focus of the OCQ is data collection on the participant's work within the previous week (i.e., the participant's Current Job). The participant's Current Job is defined as the main paid job worked within the last week, including work on a family farm. Topics covered in the OCQ section include:

- Employment status in the last week;
- The number of hours worked last week;
- Whether the participant usually works 35 or more hours per week;
- Number of days usually worked per week; and,
- The main reason the participant did not work last week (if not currently working).

Eligible Sample

All survey participants aged 16 years and older were eligible.

Interview Setting and Mode of Administration

These questions were asked by trained interviewers the using Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone.

People 16 years of age and older and emancipated minors were interviewed directly. A proxy provided information for survey participants who were under 16 years of age and for individuals who could not answer the questions themselves.

The NHANES occupation questionnaire is available on the NHANES website: [NHANES August 2021-August 2023 Questionnaire Instruments \(cdc.gov\)](https://www.cdc.gov/nhanes/questionnaires/2021-2023/questionnaire_instruments/)

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors and online help screens to assist interviewers in defining key terms. During the August 2021-August 2023 data collection cycle, periodic QC checks were performed on the OCQ data being collected; and interviewer-specific feedback and retraining was performed as appropriate.

Data Processing and Editing

Questionnaire interview responses were entered into a tablet and then uploaded into a computerized database in the same manner as other sections of the Survey Participant

Questionnaire. The data were then edited for completeness, consistency, and illogical values.

To decrease the risk of disclosure, additional "bottom" and "top" summary codes were implemented for one variable in the August 2021-August 2023 cycle:

- OCQ180 (hours worked last week): Responses 5 hours or less were re-coded as "5" in the public use file, responses 80 hours or more were re-coded as "80."

Analytic Notes

In general, analysts are advised to carefully review the question wording in the OCQ codebook to make sure they understand question skip patterns and the definitions employed for occupation-related variables.

There was a slight change to the question wording for OCQ180 starting in the 2019-March 2020 survey cycle. In addition, some of the response options for the question on the main reason of not being at work in the last week (OCQ383), which is collected among survey participants reported not currently working at a job or business, changed between 2017-2018 and 2019-2020 survey cycles, as well. Users need to be aware of these differences when comparing or combining data with previous cycles.

The OCQ data were collected as part of the household questionnaire and, therefore, the full sample NHANES interview weights WTINT2YR should be used for statistical analysis. However, if the OCQ data are merged with the MEC exam or laboratory data, then the NHANES examination sample weights WTMEC2YR should be used for analyses.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number
Target:	Both males and females 16 YEARS - 150 YEARS

OCD150 - Type of work done last week

Variable Name: OCD150

SAS Label: Type of work done last week

English Text: In this part of the survey, I will ask you questions about {your/SP's} work experience. Which of the following {were you/was SP} doing last week?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Working at a job or business,	4247	4247	OCQ180
2	With a job or business but not at work,	262	4509	OCQ210
3	Looking for work, or	361	4870	End of Section
4	Not working at a job or business?	3613	8483	OCQ383
7	Refused	0	8483	End of Section
9	Don't know	2	8485	End of Section
.	Missing	16	8501	

OCQ180 - Number of hours worked in the last week

Variable Name: OCQ180

SAS Label: Number of hours worked in the last week

English Text: How many hours did {you/SP} work last week at all jobs or businesses?

English Instructions: ENTER NUMBER OF HOURS

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
6 to 78	Range of Values	4092	4092	
5	1-5 Hours	71	4163	
80	80 Hours or more	62	4225	
77777	Refused	3	4228	
99999	Don't know	19	4247	
.	Missing	4254	8501	

OCQ200 - CHECK ITEM

Variable Name: OCQ200

English Instructions: BOX 1. CHECK ITEM OCQ200: IF HOURS IN OCQ180 $\leq$ 34, OR REFUSED (CODE 77777), OR DON'T KNOW (CODE 99999), CONTINUE. OTHERWISE, GO TO OCQ215.

Target: Both males and females 16 YEARS - 150 YEARS

OCQ210 - Usually work 35 or more hours per week

Variable Name: OCQ210

SAS Label: Usually work 35 or more hours per week

English Text: {Do you/Does SP} usually work 35 hours or more per week in total at all jobs or businesses?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	510	510	
2	No	929	1439	
7	Refused	1	1440	
9	Don't know	1	1441	
.	Missing	7060	8501	

OCQ215 - Number of days usually worked per week

Variable Name: OCQ215

SAS Label: Number of days usually worked per week

English Text: How many days per week {do you/does SP} usually work?

English Instructions: ENTER NUMBER OF DAYS CAPI INSTRUCTION: HARD EDIT VALUES LESS THAN 1 AND GREATER THAN 7.

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 7	Range of Values	4502	4502	
77	Refused	2	4504	
99	Don't know	5	4509	
.	Missing	3992	8501	

OCQ383 - Main reason did not work last week

Variable Name: OCQ383

SAS Label: Main reason did not work last week

English Text: (SP Interview Version) What is the main reason {you/SP} did not work last week? (Family Interview Version) What is the main reason {you/NON-SP HEAD/NON-SP SPOUSE} did not work last week?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Taking care of house or family	321	321	
2	Going to school	293	614	
3	Retired	1988	2602	
4	Unable to work for health reasons/Disabled	705	3307	
5	Can't find work/On layoff	74	3381	
6	Seasonal/Contract work	34	3415	
7	Other	196	3611	
77	Refused	1	3612	
99	Don't know	2	3614	
.	Missing	4887	8501	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Oral Health (OHQ_L)

Data File: OHQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Oral Health questionnaire (variable name prefix OHQ) provides respondent-level interview data on oral health topics.

Eligible Sample

All participants aged 1 year and over were eligible.

Interview Setting and Mode of Administration

These questions were asked, in the home or by telephone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. A proxy provided information for survey participants who were under 16 years of age and for individuals who could not answer the questions themselves. The respondent selected the language of interview (English or Spanish) or requested that an interpreter be used.

The questionnaire and information about the interview procedures are available on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

After collection, interview data were reviewed by the NHANES field office staff for accuracy and completeness of selected items. The interviewers were required to audio-record interviews and the recorded interviews were reviewed by NCHS staff and interviewer supervisors.

Data Processing and Editing

The data were reviewed for completeness, consistency, and illogical values.

Analytic Notes

Since the questionnaire was asked during the household interview, the interview sample weights should be used in the analysis. However, if the data is joined with data from the Mobile Exam Center (MEC), the MEC sample weights should be used. Please refer to the [Analytic Guidelines](#) and the [NHANES Tutorials](#) for the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 1 YEARS - 150 YEARS

OHQ845 - Rate the health of your teeth and gums

Variable Name: OHQ845

SAS Label: Rate the health of your teeth and gums

English Text: The next questions are about {your/SP's} teeth and gums. Overall, how would {you/SP} rate the health of {your/his/her/SP's} teeth and gums? Would you say . . .

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Excellent,	2634	2634	
2	Very good,	2950	5584	
3	Good,	3539	9123	
4	Fair, or	1656	10779	
5	Poor?	944	11723	
7	Refused	3	11726	
9	Don't know	13	11739	
.	Missing	5	11744	

OHQ620 - How often last yr. had aching in mouth?

Variable Name: OHQ620

SAS Label: How often last yr. had aching in mouth?

English Text: How often during the last year (have you/ has SP) had painful aching anywhere in (your/his/her/SP's) mouth? Would you say....

Target: Both males and females 1 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Very often	300	300	
2	Fairly often	390	690	
3	Occasionally	1811	2501	
4	Hardly ever, or	3531	6032	
5	Never?	5697	11729	
7	Refused	4	11733	
9	Don't know	6	11739	
.	Missing	5	11744	

OHQ630 - How often felt bad because of mouth?

Variable Name: OHQ630

SAS Label: How often felt bad because of mouth?

English Text: How often during the last year (have you/ has SP) felt that life in general was less satisfying because of problems with (your/his/her/SP's) teeth, mouth or dentures? Would you say . . .

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Very often,	214	214	
2	Fairly often,	250	464	
3	Occasionally,	685	1149	
4	Hardly ever, or	1389	2538	
5	Never?	5254	7792	
7	Refused	3	7795	
9	Don't know	10	7805	
.	Missing	3939	11744	

OHQ640 - Last yr had diff w/ job because of mouth

Variable Name: OHQ640

SAS Label: Last yr had diff w/ job because of mouth

English Text: How often during the last year {have you/has SP} had difficulty doing {your/his/her/SP's} usual jobs or attending school because of problems with {your/his/her/SP's} teeth, mouth or dentures? Would you say. . .

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Very often,	64	64	
2	Fairly often,	92	156	
3	Occasionally,	227	383	
4	Hardly ever, or	671	1054	
5	Never?	6738	7792	
7	Refused	5	7797	
9	Don't know	8	7805	
.	Missing	3939	11744	

OHQ660 - Last yr avoid some food because of mouth

Variable Name: OHQ660

SAS Label: Last yr avoid some food because of mouth

English Text: How often during the last year (have you/has SP) avoided particular foods because of problems with (your/his/her/SP's) teeth, mouth or dentures? Would you say . . .

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Very often	361	361	
2	Fairly often	300	661	
3	Occasionally	862	1523	
4	Hardly ever, or	1319	2842	
5	Never?	4953	7795	
7	Refused	3	7798	
9	Don't know	6	7804	
.	Missing	3940	11744	

OHQ670 - Last yr couldn't eat because of mouth

Variable Name: OHQ670

SAS Label: Last yr couldn't eat because of mouth

English Text: How often during last year {have you/has SP} found it uncomfortable to eat food because of problems with {your/his/her/SP's} teeth, mouth, or dentures? Would you say . . .

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Very often	318	318	
2	Fairly often	297	615	
3	Occasionally	925	1540	
4	Hardly ever, or	1482	3022	
5	Never?	4776	7798	
7	Refused	3	7801	
9	Don't know	4	7805	
.	Missing	3939	11744	

OHQ680 - Last yr embarrassed because of mouth

Variable Name: OHQ680

SAS Label: Last yr embarrassed because of mouth

English Text: How often during the last year {have you/has SP} been self-conscious or embarrassed because of {your/his/her/SP's} teeth, mouth or dentures? Would you say . . .

Target: Both males and females 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Very often	414	414	
2	Fairly often	279	693	
3	Occasionally	646	1339	
4	Hardly ever, or	1025	2364	
5	Never?	5436	7800	
7	Refused	3	7803	
9	Don't know	1	7804	
.	Missing	3940	11744	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Physical Activity - Youth (PAQY_L)

Data File: PAQY_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The youth section of the Physical Activity questionnaire (variable name prefix PAQ) provides respondent-level interview data on physical activities.

Eligible Sample

Participants aged 2 to 17 years and over were eligible.

Interview Setting and Mode of Administration

The questionnaire was asked by trained interviewers using the Computer Assisted Personal Interview (CAPI) system for persons 2 to 11 and 16 to 17 years of age. For respondents aged 12 to 15 years of age, the questionnaire was self-administered at the Mobile Examination Center (MEC) using the Audio Computer-Assisted Self-Interview (ACASI) system. The questionnaire and information about the interview procedures are available on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

Data Processing and Editing

The data were reviewed for completeness, consistency, and illogical values.

Analytic Notes

Since the questionnaire was asked during the household interview for respondents 2 to 11 and 16 or more years, the interview sample weights should be used in their analysis. However, if the data is merged with data from the MEC, the MEC sample weights should be used. Analysis of the questionnaire for participants aged 12 to 15 should use the MEC sample weights as the questionnaire was asked in the MEC. Please refer to the [Analytic Guidelines](#) and the [NHANES Tutorials](#) for the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 2 YEARS - 17 YEARS

PAQ706 - Days physically active at least 60 min.

Variable Name: PAQ706

SAS Label: Days physically active at least 60 min.

English Text: I'd like to ask you some questions about {your/SP's} activities. During the past 7 days, on how many days {were you/was SP} physically active for a total of at least 60 minutes per day? Add up all the time {you/he/she} spent in any kind of physical activity that increased {your/his/her} heart rate and made {you/him/her} breathe hard some of the time.

Target: Both males and females 2 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	0 days	204	204	
1	1 day	103	307	
2	2 days	184	491	
3	3 days	258	749	
4	4 days	282	1031	
5	5 days	551	1582	
6	6 days	246	1828	
7	7 days	1201	3029	
77	Refused	2	3031	
99	Don't know	10	3041	
.	Missing	68	3109	

PAQ711 - Hours per day TV/ videos watched?

Variable Name: PAQ711

SAS Label: Hours per day TV/ videos watched?

English Text: On a typical day during the school year, about how many hours {do you/does SP} usually spend playing with a smartphone or computer, watching TV or movies, or playing video games?

English Instructions: ENTER NUMBER OF HOURS SOFT EDIT: 18 HOURS OR MORE. ERROR MESSAGE: PLEASE VERIFY TIMES OF 18 HOURS OR MORE. HARD EDIT: 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE LESS THAN 24 HOURS.

Target: Both males and females 2 YEARS - 17 YEARS

Hard Edits: 0 to 8

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 8	Range of Values	2915	2915	
9	9 or more hours	110	3025	
77	Refused	2	3027	
99	Don't know	14	3041	
.	Missing	68	3109	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Physical Activity (PAQ_L)

Data File: PAQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The adult section of the Physical Activity questionnaire (variable name prefix PAQ) provides respondent-level interview data on physical activities.

Eligible Sample

Participants aged 18 years and over were eligible.

Interview Setting and Mode of Administration

These questions were asked, in the home or by telephone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. A proxy provided information for survey participants who could not answer the questions themselves. The respondent selected the language of interview (English or Spanish) or requested that an interpreter be used.

The questionnaire and information about the interview procedures are available on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

After collection, interview data were reviewed by the NHANES field office staff for accuracy and completeness of selected items. The interviewers were required to audio-record interviews and the recorded interviews were reviewed by NCHS staff and interviewer supervisors.

Data Processing and Editing

The data were reviewed for completeness, consistency, and illogical values. Data for respondents who reported an average of 24 hours or more per day of activity was set to missing. Users should carefully inspect the data for other values they may consider too high.

Analytic Notes

Since the question on sedentary behavior (PAD680) was first asked in 2007, several probes have been used with it. For example, midway through the 2011-12 survey cycle, a probe was added querying times less than 8 hours. These probes may partially explain any observed differences in sedentary behavior between survey cycles.

Since the questionnaire was asked during the household interview, the interview sample weights should be used in the analysis. However, if the data is joined with data from the Mobile Exam Center (MEC), the MEC sample weights should be used. Please refer to the [Analytic Guidelines](#) and the [NHANES Tutorials](#) for the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 18 YEARS - 150 YEARS

PAD790Q - Frequency of moderate LTPA

Variable Name: PAD790Q

SAS Label: Frequency of moderate LTPA

English Text: The next questions are about physical activities such as exercise, sports, or physically active hobbies that you may do in your leisure time. We are interested in two types of physical activity: moderate and vigorous-intensity. Moderate-intensity activities cause moderate increases in breathing or heart rate whereas vigorous-intensity activities cause large increases in breathing or heart rate. How often {do you/does SP} do moderate-intensity leisure-time physical activities?

English Instructions: ENTER NUMBER OF TIMES (PER DAY, WEEK, MONTH, OR YEAR) CAPI INSTRUCTIONS: SOFT EDIT: > 4 PER DAY, > 28 PER WEEK, >31 PER MONTH, OR > 365 PER YEAR. ERROR MESSAGE: PLEASE VERIFY THE QUANTITY AND UNIT.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 180	Range of Values	8086	8086	
7777	Refused	10	8096	PAD810Q
9999	Don't know	39	8135	PAD810Q
.	Missing	18	8153	

PAD790U - Moderate LTPA unit (day/week/month/year)

Variable Name: PAD790U

SAS Label: Moderate LTPA unit (day/week/month/year)

English Text: The next questions are about physical activities such as exercise, sports, or physically active hobbies that you may do in your leisure time. We are interested in two types of physical activity: moderate and vigorous-intensity. Moderate-intensity activities cause moderate increases in breathing or heart rate whereas vigorous-intensity activities cause large increases in breathing or heart rate. How often {do you/does SP} do moderate-intensity leisure-time physical activities?

English Instructions: ENTER UNIT CAPI INSTRUCTIONS: SOFT EDIT: > 4 PER DAY, > 28 PER WEEK, >31 PER MONTH, OR > 365 PER YEAR. ERROR MESSAGE: PLEASE VERIFY THE QUANTITY AND UNIT.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
D	Day	985	985	
M	Month	472	1457	
W	Week	4851	6308	
Y	Year	82	6390	
< blank >	Missing	1763	8153	

PAD800 - Minutes moderate LTPA

Variable Name: PAD800

SAS Label: Minutes moderate LTPA

English Text: About how long {do you/does SP} do these moderate leisure-time physical activities each time?

English Instructions: ENTER NUMBER OF MINUTES OR HOURS PROBE IF NEEDED:
Moderate-intensity activities cause moderate increases in breathing or heart rate. CAPI INSTRUCTIONS: SOFT EDIT: > 120 MINUTES OR 2 HOURS. ERROR MESSAGE: YOU HAVE RECORDED THAT THE SP SPENDS MORE THAN 120 MINUTES OR 2 HOURS EACH TIME DOING MODERATE-INTENSITY LEISURE-TIME ACTIVITIES. PLEASE CONFIRM WITH SP THAT OVER 120 MINUTES OR 2 HOURS IS CORRECT. HARD EDIT: 0 MINUTES OR HOURS HARD EDIT: 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE LESS THAN 24 HOURS.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 720	Range of Values	6371	6371	
7777	Refused	0	6371	
9999	Don't know	19	6390	
.	Missing	1763	8153	

PAD810Q - Frequency of vigorous LTPA

Variable Name: PAD810Q

SAS Label: Frequency of vigorous LTPA

English Text: How often {do you/does SP} do vigorous-intensity leisure-time physical activities?

English Instructions: ENTER NUMBER OF TIMES (PER DAY, WEEK, MONTH, OR YEAR) CAPI
INSTRUCTIONS: SOFT EDIT: > 4 PER DAY, > 28 PER WEEK, >31 PER MONTH, OR > 365 PER YEAR . ERROR MESSAGE: PLEASE VERIFY THE QUANTITY AND UNIT.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 200	Range of Values	8099	8099	
7777	Refused	4	8103	PAD680
9999	Don't know	36	8139	PAD680
.	Missing	14	8153	

PAD810U - Vigorous LTPA unit (day/week/month/year)

Variable Name: PAD810U

SAS Label: Vigorous LTPA unit (day/week/month/year)

English Text: How often {do you/does SP} do vigorous-intensity leisure-time physical activities?

English Instructions: ENTER UNIT CAPI INSTRUCTIONS: SOFT EDIT: > 4 PER DAY, > 28 PER WEEK, >31 PER MONTH, OR > 365 PER YEAR . ERROR MESSAGE: PLEASE VERIFY THE QUANTITY AND UNIT.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
D	Day	235	235	
M	Month	711	946	
W	Week	2590	3536	
Y	Year	150	3686	
< blank >	Missing	4467	8153	

PAD820 - Minutes vigorous LTPA

Variable Name: PAD820

SAS Label: Minutes vigorous LTPA

English Text: About how long {do you/does SP} do these vigorous leisure-time physical activities each time?

English Instructions: ENTER NUMBER OF MINUTES OR HOURS PROBE IF NEEDED:
Vigorous-intensity activities cause large increases in breathing or heart rate. CAPI INSTRUCTIONS: SOFT EDIT: > 120 MINUTES OR 2 HOURS. ERROR MESSAGE: YOU HAVE RECORDED THAT THE SP SPENDS MORE THAN 120 MINUTES OR 2 HOURS EACH TIME DOING VIGOROUS-INTENSITY LEISURE-TIME ACTIVITIES. PLEASE CONFIRM WITH SP THAT OVER 120 MINUTES OR 2 HOURS IS CORRECT. HARD EDIT: 0 MINUTES OR HOURS. HARD EDIT: 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE LESS THAN 24 HOURS.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 900	Range of Values	3673	3673	
7777	Refused	1	3674	
9999	Don't know	13	3687	
.	Missing	4466	8153	

PAD680 - Minutes sedentary activity

Variable Name: PAD680

SAS Label: Minutes sedentary activity

English Text: The following question is about sitting at school, at home, getting to and from places, or with friends including time spent sitting at a desk, traveling in a car or bus, reading, playing cards, watching television, or using a computer. Do not include time spent sleeping. How much time {do you/does SP} usually spend sitting on a typical day?

English Instructions: ENTER NUMBER OF MINUTES OR HOURS. SOFT EDIT: 18 HOURS OR MORE. ERROR MESSAGE: PLEASE VERIFY TIMES OF 18 HOURS OR MORE. HARD EDIT: 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE LESS THAN 24 HOURS.

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 1380	Range of Values	8065	8065	
7777	Refused	6	8071	
9999	Don't know	67	8138	
.	Missing	15	8153	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Pesticide Use (PUQMEC_L)

Data File: PUQMEC_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

Component Description

The pesticide use questionnaire (variable name prefix PUQ) provides data on pesticide use during the past seven days in the home, and on the lawn or in the garden.

Pesticides are substances or a mixture of substances intended for preventing, destroying, repelling, or mitigating any pest (EPA, 2020). Many common household products that are used inside and outside of the home are considered pesticides, thus increasing the risk of exposure to these substances. The PUQ seeks to obtain meaningful data about potential exposure to chemicals in and around the household among NHANES participants.

Eligible Sample

All participants aged 6 years and older, in the NHANES August 2021 – August 2023 sample, were eligible.

Interview Setting and Mode of Administration

The PUQ was asked in the mobile examination center (MEC) by phlebotomists or trained interviewers using the Computer-Assisted Personal Interview (CAPI) system.

Participants 18 years of age and older were interviewed directly. A proxy provided information for participants 6-17 years of age.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. During the August 2021-August 2023 data collection cycle, PUQ data were systematically reviewed for logical, processing, and data input errors on a periodic basis; and interviewer-specific feedback and retraining was performed as appropriate.

Data Processing and Editing

Data were edited for completeness and consistency.

Analytic Notes

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

References

- "About Pesticides." EPA. Environmental Protection Agency, April 14, 2020.
<https://www.epa.gov/pesticides>

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 6 YEARS - 150 YEARS

PUQ100 - Products used in home to control insects

Variable Name: PUQ100

SAS Label: Products used in home to control insects

English Text: In the past 7 days, were any chemical products used in {your/his/her} home to control fleas, roaches, ants, termites, or other insects?

English Instructions: CAPI INSTRUCTION: IF SP 6-17 YEARS, DISPLAY THE FOLLOWING
INTERVIEWER INSTRUCTION: "THIS ITEM IS COLLECTED VIA PROXY FOR SPS 6-17. LOOK UP THE PROXY RESPONSE IN THE PUQ REPORT AND ENTER IT IN PUQ100"

Target: Both males and females 6 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	569	569	
2	No	7434	8003	
7	Refused	0	8003	
9	Don't know	28	8031	
.	Missing	37	8068	

PUQ110 - Products used to kill weeds?

Variable Name: PUQ110

SAS Label: Products used to kill weeds?

English Text: In the past 7 days, were any chemical products used in {your/his/her} lawn or garden to kill weeds?

English Instructions: CODE "NO" IF THE RESPONDENT SAYS S/HE DOES NOT HAVE A LAWN OR GARDEN. CAPI INSTRUCTION: IF SP 6-17 YEARS, DISPLAY THE FOLLOWING INTERVIEWER INSTRUCTION: "THIS ITEM IS COLLECTED VIA PROXY FOR SPS 6-17. LOOK UP THE PROXY RESPONSE IN THE PUQ REPORT AND ENTER IT IN PUQ110."

Target: Both males and females 6 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	364	364	
2	No	7589	7953	
7	Refused	0	7953	
9	Don't know	78	8031	
.	Missing	37	8068	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Reproductive Health (RHQ_L)

Data File: RHQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The reproductive health questionnaire (variable name prefix RHQ) contains questions for females only. Questions on reproductive health include menstrual history, pregnancy history, current breastfeeding, and other reproductive conditions.

Eligible Sample

Female participants aged 12 years and older were eligible.

Interview Setting and Mode of Administration

These questions were asked at the Mobile Examination Center (MEC) during the MEC Interview using the Audio Computer-Assisted Self-Interview (ACASI) system, in English and Spanish only. The interview was not administered to proxy informants due to the sensitive nature of the questions. In previous NHANES cycles, reproductive health questions were asked face-to-face using the Computer Assisted Personal Interview system.

Quality Assurance & Quality Control

The ACASI system is programmed with built-in consistency checks to reduce data entry errors. ACASI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

Data Processing and Editing

Edits were made to ensure the completeness, consistency, and analytic usefulness of the data.

Analytic Notes

This public use data file excludes select variables related to pregnancy and hysterectomy for females aged 12-19 and older than 44 years due to disclosure risks. A data file with all reproductive health related variables for all females 12 years and older is available in the [NCHS Research Data Center](https://www.nchs.gov/research/data-center).

Several questions were dropped in NHANES August 2021-August 2023 and are not included in this data file: RHQ.018, RHQ.020, RHQ.070, RHQ.071, RHQ.073A—RHQ.073N, RHQ.074, RHQ.076, RHQ.160, RHQ.162, RHQ.171, RHQ.172, RHQ.180, RHQ.190, RHQ.197, RHQ.421, RHQ.540, RHQ.542A—RHQ.542D, RHQ.554, RHQ.570.

RHD143: Current pregnancy status from question: "are you pregnant now?" Please note that these responses may differ from the pregnancy status variable RIDEXPRG in the DEMO data

file.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Females only 12 YEARS - 150 YEARS

RHQ010 - Age when first menstrual period occurred

Variable Name: RHQ010

SAS Label: Age when first menstrual period occurred

English Text: The next series of questions are about {your/SP's} reproductive history. I will begin by asking about {your/SP's} periods or menstrual cycles. How old {were you/was SP} when {you/SP} had {your/her} first menstrual period?

English Instructions: CODE "0" IF HAVEN'T STARTED YET. CAPI INSTRUCTION: SOFT EDIT VALUES: 8-25 YEARS. HARD EDIT VALUES: AGE OF 1ST PERIOD CANNOT BE GREATER THAN CURRENT AGE. ENTER AGE IN YEARS.

Target: Females only 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
6 to 19	Range of Values	3336	3336	
0	Hasn't started yet	28	3364	End of Section
20	20 years or older	5	3369	
777	Refused	2	3371	
999	Don't know	9	3380	
.	Missing	537	3917	

RHQ031 - Had regular periods in past 12 months

Variable Name: RHQ031

SAS Label: Had regular periods in past 12 months

English Text: {Have you/Has SP} had at least one menstrual period in the past 12 months? (Please do not include bleedings caused by medical conditions, hormone therapy, or surgeries.)

Target: Females only 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1496	1496	
2	No	1854	3350	RHD043
7	Refused	1	3351	RHQ060
9	Don't know	4	3355	RHQ060
.	Missing	562	3917	

RHD043 - Reason not having regular periods

Variable Name: RHD043

SAS Label: Reason not having regular periods

English Text: What is the reason that {you have/SP has} not had a period in the past 12 months?

Target: Females only 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Pregnancy	6	6	
2	Breast feeding	6	12	
3	Hysterectomy	502	514	
7	Menopause/Change of life	1136	1650	
9	Other	177	1827	
77	Refused	3	1830	
99	Don't know	4	1834	
.	Missing	2083	3917	

RHQ060 - Age at last menstrual period

Variable Name: RHQ060

SAS Label: Age at last menstrual period

English Text: About how old {were you/was SP} when {you/SP} had {your/her} last menstrual period?

English Instructions: ENTER AGE IN YEARS.

Target: Females only 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
20 to 59	Range of Values	1774	1774	
19	19 years or under	30	1804	
60	60 years or older	29	1833	
777	Refused	0	1833	
999	Don't know	6	1839	
.	Missing	2078	3917	

RHQ078 - Ever treated for a pelvic infection/PID?**Variable Name:** RHQ078**SAS Label:** Ever treated for a pelvic infection/PID?**English Text:** {Have you/Has SP} ever been treated for an infection in {your/her} fallopian tubes, uterus or ovaries, also called a pelvic infection, pelvic inflammatory disease, or PID?**Target:** Females only 18 YEARS - 59 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	76	76	
2	No	1587	1663	
7	Refused	0	1663	
9	Don't know	0	1663	
.	Missing	2254	3917	

RHQ131 - Ever been pregnant?

Variable Name: RHQ131

SAS Label: Ever been pregnant?

English Text: The next questions are about {your/SP's} pregnancy history. {Have you/Has SP ever been pregnant? Please include (current pregnancy,) live births, miscarriages, stillbirths, tubal pregnancies and abortions.

Target: Females only 20 YEARS - 59 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1114	1114	
2	No	429	1543	RHD280
7	Refused	0	1543	RHD280
9	Don't know	0	1543	RHD280
.	Missing	2374	3917	

RHD143 - Are you pregnant now?

Variable Name: RHD143

SAS Label: Are you pregnant now?

English Text: {Are you/Is SP} pregnant now?

Target: Females only 20 YEARS - 44 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	30	30	
2	No	536	566	
7	Refused	0	566	
9	Don't know	1	567	
.	Missing	3350	3917	

RHD167 - Total number of deliveries

Variable Name: RHD167

SAS Label: Total number of deliveries

English Text: How many deliveries {have you/has SP} had? (Please count all vaginal and Cesarean deliveries and count stillbirths as well as live births.)

English Instructions: COUNT THE NUMBER OF DELIVERIES, NOT THE NUMBER OF LIVE-BORN CHILDREN. FOR EXAMPLE, IF SP DELIVERED TWINS OR HAD ANY OTHER MULTIPLE BIRTH, COUNT AS A SINGLE DELIVERY.

Target: Females only 20 YEARS - 59 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 4	Range of Values	1047	1047	
5	5 or more	67	1114	
77	Refused	0	1114	
99	Don't know	0	1114	
.	Missing	2803	3917	

RHQ200 - Now breastfeeding a child?

Variable Name: RHQ200**SAS Label:** Now breastfeeding a child?**English Text:** {Are you/Is SP} now breast feeding a child?**Target:** Females only 20 YEARS - 44 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	28	28	
2	No	498	526	
7	Refused	0	526	
9	Don't know	0	526	
.	Missing	3391	3917	

RHD280 - Had a hysterectomy?

Variable Name: RHD280

SAS Label: Had a hysterectomy?

English Text: {Have you/Has SP} had a hysterectomy that is, surgery to remove {your/her} uterus or womb?

Target: Females only 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	653	653	
2	No	2198	2851	
7	Refused	0	2851	
9	Don't know	2	2853	
.	Missing	1064	3917	

RHQ305 - Had both ovaries removed?

Variable Name: RHQ305**SAS Label:** Had both ovaries removed?**English Text:** {Have you/Has SP} had both of {your/her} ovaries removed (either when {you/she} had {your/her} uterus removed or at another time)?**Target:** Females only 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	359	359	
2	No	2485	2844	
7	Refused	2	2846	
9	Don't know	4	2850	
.	Missing	1067	3917	

RHQ332 - Age when both ovaries removed

Variable Name: RHQ332

SAS Label: Age when both ovaries removed

English Text: How old {were you/was SP} when {you/she} had {your/her} ovaries removed or last ovary removed if removed at different times?

English Instructions: ENTER AGE IN YEARS.

Target: Females only 20 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
22 to 59	Range of Values	308	308	
19	19 years or under	1	309	
60	60 years or older	46	355	
777	Refused	0	355	
999	Don't know	4	359	
.	Missing	3558	3917	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Preventive Aspirin Use (RXQASA_L)

Data File: RXQASA_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The preventive aspirin use questionnaire (RXQASA_L) data file provides personal interview data on low-dose aspirin taken to prevent heart attacks, strokes, and cancer. Cardiovascular disease (CVD) remains the leading cause of death in the United States. Low-dose aspirin might be considered for primary prevention of CVD among select adults aged 40-70 years who are at higher CVD risk but not at increased bleeding risk (Arnett DK et. al., 2019). Increasing aspirin use among individuals who are at high risk for CVD is one of the key Public Health objectives in the U.S. (Frieden & Berwick, 2011).

Eligible Sample

All survey participants aged 40 year and older in the NHANES August 2021–August 2023 sample are included in this dataset.

Survey participants between 20 and 39 years of age who reported having a history of coronary heart disease, heart attack, angina, and/or stroke were also eligible. Data obtained from this small subgroup are only available through the NCHS Research Data Center.

Interview Setting and Mode of Administration

These questions were asked in the home or on the phone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. A proxy provided information for survey participants who were under 16 years of age and for participants who could not answer the questions themselves. The respondent selected the language of interview (English or Spanish) or requested to use an interpreter.

The NHANES August 2021-August 2023 questionnaires are available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, "skip" patterns were verified, and the reasonableness of question responses was reviewed. Edits were made to some variables to ensure the completeness, consistency, and analytic usefulness of the data.

Analytic Notes

The analysis of NHANES August 2021–August 2023 RXQASA data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables. Interview weights should only be used if questionnaire data are analyzed by themselves. However, if RXQASA data are merged with the MEC examination data or laboratory full sample data, the MEC examination weights should be used for analyses. If RXQASA data are merged with laboratory subsample data, subsample weights should be used for analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

References

- Arnett DK, Blumenthal RS, Albert MA et. al. 2019 ACC/AHA Guidelines on the Primary Prevention of Cardiovascular Disease: Executive Summary. A Report of the American College of Cardiovascular/American Heart Association Task Force on Clinical Practice Guidelines. Circulation. 2019; 140: e563-e594.
- Frieden TR, Berwick DM. The "Million Hearts" initiative--preventing heart attacks and strokes. N Engl J Med. 2011 Sep 29;365(13):e27.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 40 YEARS - 150 YEARS

RXQ510 - Dr told to take daily low-dose aspirin?

Variable Name: RXQ510

SAS Label: Dr told to take daily low-dose aspirin?

English Text: Doctors and other health care providers sometimes recommend that {you take/SP takes} a low-dose aspirin each day to prevent heart attacks, strokes, or cancer. {Have you/Has SP} ever been told to do this?

English Instructions: INTERVIEWER INSTRUCTION: IF THE RESPONDENT VOLUNTEERS THEY HAVE BEEN TOLD TO TAKE AN ASPIRIN EVERY OTHER DAY OR 'REGULARLY' FOR THESE REASONS, CODE "YES".

Target: Both males and females 40 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2049	2049	
2	No	3654	5703	RXQ520
7	Refused	0	5703	RXQ520
9	Don't know	9	5712	RXQ520
.	Missing	13	5725	

RXQ515 - Followed advice, took low-dose aspirin?

Variable Name: RXQ515

SAS Label: Followed advice, took low-dose aspirin?

English Text: {Are you/Is SP} now following this advice?

Target: Both males and females 40 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1300	1300	End of Section
2	No	641	1941	End of Section
3	Sometimes	51	1992	End of Section
4	Stopped aspirin use due to side effects	55	2047	End of Section
7	7	1	2048	
9	Don't know	1	2049	
.	Missing	3676	5725	

RXQ520 - Taking low-dose aspirin on your own?

Variable Name: RXQ520

SAS Label: Taking low-dose aspirin on your own?

English Text: On {your/SP's} own, {are you/is SP} now taking a low-dose aspirin each day to prevent heart attacks, strokes, or cancer?

Target: Both males and females 40 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	203	203	
2	No	3459	3662	
7	Refused	0	3662	
9	Don't know	1	3663	
.	Missing	2062	5725	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Prescription Medications (RXQ_RX_L)

Data File: RXQ_RX_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The prescription medication questionnaire (RXQ_RX_L) data file provides personal interview data on self-assessed prescription medication use in the past 30 days, and the number of prescription medication use. The detailed prescription medication name, duration of use, and reason for use were not collected in this survey cycle.

In the second year of this survey cycle data collection, participants were asked if they were taking any medications to treat or prevent COVID-19. This part of the data is only available through the NCHS Research Data Center.

Eligible Sample

All survey participants in the NHANES August 2021–August 2023 sample are included in this dataset.

Interview Setting and Mode of Administration

These questions were asked in the home or on the phone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. Participants 16 years of age and older and emancipated minors were interviewed directly. A proxy provided information for survey participants who were under 16 years of age and for participants who could not answer the questions themselves.

The NHANES August 2021-August 2023 questionnaires are available on the NHANES website.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Frequency counts were checked, “skip” patterns were verified, and the reasonableness of question responses was reviewed. Few edits were made to ensure the consistency of the data.

Analytic Notes

The analysis of NHANES August 2021–August 2023 RXQ_RX data must be conducted using the appropriate survey design variables, sample weights, and the basic demographic variables.

Interview weights should only be used if questionnaire data are analyzed by themselves. However, if RXQ_RX data are merged with the MEC examination data or laboratory full sample data, the MEC examination weights should be used for analyses. If RXQ_RX data are merged with laboratory subsample data, subsample weights should be used for analyses.

Please also refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 150 YEARS

RXQ033 - Taken prescription medicine, past month

Variable Name: RXQ033

SAS Label: Taken prescription medicine, past month

English Text: In the past 30 days, {have you/has SP} used or taken medication for which a prescription is needed? Include only those products prescribed by a health professional such as a doctor or dentist. {Please remember to include any prescription birth control products that you are taking or using such as pills or patches.} Do not include prescription vitamins or minerals.

English Instructions: CAPI INSTRUCTION: IF SP (FEMALE OR DMQ.510 = 7 OR 9) AND AGE 16-49 YEARS, DISPLAY 'Please remember to include prescription birth control products that you are taking or using such as pills or patches.' CAPI HARD EDIT CHECK #1 IF 'NO' (CODE 2) IN RXQ.033 AND 'YES' (CODE 1) IN DIQ.050 OR DIQ.070, DISPLAY THE FOLLOWING MESSAGE: Earlier in the interview you reported currently taking insulin or a diabetic pill. If this is correct, we should count that as prescription medication you have taken in the last 30 days. {CAPI DISPLAYS THREE QUESTIONS FOR CORRECTION} DIQ.050 = Taking Insulin DIQ.070 = Taking Diabetic Pills RXQ.033 = Prescription Medication in Last 30 Days CAPI HARD EDIT CHECK #2 IF 'NO' (CODE 2) IN RXQ.033 AND 'YES' (CODE 1) IN BPQ.150, DISPLAY THE FOLLOWING MESSAGE: Earlier in the interview you reported currently taking prescription medication for high blood pressure. If this is correct, we should count that as prescription medication you have taken in the last 30 days. {CAPI DISPLAYS TWO QUESTIONS FOR CORRECTION} BPQ.150 = Taking Blood Pressure Medication. RXQ.033 = Prescription Medication in Last 30 Days CAPI HARD EDIT CHECK #3 IF 'NO' (CODE 2) IN RXQ.033 AND 'YES' (CODE 1) IN BPQ.101d, DISPLAY THE FOLLOWING MESSAGE: Earlier in the interview you reported currently taking prescription medication for high cholesterol. If this is correct, we should count that as prescription medication you have taken in the last 30 days. {CAPI DISPLAYS TWO QUESTIONS FOR CORRECTION} BPQ.101d = Taking High Cholesterol Medicine RXQ.033 = Prescription Medication in Last 30 Days

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	6255	6255	
2	No	5638	11893	End of Section
7	Refused	8	11901	End of Section
9	Don't know	7	11908	End of Section
.	Missing	25	11933	

RXQ050 - Number of prescription medicines taken

Variable Name: RXQ050

SAS Label: Number of prescription medicines taken

English Text: How many prescription medications {have you/has SP} taken in the past 30 days? Would you say {you have/SP has} taken...

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	1,	1621	1621	
2	2,	1183	2804	
3	3,	835	3639	
4	4, or	690	4329	
5	5 or more?	1917	6246	
7	Refused	4	6250	
9	Don't know	5	6255	
.	Missing	5678	11933	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Sleep Disorders (SLQ_L)

Data File: SLQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The sleep disorders questionnaire (variable name prefix SLQ) has questions on the sleep time and awake time adapted from the Munich ChronoType Questionnaire (Roenneberg et. al., 2003).

Eligible Sample

All participants aged 16 and older were eligible.

Interview Setting and Mode of Administration

This questionnaire was asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. Additional edits were conducted post-data collection as described in "Data Processing and Editing."

Data Processing and Editing

Edits were made to ensure completeness, consistency, and analytic usefulness of the data. Approximately 3% of audio-recorded interviews were reviewed to confirm correct data entry or validate unusual sleep and wake times (SLQ300, SLQ310, SLQ320, SLQ330). Summary variables for usual number of hours of sleep on weekdays (SLD012) and weekends (SLD013) were derived from reported times for complete records only and rounded to the nearest half hour. Very low and high sleep hours were recoded as 'less than 3 hours' and '14 hours or more.' For these participants, reported times in SLQ300, SLQ310, SLQ320, SLQ330 were set to "missing" to minimize disclosure risks.

Analytic Notes

In 2021- 2023, participants were only asked to report usual sleep and wake times; questions on sleep disorders included in previous cycles were not asked. Derived variables for sleep hours were calculated from reported usual bed times (SLQ300 and SLQ320) and wake times (SLQ310 and SLQ330). Respondents reporting that they usually slept for very short periods of times were asked to report the times for their main sleeping period. Therefore, summary variables may not represent the total hours of sleep during a 24 hour period which could include regular napping or other periods of light sleep. If both sleep and wake times were not reported, then summary sleep hours could not be calculated.

Please refer to the [NHANES Analytic Guidelines](#) and the online [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

References

- Roenneberg T, Wirz-Justice A, and Mellow M (2003) Life between clocks: daily temporal patterns of human chronotypes. J Biol Rhythms 18:80-90

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 16 YEARS - 150 YEARS

SLQ300 - Usual sleep time on weekdays or workdays

Variable Name: SLQ300

SAS Label: Usual sleep time on weekdays or workdays

English Text: What time {do you/does SP} usually fall asleep on weekdays or workdays?

English Instructions: Character variable 'HH:MM' ('00:00' to '23:45')

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
Usual sleep time on weekdays or workdays	Value was recorded	8346	8346	
77777	Refused	6	8352	
99999	Don't know	82	8434	
< blank >	Missing	67	8501	

SLQ310 - Usual wake time on weekdays or workdays

Variable Name: SLQ310

SAS Label: Usual wake time on weekdays or workdays

English Text: What time {do you/does SP} usually wake up on weekdays or workdays?

English Instructions: Character variable 'HH:MM' ('00:00' to '23:30')

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
Usual wake time on weekdays or workdays	Value was recorded	8383	8383	
77777	Refused	6	8389	
99999	Don't know	45	8434	
< blank >	Missing	67	8501	

SLD012 - Sleep hours - weekdays or workdays

Variable Name: SLD012

SAS Label: Sleep hours - weekdays or workdays

English Text: Number of hours usually sleep on weekdays or workdays.

English Instructions: Derived from SLQ300 and SLQ310

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
3 to 13.5	Range of Values	8318	8318	
2	Less then 3 hours	33	8351	
14	14 hours or more	37	8388	
.	Missing	113	8501	

SLQ320 - Usual sleep time on weekends

Variable Name: SLQ320

SAS Label: Usual sleep time on weekends

English Text: What time {do you/does SP} usually fall asleep on weekends or non-workdays?

English Instructions: Character variable 'HH:MM' ('00:00' to '23:45')

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
Usual sleep time on weekends	Value was recorded	8344	8344	
77777	Refused	10	8354	
99999	Don't know	78	8432	
< blank >	Missing	69	8501	

SLQ330 - Usual wake time on weekends

Variable Name: SLQ330

SAS Label: Usual wake time on weekends

English Text: What time {do you/does SP} usually wake up on weekends or non-workdays?

English Instructions: Character variable 'HH:MM' ('00:00' to '23:30')

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
Usual wake time on weekends	Value was recorded	8374	8374	
77777	Refused	8	8382	
99999	Don't know	49	8431	
< blank >	Missing	70	8501	

SLD013 - Sleep hours - weekends

Variable Name: SLD013

SAS Label: Sleep hours - weekends

English Text: Number of hours usually sleep on weekends or non-workdays.

English Instructions: Derived from SLQ320 and SLQ330

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
3 to 13.5	Range of Values	8302	8302	
2	Less then 3 hours	33	8335	
14	14 hours or more	52	8387	
.	Missing	114	8501	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Smoking - Household Smokers (SMQFAM_L)

Data File: SMQFAM_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The smoking – household smokers (variable name prefix SMQFAM) section of the Family Questionnaire provides information about tobacco smoking among persons living in the household.

Eligible Sample

All participants were eligible.

Interview Setting and Mode of Administration

An adult reference person in each family answered questions about the smoking status of all members of the household. This questionnaire was asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Inconsistent responses to these questions were adjudicated when possible. This occurred in a small percentage of households where there was more than one family.

Analytic Notes

Summary variables (SMD460 and SMD470) were created to preserve confidentiality and to establish more analytically useful data. For this data file, responses of 2 or greater are coded as '2 or more'. Questions about household smokers have been modified over the NHANES cycles.

Questions on cigarette smoking and of other tobacco products are located in SMQ and SMQRTU data files. Biochemical indicators of tobacco exposure, including serum cotinine, are available in NHANES laboratory data files.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further

details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 0 YEARS - 150 YEARS

SMD460 - # of people who live here smoke tobacco?

Variable Name: SMD460

SAS Label: # of people who live here smoke tobacco?

English Text: Now I would like to ask you a few questions about smoking in this home. How many people who live here smoke cigarettes, cigars, little cigars, pipes, water pipes, hookah, or any other tobacco product?

English Instructions: INTERVIEWER INSTRUCTION: IF RESPONSE IS NO ONE, ENTER ZERO. ENTER NUMBER OF PERSONS. CAPI INSTRUCTION: ALLOW '0' AS AN ENTRY. RANGE EDIT: CANNOT BE GREATER THAN # OF PEOPLE IN THE HOUSEHOLD. IF '0', 'REFUSED' OR 'DON'T KNOW', GO TO END OF SECTION.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	No one in household is a smoker	7998	7998	End of Section
1	1 household member is a smoker	1800	9798	
2	2 or more household members are smokers	804	10602	
777	Refused	19	10621	End of Section
999	Don't know	3	10624	End of Section
.	Missing	1309	11933	

SMD470 - # of people who smoke inside this home?

Variable Name: SMD470

SAS Label: # of people who smoke inside this home?

English Text: Not counting decks, porches, or detached garages, how many people who live here smoke cigarettes, cigars, little cigars, pipes, water pipes, hookah, or any other tobacco product inside this home?

English Instructions: ENTER NUMBER OF PERSONS. CAPI INSTRUCTION: ALLOW '0' AS AN ENTRY. HARD EDIT: NUMBER ENTERED IN SMQ.470 MUST BE EQUAL OR LESS THAN SMQ.460. IF '0', 'REFUSED' OR 'DON'T KNOW', GO TO END OF SECTION.

Target: Both males and females 0 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	No one smokes inside the house	1663	1663	
1	1 household member smokes inside the house	643	2306	
2	2 or more household members smoke inside the house	297	2603	
777	Refused	0	2603	
999	Don't know	1	2604	
.	Missing	9329	11933	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Smoking - Recent Tobacco Use (SMQRTU_L)

Data File: SMQRTU_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The smoking - recent tobacco use questionnaire (variable name prefix SMQRTU) provides details on use of cigarettes, pipes, cigars, and other forms of tobacco, including e-cigarette use, as well as nicotine replacement therapies in the past 5 days.

Eligible Sample

Participants aged 12 years and older who were able to understand and read English or Spanish were eligible. The interview was not administered to participants needing a proxy informant.

Interview Setting and Mode of Administration

Questions were self-administered at the Mobile Examination Center (MEC) during the personal (MEC) Interview using the Audio Computer-Assisted Self-Interview (ACASI) system, in English and Spanish only.

Quality Assurance & Quality Control

ACASI systems are programmed with built-in consistency checks to reduce data entry errors.

Data Processing and Editing

Edits were made to ensure completeness, consistency, and analytic usefulness of the data. A variable, SMAQUEX was created as a flag to designate each age group.

Analytic Notes

SMDANY is a summary variable for any tobacco use in the past 5 days. For adults 18+ years, this was based on responses to three questions on tobacco use (smoke, smokeless, nicotine replacement therapy products) (SMQ681, SMQ851, SMQ863). For youths 12-17 years, SMDANY was based on responses to SMQ681 and SMQ851 (smoke and smokeless).

SMQ720: Reports of 40 or more cigarettes per day were assigned a top code of 40.

SMQ690K: Smokeless products were grouped due to limited numbers of counts for specific products.

Related questions on cigarette and tobacco use for August 2021-August 2023 are located in the SMQ data files. Biomarkers for tobacco exposure, including serum cotinine, are found in NHANES laboratory data files.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 12 YEARS - 150 YEARS

SMQ681 - Smoked tobacco last 5 days?

Variable Name: SMQ681

SAS Label: Smoked tobacco last 5 days?

English Text: During the past 5 days, including today, did you smoke cigarettes, pipes, regular cigars, cigarillos, or little filtered cigars, water pipes, or hookahs with tobacco?

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	935	935	
2	No	5330	6265	SMQ846
7	Refused	1	6266	SMQ846
9	Don't know	2	6268	SMQ846
.	Missing	931	7199	

SMQ690A - Used last 5 days - Cigarettes

Variable Name: SMQ690A

SAS Label: Used last 5 days - Cigarettes

English Text: Which of these products did {you/he/she} use?

English Instructions: (CHECK ALL THAT APPLY). Verbal instructions to respondent: Please select all that you used.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Cigarettes	788	788	
77	Refused	1	789	
99	Don't know	3	792	
.	Missing	6407	7199	

SMQ710 - # days smoked cigarettes last 5 days

Variable Name: SMQ710

SAS Label: # days smoked cigarettes last 5 days

English Text: During the past 5 days, including today, on how many days did {you/he/she} smoke cigarettes?

English Instructions: ENTER NUMBER OF DAYS.

Target: Both males and females 12 YEARS - 150 YEARS

Hard Edits: 1 to 5

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 5	Range of Values	786	786	
7	Refused	1	787	
9	Don't know	1	788	
.	Missing	6411	7199	

SMQ720 - # cigarettes smoked per day

Variable Name: SMQ720

SAS Label: # cigarettes smoked per day

English Text: During the past 5 days, including today, on the days {you/he/she} smoked, how many cigarettes did {you/he/she} smoke each day?

English Instructions: ENTER NUMBER OF CIGARETTES.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 35	Range of Values	772	772	
40	40 or more	14	786	
777	Refused	1	787	
999	Don't know	1	788	
.	Missing	6411	7199	

SMQ725 - When did resp. smoke last cigarette?

Variable Name: SMQ725

SAS Label: When did resp. smoke last cigarette?

English Text: When did {you/he/she} smoke {your/his/her} last cigarette? Was it...

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Today	665	665	
2	Yesterday	77	742	
3	3 to 5 days ago	41	783	
7	Refused	0	783	
9	Don't know	1	784	
.	Missing	6415	7199	

SMQ690B - Used last 5 days - Pipes

Variable Name: SMQ690B

SAS Label: Used last 5 days - Pipes

English Text: Which of these products did {you/he/she} use?

English Instructions: (CHECK ALL THAT APPLY). Verbal instructions to respondent: Please select all that you used.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
2	Pipes	25	25	
.	Missing	7174	7199	

SMQ740 - # days smoked pipe over last 5 days**Variable Name:** SMQ740**SAS Label:** # days smoked pipe over last 5 days**English Text:** During the past 5 days, including today, on how many days did {you/he/she} smoke a pipe?**English Instructions:** ENTER NUMBER OF DAYS.**Target:** Both males and females 12 YEARS - 150 YEARS**Hard Edits:** 1 to 5

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 5	Range of Values	25	25	
7	Refused	0	25	
9	Don't know	0	25	
.	Missing	7174	7199	

SMQ690C - Used last 5 days - Cigars

Variable Name: SMQ690C

SAS Label: Used last 5 days - Cigars

English Text: Which of these products did {you/he/she} use?

English Instructions: (CHECK ALL THAT APPLY). Verbal instructions to respondent: Please select all that you used.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
3	Cigars or little cigars or cigarillos	122	122	
.	Missing	7077	7199	

SMQ770 - # days smoked cigars over last 5 days**Variable Name:** SMQ770**SAS Label:** # days smoked cigars over last 5 days**English Text:** During the past 5 days, including today, on how many days did you smoke regular cigars, cigarillos, or little filtered cigars?**English Instructions:** ENTER NUMBER OF DAYS.**Target:** Both males and females 12 YEARS - 150 YEARS**Hard Edits:** 1 to 5

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 5	Range of Values	122	122	
7	Refused	0	122	
9	Don't know	0	122	
.	Missing	7077	7199	

SMQ690G - Used last 5 days - Hookah, water pipes

Variable Name: SMQ690G

SAS Label: Used last 5 days - Hookah, water pipes

English Text: Which of these products did {you/he/she} use?

English Instructions: CHECK ALL THAT APPLY). Verbal instructions to respondent: Please select all that you used.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
7	Water pipes or Hookahs	46	46	
.	Missing	7153	7199	

SMQ845 - # days smoked water pipe last 5 days**Variable Name:** SMQ845**SAS Label:** # days smoked water pipe last 5 days**English Text:** During the past 5 days, including today, on how many days did {you/he/she} smoke tobacco in a water pipe or Hookah?**English Instructions:** ENTER NUMBER OF DAYS.**Target:** Both males and females 12 YEARS - 150 YEARS**Hard Edits:** 1 to 5

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 5	Range of Values	45	45	
7	Refused	0	45	
9	Don't know	1	46	
.	Missing	7153	7199	

SMQ846 - Used last 5 days - E-cigarettes

Variable Name: SMQ846

SAS Label: Used last 5 days - E-cigarettes

English Text: During the past 5 days, including today, did you use e-cigarettes? You may also know them as JUUL(TM), vape-pens, vapes, hookah-pens, e-hookahs, or vaporizers. These are battery-powered, usually contain liquid nicotine, and produce vapor instead of smoke?

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	400	400	
2	No	5863	6263	SMQ851
7	Refused	1	6264	SMQ851
9	Don't know	4	6268	SMQ851
.	Missing	931	7199	

SMQ849 - # days used e-cigarettes last 5 days**Variable Name:** SMQ849**SAS Label:** # days used e-cigarettes last 5 days**English Text:** During the past 5 days, including today, on how many days did {you/he/she} use e-cigarettes?**English Instructions:** ENTER NUMBER OF DAYS.**Target:** Both males and females 12 YEARS - 150 YEARS**Hard Edits:** 1 to 5

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 5	Range of Values	399	399	
7	Refused	0	399	
9	Don't know	1	400	
.	Missing	6799	7199	

SMQ851 - Used smokeless tobacco last 5 days?

Variable Name: SMQ851

SAS Label: Used smokeless tobacco last 5 days?

English Text: Smokeless tobacco products are placed in the mouth or nose and can include chewing tobacco, snuff, dip, snus, or dissolvable tobacco. During the past 5 days, including today, did {you/he/she} use any smokeless tobacco?

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	92	92	
2	No	6167	6259	SMQ863
7	Refused	2	6261	SMQ863
9	Don't know	2	6263	SMQ863
.	Missing	936	7199	

SMQ690D - Used last 5 days - Chewing tobacco

Variable Name: SMQ690D

SAS Label: Used last 5 days - Chewing tobacco

English Text: Which of these products did {you/he/she} use?

English Instructions: (CHECK ALL THAT APPLY). Verbal instructions to respondent: Please select all that you used.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
4	Chewing tobacco	30	30	
77	Refused	2	32	
99	Don't know	9	41	
.	Missing	7158	7199	

SMQ690E - Used last 5 days - Snuff

Variable Name: SMQ690E

SAS Label: Used last 5 days - Snuff

English Text: Which of these products did {you/he/she} use?

English Instructions: (CHECK ALL THAT APPLY). Verbal instructions to respondent: Please select all that you used.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
5	Snuff	8	8	
.	Missing	7191	7199	

SMQ690K - Used last 5 days - Other smokeless

Variable Name: SMQ690K
SAS Label: Used last 5 days - Other smokeless
English Text: Which of these products did {you/he/she} use?
Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
11	Other smokeless	51	51	
.	Missing	7148	7199	

SMQ863 - Used nicotine replacement last 5 days?

Variable Name: SMQ863

SAS Label: Used nicotine replacement last 5 days?

English Text: During the past 5 days, including today, did {you/he/she} use any nicotine replacement therapy products such as nicotine patches, gum, lozenges, inhalers, or nasal sprays?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	86	86	
2	No	5397	5483	SMDANY
7	Refused	2	5485	SMDANY
9	Don't know	0	5485	SMDANY
.	Missing	1714	7199	

SMQ690F - Used last 5 days - Patch, gum, other**Variable Name:** SMQ690F**SAS Label:** Used last 5 days - Patch, gum, other**English Text:** Which of these products did {you/he/she} use?**English Instructions:** (CHECK ALL THAT APPLY). Verbal instructions to respondent: Please select all that you used.**Target:** Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
6	Nicotine patches, gum, or other nicotine replacement therapy product	86	86	
.	Missing	7113	7199	

SMDANY - Used any tobacco product last 5 days?

Variable Name: SMDANY

SAS Label: Used any tobacco product last 5 days?

English Text: Used any tobacco product last 5 days?

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	1282	1282	
2	No	4969	6251	
7	Refused	1	6252	
9	Don't know	0	6252	
.	Missing	947	7199	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Smoking - Cigarette Use (SMQ_L)

Data File: SMQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

This smoking - cigarette use questionnaire (variable name prefix SMQ) provides a history of cigarette smoking, age at initiation, past 30-day use, and cigarette type. Since 1999, SMQ questionnaire content has varied; this data set has fewer variables than past cycles.

Eligible Sample

All participants aged 12 years and older were eligible. Participants aged 12-17 answered questions on their own; interviews requiring proxy informants or interpreters were not administered.

Interview Setting and Mode of Administration

For adults aged 18 years or older, this questionnaire was asked by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system in the participant's home or by telephone. For youth aged 12-17 years, questions were asked at the Mobile Examination Center (MEC) during the MEC Interview using the Audio Computer-Assisted Self-Interview (ACASI) system, in English and Spanish only.

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire. Interviewers were required to audio-record interviews. The recorded interviews were reviewed by interviewer supervisors and NCHS staff.

Data Processing and Editing

Edits were made to ensure completeness, consistency, and analytic usefulness of the data. A variable, SMAQUEX was created as a flag to designate each interview mode and age group.

Analytic Notes

Several questions were dropped in NHANES August 2021-August 2023 and are not included in this data file, including SMQ030, SMQ050, SMQ055, SMQ057, SMQ078, SMQ653, SMQ657, SMQ671.

Questions varied by target age; youths 12-17 years were asked fewer questions than adults 18 years and older. Analysts are advised to carefully review skip patterns, and target ages for this question series, and to combine and re-code responses to account for the full target sample. Persons who were not asked a question due to a skip pattern were coded as missing ("."). If

skip patterns are not considered, estimates may be based on a portion rather than on the entire population. For example, to determine current adult cigarette smoking status (18+ years), responses to the preliminary question (SMQ.020) on '100 cigarettes in lifetime,' with responses to the follow-up question on 'now smokes cigarette' (SMQ.040) must be considered.

Related questions on cigarette and tobacco use are located in the SMQRTU, SMQFAM data files. Biomarkers for tobacco exposure including serum cotinine, are found in NHANES laboratory data files.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 12 YEARS - 150 YEARS

SMQ020 - Smoked at least 100 cigarettes in life

Variable Name: SMQ020

SAS Label: Smoked at least 100 cigarettes in life

English Text: These next questions are about cigarette smoking and other tobacco use. {Have you/Has SP} smoked at least 100 cigarettes in {your/his/her} entire life?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	3243	3243	
2	No	4878	8121	SMAQUEx2
7	Refused	7	8128	SMAQUEx2
9	Don't know	7	8135	SMAQUEx2
.	Missing	880	9015	

SMQ040 - Do you now smoke cigarettes?**Variable Name:** SMQ040**SAS Label:** Do you now smoke cigarettes?**English Text:** {Do you/Does SP} now smoke cigarettes?**Target:** Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Every day	952	952	
2	Some days	238	1190	
3	Not at all	2053	3243	
7	Refused	0	3243	SMAQUX2
9	Don't know	0	3243	SMAQUX2
.	Missing	5772	9015	

SMD641 - # days smoked cigs during past 30 days

Variable Name: SMD641

SAS Label: # days smoked cigs during past 30 days

English Text: On how many of the past 30 days did {you/SP} smoke a cigarette?

English Instructions: ENTER NUMBER (OF DAYS)

Target: Both males and females 12 YEARS - 150 YEARS

Hard Edits: 0 to 30

Code or Value	Value Description	Count	Cumulative	Skip to Item
0 to 30	Range of Values	268	268	
77	Refused	0	268	
99	Don't know	5	273	
.	Missing	8742	9015	

SMD650 - Avg # cigarettes/day during past 30 days

Variable Name: SMD650

SAS Label: Avg # cigarettes/day during past 30 days

English Text: During the past 30 days, on the days that {you/SP} smoked, about how many cigarettes did {you/s/he} smoke per day?

English Instructions: 1 PACK EQUALS 20 CIGARETTES. IF LESS THAN 1 PER DAY, ENTER 1. IF 95 OR MORE PER DAY, ENTER 95. ENTER NUMBER (OF CIGARETTES) (PER DAY).

Target: Both males and females 12 YEARS - 150 YEARS

Hard Edits: 1 to 95

Code or Value	Value Description	Count	Cumulative	Skip to Item
2 to 90	Range of Values	1080	1080	
1	1 cigarette or less	94	1174	
95	95 cigarettes or more	2	1176	
777	Refused	0	1176	
999	Don't know	9	1185	
.	Missing	7830	9015	

SMD100MN - Cigarette Menthol indicator

Variable Name: SMD100MN

SAS Label: Cigarette Menthol indicator

English Text: Do you usually smoke menthol or non-menthol cigarettes?

Target: Both males and females 18 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
0	Non-menthol	712	712	
1	Menthol	460	1172	
7	Refused	0	1172	
9	Don't know	3	1175	
.	Missing	7840	9015	

SMQ621 - Cigarettes smoked in entire life

Variable Name: SMQ621

SAS Label: Cigarettes smoked in entire life

English Text: The following questions are about cigarette smoking and other tobacco use. Do not include cigars or marijuana. About how many cigarettes have you smoked in your entire life?

English Instructions: INSTRUCTIONS TO SP: Please select . . .

Target: Both males and females 12 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	I have never smoked, not even a puff	720	720	SMAQUEX2
2	1 or more puffs but never a whole cigarette	28	748	SMAQUEX2
3	1 cigarette	6	754	
4	2 to 5 cigarettes	4	758	
5	6 to 15 cigarettes	4	762	
6	16 to 25 cigarettes	5	767	
7	26 to 99 cigarettes	2	769	
8	100 or more cigarettes	2	771	
77	Refused	0	771	SMAQUEX2
99	Don't know	1	772	SMAQUEX2
.	Missing	8243	9015	

SMD630 - Age first smoked whole cigarette

Variable Name: SMD630

SAS Label: Age first smoked whole cigarette

English Text: How old were you when you smoked a whole cigarette for the first time?

Target: Both males and females 12 YEARS - 17 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
9 to 16	Range of Values	23	23	
6	6 years or less	0	23	
77	Refused	0	23	
99	Don't know	0	23	
.	Missing	8992	9015	

SMAQUEX2 - Questionnaire Mode Flag

Variable Name: SMAQUEX2

SAS Label: Questionnaire Mode Flag

English Text: Questionnaire Mode Flag

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Home Interview (18+ Yrs)	8153	8153	
2	ACASI (12 - 17 Yrs)	862	9015	
.	Missing	0	9015	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Volatile Toxicant (VTQ_L)

Data File: VTQ_L.xpt

First Published: December 2025

Last Revised: NA

Component Description

The volatile toxicant questionnaire (variable name prefix VTQ) includes data about the participants home, activities, amount of time spent in various locations and exposure to different chemicals over the past 48 hours. This questionnaire data can be used in conjunction with the volatile organic compound (VOC) laboratory dataset in the NHANES August 2021 – August 2023 Laboratory Data section.

VOCs are a large group of chemicals that have been used as solvents, degreasers, and cleaning agents in industry and consumer products. Many VOCs were found to contaminate ground water and drinking water sources, and because of human health concerns, have been banned or restricted from most uses.

Eligible Sample

Participants aged 12 years and older from a one-half sample were eligible.

Interview Setting and Mode of Administration

The volatile toxicant questionnaire was asked in the mobile examination center (MEC), by trained phlebotomists, using the computer-assisted personal interview (CAPI) system.

Quality Assurance & Quality Control

VTQ data were systematically reviewed for consistency, data processing, and data input errors on a periodic basis during the data collection.

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used

Data Processing and Editing

Data were edited for completeness and consistency.

Analytic Notes

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 12 YEARS - 150 YEARS

WTSVOC2Y - VOC Subsample Weight

Variable Name: WTSVOC2Y

SAS Label: VOC Subsample Weight

English Text: VOC Subsample Weight

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
11386.962716 to 543590.56928	Range of Values	2960	2960	
0	No Lab Result	658	3618	End of Section
.	Missing	0	3618	

VTQ231A - Use moth balls or toilet deodorizers?

Variable Name: VTQ231A

SAS Label: Use moth balls or toilet deodorizers?

English Text: {Do you/Does she/Does he} currently use moth balls, moth crystals or toilet bowl deodorizers inside {your/her/his} home?

English Instructions: HELP SCREEN SHOULD READ: Some toilet bowl deodorizers clip onto the toilet rim, other, such as deodorant blocks and gels, are placed inside the tank or hang inside the wall of the tank. Brand names include Bully, 2000 Flushes, Vanish, X-14, Ty-D-Bol, Toilet Duck, Clorox, Lime-A-Way, and Sno Bol.

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	252	252	
2	No	2665	2917	
7	Refused	0	2917	
9	Don't know	40	2957	
.	Missing	661	3618	

VTQ233A - Past 3 days inhale smoke for 10 minutes

Variable Name: VTQ233A

SAS Label: Past 3 days inhale smoke for 10 minutes

English Text: In the last three days, did {you/she/he} inhale smoke from any source for 10 or more minutes?

Target: Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	473	473	
2	No	2482	2955	
7	Refused	0	2955	
9	Don't know	2	2957	
.	Missing	661	3618	

VTQ233B - When did you last inhale smoke for 10min

Variable Name: VTQ233B**SAS Label:** When did you last inhale smoke for 10min**English Text:** When did {you/she/he} last spend 10 or more minutes inhaling smoke?**Target:** Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Today	252	252	
2	Yesterday	157	409	
3	More than 2 days	63	472	
7	Refused	0	472	
9	Don't know	1	473	
.	Missing	3145	3618	

VTQ244A - Did you pump gas into your car?**Variable Name:** VTQ244A**SAS Label:** Did you pump gas into your car?**English Text:** In the last 48 hours, did {you/she/he} pump gas into a car or other motor vehicle {yourself/herself/ himself}?**Target:** Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	638	638	
2	No	2311	2949	VTQ261A
7	Refused	0	2949	VTQ261A
9	Don't know	8	2957	VTQ261A
.	Missing	661	3618	

VTD244B - Long ago did you pump gas in your car?

Variable Name: VTD244B

SAS Label: Long ago did you pump gas in your car?

English Text: How long ago, in hours, did {you/she/he} pump gas into a car or other motor vehicle {yourself/herself/ himself}?

English Instructions: HOURS HARD EDIT: Range - 1 - 48

Target: Both males and females 12 YEARS - 150 YEARS

Hard Edits: 1 to 48

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 48	Range of Values	628	628	
0	Less than one hour	10	638	
77	Refused	0	638	
99	Don't know	0	638	
.	Missing	2980	3618	

VTQ261A - In last 48 hrs use dry cleaning solvent?**Variable Name:** VTQ261A**SAS Label:** In last 48 hrs use dry cleaning solvent?**English Text:** In the last 48 hours, did {you/she/he} use dry cleaning solvents, visit a dry cleaning shop or wear clothes that had been dry-cleaned within the last week?**Target:** Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	50	50	
2	No	2899	2949	VTQ271A
7	Refused	0	2949	VTQ271A
9	Don't know	8	2957	VTQ271A
.	Missing	661	3618	

VTQ261B - Long since use dry cleaning solvents?

Variable Name: VTD261B

SAS Label: Long since use dry cleaning solvents?

English Text: How long ago, in hours, has it been since {you/she/he} used dry cleaning solvents, visited a dry cleaning shop or wore clothes that had been dry-cleaned within the last week?

English Instructions: HARD EDIT: Range - 1 - 48 HOURS

Target: Both males and females 12 YEARS - 150 YEARS

Hard Edits: 1 to 48

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 48	Range of Values	49	49	
0	Less than one hour	0	49	
77	Refused	0	49	
99	Don't know	0	49	
.	Missing	3569	3618	

VTQ271A - In last 48 hrs, bathe for 5+ minutes?**Variable Name:** VTQ271A**SAS Label:** In last 48 hrs, bathe for 5+ minutes?**English Text:** In the last 48 hours, did {you/she/he} take a hot shower or bath for five minutes or longer?**Target:** Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	2286	2286	
2	No	666	2952	VTQ281A
7	Refused	0	2952	VTQ281A
9	Don't know	5	2957	VTQ281A
.	Missing	661	3618	

VTD271B - How long, in hrs, since you bathed?

Variable Name: VTD271B

SAS Label: How long, in hrs, since you bathed?

English Text: How long ago, in hours, has it been since {your/SP's} last shower or hot bath?

English Instructions: Hours

Target: Both males and females 12 YEARS - 150 YEARS

Hard Edits: 1 to 48

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 48	Range of Values	2285	2285	
0	Less than one hour	0	2285	
77	Refused	0	2285	
99	Don't know	0	2285	
.	Missing	1333	3618	

VTQ281A - In past 48 hrs breathe paint fumes?**Variable Name:** VTQ281A**SAS Label:** In past 48 hrs breathe paint fumes?**English Text:** In the last 48 hours, did {you/she/he} breathe fumes from freshly painted indoor surfaces, paints, paint thinner, or varnish?**Target:** Both males and females 12 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	80	80	
2	No	2872	2952	End of Section
7	Refused	0	2952	End of Section
9	Don't know	4	2956	End of Section
.	Missing	662	3618	

VTD281B - How long, since breathed paint fumes?

Variable Name: VTD281B

SAS Label: How long, since breathed paint fumes?

English Text: How long ago, in hours, has it been since {you/she/he} breathed fumes from freshly painted indoor surfaces, paints, paint thinner, or varnish?

English Instructions: HARD EDIT: Range - 1 - 48 HOURS

Target: Both males and females 12 YEARS - 150 YEARS

Hard Edits: 1 to 48

Code or Value	Value Description	Count	Cumulative	Skip to Item
1 to 48	Range of Values	80	80	
0	Less than one hour	0	80	
77	Refused	0	80	
99	Don't know	0	80	
.	Missing	3538	3618	

National Health and Nutrition Examination Survey

August 2021-August 2023 Data Documentation, Codebook, and Frequencies

Weight History (WHQ_L)

Data File: WHQ_L.xpt

First Published: September 2024

Last Revised: NA

Component Description

The Weight History section of the Sample Person Questionnaire (variable name prefix WHQ) provides personal interview data on several topics related to body weight and height, including self-reported weight and height, self-reported weight a year ago and attempted weight loss during the past 12 months.

Eligible Sample

Participants aged 16 years and older were eligible. Please review the codebook carefully. Frequency counts were verified during the preparation of the file.

Interview Setting and Mode of Administration

These questions were asked, in the home or by telephone, by trained interviewers using the Computer-Assisted Personal Interview (CAPI) system. For details on the administration of the WHQ_L, please refer to the Weight History Sample Person Questionnaire on the [NHANES website](#).

Quality Assurance & Quality Control

The CAPI system is programmed with built-in consistency checks to reduce data entry errors. CAPI also uses online help screens to assist interviewers in defining key terms used in the questionnaire.

Data Processing and Editing

Edits were made to some variables to ensure the completeness, consistency, and analytic usefulness of the data. Edits were also made, when necessary, to address data disclosure concerns. When a variable was modified globally, as part of the editing process, the third letter in the variable name was changed from a Q (i.e., WHQ) to a D (i.e., WHD). For example, height data were collected as feet and inches, but standardized to inches using the conversion factors 0.3937 inches per centimeter and 12 inches per foot. Current and past self-reported weights were standardized to weight in pounds using the conversion factor 2.2046 pounds per kilogram.

Reported heights and weights, considered being physiologically implausible or the result of interviewer data entry error, were coded as "missing."

Analytic Notes

Although data in this file were collected as part of the household interview, if they are merged with the MEC exam data, exam sample weights should be used for analyses.

Please refer to the [NHANES Analytic Guidelines](#) and the on-line [NHANES Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number.
Target:	Both males and females 16 YEARS - 150 YEARS

WHD010 - Current self-reported height (inches)

Variable Name: WHD010

SAS Label: Current self-reported height (inches)

English Text: These next questions ask about {your/SP's} height and weight at different times in {your/his/her} life. How tall {are you/is SP} without shoes?

English Instructions: ENTER HEIGHT IN FEET AND INCHES OR METERS AND CENTIMETERS.

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
40 to 83	Range of Values	8414	8414	
7777	Refused	2	8416	
9999	Don't know	70	8486	
.	Missing	15	8501	

WHD020 - Current self-reported weight (pounds)

Variable Name: WHD020

SAS Label: Current self-reported weight (pounds)

English Text: How much {do you/does SP} weigh without clothes or shoes?

English Instructions: RECORD CURRENT WEIGHT. IF PREGNANT, ASK FOR WEIGHT BEFORE PREGNANCY. ENTER WEIGHT IN POUNDS OR KILOGRAMS.

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
63 to 530	Range of Values	8358	8358	
7777	Refused	40	8398	
9999	Don't know	88	8486	
.	Missing	15	8501	

WHD050 - Self-reported weight - 1 yr ago (pounds)

Variable Name: WHD050

SAS Label: Self-reported weight - 1 yr ago (pounds)

English Text: How much did {you/SP} weigh a year ago?

English Instructions: ENTER WEIGHT IN POUNDS OR KILOGRAMS. IF PREGNANT, ASK FOR WEIGHT BEFORE PREGNANCY.

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
67 to 530	Range of Values	8272	8272	
7777	Refused	33	8305	
9999	Don't know	181	8486	
.	Missing	15	8501	

WHQ070 - Tried to lose weight in past year

Variable Name: WHQ070

SAS Label: Tried to lose weight in past year

English Text: During the past 12 months, {have you/has SP} tried to lose weight?

Target: Both males and females 16 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Yes	3855	3855	
2	No	4627	8482	
7	Refused	1	8483	
9	Don't know	3	8486	
.	Missing	15	8501	